

## DISPLAY

Your Complete Visual Communication Display Guide





#### #1 Roller Banners

## #13

**Tension Banners** 

## #25

Outdoor

#45 **POS Signage** 

#61

## Flags

#33

## Counters

#### #73 **Backwalls**

#93 Accessories

#103 Stands


## Display solutions are one of the most popular and impactful visual communication media on the market.

Whether it is for frequent and regular use or for a durable fixed arrangement, a multitude of solutions exists and for any budget.

To successfully communicate your messages and brand at point of sale, shows and events it is essential to understand:

- The environment in which the display will be exhibited.
- Whether the display will be renewed and how frequently.
- The quality appropriate to the event andrelative to the desired budget.
- How to accessorise the product to increase its functionality.
- How to stand out from the competition with high-end, original solutions that distinguish your brand from the competition.

This comprehensive guide offers you a wide choice of products. We will help you find the best solution suited to your needs.



## **Roller Banners**

Simple, striking, stylish – banners are still one of the most popular, effective and easy ways to promote your business and get your message across in a wide variety of environments.

With one of the most comprehensive ranges on the market, our banners are designed to suit every budget and fit all situations. From single to frequent use and if you need it, the ability to change your graphics.



# Roller Banners are one of the most popular and effective communication tools available.

Using our solutions will exceed your expectations, whatever your needs may be, from desktop, retail outlets, exhibition stands to the office environment.

We have one of the widest ranges of both economy and premium Roller Banners on the market, with widths ranging from 600mm to 3000mm! It's therefore important to choose the right one for your needs. Here is a quick guide explaining what you should consider.



#### Before choosing your Roller Banner, ask yourself:

- 1. Where will it be positioned: indoors or outdoors?
- 2. How often will your banner be used- occasionally or daily?
- **3.** How much space is available for the banner?
- **4.** What is the right size to attract your audience? It is important to choose the right size without overcrowding your display area.
- 5. Will you need to change the graphic? Are the messages consistent or will you need to alternate messages for different occasions or offers?
- 6. What is the right material for your needs? Check the environment and select the right materials to meet your needs - banner vinyl, polyester or textile fabric.
- **7.** What is your budget?

## Top graphic rail attachments explained



Snap rail



Premium dual action self-adhesive and snap rail



Self-adhesive rail Breeze and Stellar only

We recommend using PVC media when using the adhesive rail.

## Base graphic attachment explained



Hook and loop strip



Cassette



Self-adhesive leader



Sliding system



Clip graphic fixing: lower fixing of the visual

If you need to change your graphic often then we recommend choosing the cassette banner system.

## Transport bag types explained



Simple Nylon. Top opening



Nylon padded.



Semi rigid



inner protection (double skin)



Padded nylon with side opening and foam reinforced ends



## Revolution



Feet:







Uniquely designed roller banner with revolutionary style and design. Gloss white plastic injected banner with dark grey plastic under carriage to give the appearance of floating when displayed.

Material: Injection moulded plastic

Rail: Snap rail with self-adhesive slider mechanism

Pole: White hybrid telescopic pole Leader: Self-adhesive leader Graphic: Single-sided

Adjustable

Bag: Premium EVA semi rigid

UB161-850 (h) x 900 (w) x 225 (d) mm



White hybrid telescopic pole



Adjustable feet



Grey plastic ends and undercarriage



Snap rail with adhesive slider mechanism



#### **Premium**



#### Merlin







Interchangeable cassette with telescopic pole allows you to change graphics easily and quickly. Ability to store the old graphic in the cassette and re-use it later.

Material: Aluminium and plastic

Rail: Snap rail

Hybrid adjustable height telescopic pole Pole: Leader: Cassette banner with adhesive leader

Graphic: Single-sided Feet: Adjustable

Padded nylon with side opening and foam reinforced ends Sac:

850 mm	UB160-850-01	்_ 1655/2315 (h) x 915 (w) x 195 (d) mm
1000 mm	UB160-1000-01	1655/2315 (h) x 1065 (w) x 195 (d) mm

#### Accessories:

Replacement cassette - 850 mm	UB175-850-01
Replacement cassette - 1000 mm	UB175-1000-01

## Graphics are easily updated using changeable cassettes



Change display







## Original +









Adjustable height premium roller banner in a variety of sizes up to three meters. Can be made in black or to custom sizes at an additional cost. Also features a linear channel which accepts a variety of optional extra accessories for a multi-functional display.

Material: Aluminium and plastic

Rail: Premium dual action self-adhesive and snap rail with secure end caps

Pole: Hybrid adjustable height telescopic pole

Self-adhesive sliding leader Leader:

Graphic: Single-sided Adiustable Feet:

Padded nylon with side opening and foam reinforced ends Sac:

600 mm	UB322-600C1	1590/2230 (h) x 640 (w) x 195 (d) mm
800 mm	UB322-800C1	
1000 mm	UB322-1000C1	
1200 mm*	UB322-1200C1	
1500 mm*	UB322-1500C1	
2000 mm*	UB322-2000C1	1590/2230 (h) x 2040 (w) x 195 (d) mm
2400 mm**	UB322-2400C1	1590/2230 (h) x 2440 (w) x 195 (d) mm
3000 mm**	UB322-3000C1	1590/2230 (h) x 3040 (w) x 195 (d) mm

<sup>\*</sup> Comes with 2 Poles \*\* Comes with 3 Poles



Hybrid adjustable height telescopic pole

Available in eight sizes up to 3m wide



## Accessorise Your Banner

Choose from our optional accessories to make your banner multi-functional and more visible.

Also compatible with Original+ and Excaliber2 roller banners.



## Mix and match your multiple accessories

Frame attaches securely to the banner base

5 kg max

Shelf post	LNBA-02
Shelf only	LNBA-PT1
Leaflet Holders A4 + crossbar	LNBA-01
Leaflet Holders A4	LN112-C
iPad/LCD Screen mount*	LNBA-03







<sup>\*</sup>LCD screen and iPad are not included and not available to purchase. LCD mount available on Excaliber2 banners only - 5kg max screen weight.

#### **Standard**

#### Orient +











Front-loading graphic that pulls up from the front of the base ensuring your brand message has maximum visibility from floor to rail. Market leading roller banner. The optional low profile hook/loop fixing allows for quick change graphics.

Aluminium and plastic

Rail: Premium dual action self-adhesive and snap rail with secure end caps

Hybrid adjustable height telescopic pole Pole:

Leader: Self-adhesive sliding leader, optional hook and loop strip

Graphic: Single-sided Feet: Adjustable

Bag: Padded nylon with side opening and foam reinforced ends

800 mm	WH353-800-003	<u></u> 1595/2220 (h) x 840 (w) x 185 (d) mm
850 mm	WH353-850-003	്രൂ 1595/2220 (h) x 890 (w) x 185 (d) mm
1000 mm	WH353-1000-003	
1200 mm*	WH353-1200-003	<u>ര</u> 1595/2220 (h) x 1240 (w) x 185 (d) mm
1500 mm*	WH353-1500-003	
2000 mm*	WH353-2000-003	1595/2220 (h) x 2040 (w) x 185 (d) mm

<sup>\*</sup> Comes with 2 Poles









action self-adhesive and snap rail

**PIONEER** 







#### Delta Lite









Elegant aluminium banner with chrome finished end covers that combines great design with stability whilst remaining lightweight.

Material: Aluminium and plastic Rail: Snap rail with end caps

Pole: Hybrid adjustable height telescopic pole

Self-adhesive Single-sided Adjustable Bag: Padded nylon

800 mm	UB205-800-004	്രൂ 1625/2224 (h) x 853 (w) x 203 (d) mm
850 mm	UB205-850-004	്ര_ 1625/2224 (h) x 903 (w) x 203 (d) mm
1000 mm	UB205-1000-004	(d) mm





## Pioneer







The most economical mid-range roller banner on the market. Moulded polymers provide a glossy white finish and modern high-end finished look.

Plastic base, aluminium pole / rail Material: Rail: Snap rail with end caps Pole: Aluminium three-part bungee pole

Self-adhesive Leader: Graphic: Single-sided Feet: Adjustable Padded nylon Bag:

800 mm	UB147-800	<u>െ</u> 2095 (h) x 845 (w) x 225 (d) mm
850 mm	UB147-850	2095 (h) x 895 (w) x 225 (d) mm
1000 mm	UB147-1000	(d) mm

## Mosquito

Giant Mosquito and Mosquito banners offer classic styling with durability - ideal for any indoor environment. They come with a padded bag for protective transportation and are available in a large choice of sizes.

They continue to be two of the best selling roller banners on the market and great display



## Mosquito











One of the most popular banners in its range with snap rail for quick and easy graphic assembly. Lightweight and easy to transport.

Material: Aluminium, plastic

Rail: Snap rail


Pole: Aluminium three-part bungee pole

Leader: Self-adhesive Graphic: Single-sided Twin, twist-out feet

Bag: Nylon with padded inner protection (double skin)

800 mm	UB197	<u></u> 2105 (h) x 860 (w) x 285 (d) mm
850 mm	UB196	<u>റ</u> ്റ് 2105 (h) x 910 (w) x 285 (d) mm
1000 mm	UB197-1000	<u></u> 2105 (h) x 1060 (w) x 285 (d) mm
1200 mm*	UB197-1200	<u></u> 2105 (h) x 1260 (w) x 285 (d) mm
1500 mm*	UB197-1500	2105 (h) x 1560 (w) x 285 (d) mm
2000 mm*	UB197-2000	(a) 2105 (h) x 2060 (w) x 285 (d) mm

<sup>\*</sup> Comes with 2 poles







With the optional clip graphic fixing it's simple and quick to change graphics

Three-part bungee pole

## Giant Mosquito







All the advantages of the Mosquito roller banner but with the advantage of extending up to three meters high!

Material: Aluminium, plastic Rail: Snap rail

Pole: Telescopic pole that can be set at various heights up to 3m

Leader: Self-adhesive Graphic: Single-sided Feet: Twin, twist-out feet

Bag: Nylon with padded inner protection (double skin)

850 mm	UB300-850	்_ 1705/3100 (h) x 869 (w) x 400 (d) mm
1000 mm	UB300-1000	
1500 mm*	UB300-1500	
2000 mm*	UB300-2000	

<sup>\*</sup> Comes with 2 poles





Telescopic pole

Extends up to 3m high!



Rigidising bracket increases banner longevity. Insertion hole for guiding pole into correct position

#### **Basic**

## Liberty









Strong and stylish full graphic banner with  $\operatorname{oval}$  shaped end covers for a unique look.

Material: Aluminium, plastic end caps on rail

Snap rail Rail:

Aluminium three-part bungee pole Pole:

Leader: Self-adhesive Graphic: Single-sided Twin, twist-out feet Feet:

Padded nylon bag with side opening Bag:

800 mm	UB122-800-01	2080 (h) x 830 (w) x 350 (d) mm
850 mm	UB122-850-01	<u></u> 2080 (h) x 880 (w) x 350 (d) mm
1000 mm	UB122-1000-01	





Full graphic visibility

#### Mantis







A unique roller banner offering a top rail with choice. This popular entry-level banner has a weighted base for optimum stability when deployed in busy environments.

Material: Aluminium, plastic end caps on rail

Rail: Snap rail

Aluminium three-part bungee pole Pole:

Leader: Self-adhesive Graphic: Single-sided Twin, twist-out feet Feet:

Padded nylon bag with side opening Transport:

600 mm*	UB216-600-01	1685/2085 (h) x 618 (w) x 280 (d) mm
800 mm	UB216-800-01	2085 (h) x 818 (w) x 280 (d) mm
850 mm	UB216-850-01	<u>○</u> 2085 (h) x 868 (w) x 280 (d) mm
1000 mm	UB216-1000-01	<u>⊙</u> 2085 (h) x 1018 (w) x 280 (d) mm

- \* The 600 mm version comes with: a bungee pole in three parts (1600 mm high graphic) a pole extension (2000 mm high graphic)



## Wasp









Entry level banner, ideal for short-term events or displays. Lightweight, easy to carry and recycle once finished with.

Material: Plastic, aluminium rail

Rail: Snap rail

Aluminium three-part bungee pole Pole:

Self-adhesive Leader: Graphic: Single-sided Twin, twist-out feet Feet: Simple nylon Bag:

600 mm*	UB204-600-05	്ര_ 1710/2080 (h) x 615 (w) x 320 (d) mm
800 mm	UB204-800-03	2080 (h) x 815 (w) x 320 (d) mm
850 mm	UB204-850-03	2080 (h) x 865 (w) x 320 (d) mm
1000 mm	UB204-1000-03	

- \* The 600 mm version comes with: a bungee pole in three parts (1600 mm high graphic) a pole extension (2000 mm high graphic)







Snap rail



Simple nylon

Our most economical aluminium roller banner

## Element







Economical white ABS roller banner which is ideally suited for retail environments.

Material: Plastic, aluminium rail

Rail: Snap rail

Pole: Aluminium three-part bungee pole

Leader: Self-adhesive Graphic: Single-sided Twin, twist-out feet Simple nylon

800 mm	UB146-800	
850 mm	UB146-850	<u></u> 2090 (h) x 880 (w) x 280 (d) mm
1000 mm	UB146-1000	









White base

The most economical banner on the market





#### **Recto-Verso**

## Dragonfly 2









Economical double-sided roller banner with pole storage in

Material: Aluminium, plastic end caps on rail

Rail:

Aluminium three-part bungee pole Pole:

Self-adhesive Leader:

Single-sided ou Double-sided Graphic:

Twin, twist-out feet Feet: Bag: Padded nylon

850 mm	UB199-850-01	<u></u> 2105 (h) x 890 (w) x 395 (d) mm
1000 mm	UB199-1000-01	<u></u> 2105 (h) x 1040 (w) x 395 (d) mm





## Edge 2









Mid-range, double-sided elegant roller banner with stylish chromed end covers. Self-supporting base to maximize floor

Aluminium, chrome base end covers Material:

Rail: Snap rail

Aluminium three-part bungee pole Pole:


Self-adhesive Leader:

Graphic: Single-sided ou Double-sided

Bag: Padded nylon

850 mm	UB200-850	
1000 mm	UB200-1000	2100 (h) x 1040 (w) x 190 (d) mm







#### Excaliber 2









Great premium double-sided banner which can be accessorised using it's linear channel with iPad holders, shelving and leaflet holders.

Material: Aluminium, plastic end caps on rail

Rail: Premium dual action self-adhesive and snap rail with secure end caps

Pole: Hybrid telescopic pole Self-adhesive sliding leader Graphic: Single-sided ou double-sided

Feet: Adjustable

Padded nylon with side opening and foam reinforced ends Bag:

800 mm	WH311C-800A3	1600/2220 (h) x 860 (w) x 275 (d) mm
1000 mm	WH311C-1000A3	<u>⊚</u> 1600/2220 (h) x 1060 (w) x 275 (d) mm
1200 mm*	WH311C-1200A3	<u>⊚</u> 1600/2220 (h) x 1260 (w) x 275 (d) mm
1500 mm*	WH311C-1500A3	<u>○</u> 1600/2220 (h) x 1560 (w) x 275 (d) mm
2000 mm*	WH311C-2000A3	<u>ெ</u> 1600/2220 (h) x 2060 (w) x 275 (d) mm
2400 mm**	WH311C-2400A3	்_ 1600/2220 (h) x 2460 (w) x 275 (d) mm

<sup>\*</sup>Comes with 2 poles \*\*Comes with 3 poles



Accessorise using the linear channel and make your display multifunctional (see page 5)

Extends From 1600 up to 1200mm

Exclusive premium roller banner



## Stellar





Uniquely designed desktop roller banner. Ideally suited for displaying on tables or counters and retails at a great low price.

Material: White injected moulded plastic

Rail: Self-adhesive Pole: White two-part pole Self-adhesive Leader: Single-sided Graphic: Not included Bag:

Stellar A4	UB162-A4	⊙_ 320 (h) x 231 (w) x 78 (d) mm
Stellar A3	UB162-A3	444 (h) x 312 (w) x 78 (d) mm



## Liberty Mini









Full graphic, compact, versatile and lightweight desktop roller banner. Height extendable from 1200mm to 1600 mm when using extension pole.

Material: Aluminium, plastic end caps on rail

Two Part-pole, height 400 - 800mm Four Part pole, height 1200 - 1600mm

Self-adhesive Leader: Single-sided Graphic: Padded nylon Bag:

Liberty Mini 400 r	nm UB122-400	(h) x 430 (w) x 125 (d) mm
Extension Pole 1200-1600mm	EP-MINI	



## Breeze





Ideal as mini table roller banner or promotional gift. Ultra-light and easy to assemble.

Material: Aluminium, plastic end caps on rail

Rail: Self-adhesive Pole: Two-part pole Self-adhesive Leader: Single-sided Graphic: Bag: Not included

Breeze A4	WH360	335 (h) x 238 (w) x 80 (d) mm
Breeze A3	WH361	<u></u> 440 (h) x 332 (w) x 82 (d) mm



Two-part pole



#### Modulaire

#### Aero+







Modular cassette roller banner system, adjustable in height, width and re-positionable at different angles. Multiple configurations possible with additional banners.

Aluminium and plastic Material:

Rail: Snap rail

Pole: Graphics adjustable to five fixed points on post\*

Leader: Self-adhesive Graphic: Single-sided

Fold-out feet for ease of transportation Feet:

Padded nylon Bag:

Cassette 1000 mm UB222-1000 ்\_ 1000 (w) mm Cassette 1500 mm UB222-1500 \_\_\_ 1500 (w) mm Cassette 2000 mm UB222-2000 ്ര\_ 2000 (w) mm UB222-P (h) x 500 (w) x 500 (d) mm Base and post





Folding feet



Adjustable collar on telescopic poles



Unique cassette locking system



Graphic tensioner



## Accessorise your Aero+

Universal Clamp	UB222-01
Bracket for leaflet holder	FX839
Shelf	LN133-R/T/S
Bracket for iPad*	FX837
iPad tablet holder* (black / white)	IPAD-CHU-W/B
Bracket for shelf	FX838

<sup>\*</sup> iPad not included



Bracket for leaflet holder



Bracket for iPad



Bracket for shelf



Universal clamp



Shelf



iPad Holder


<sup>\* 1310/1510/1710/1910/2110</sup>mm - depending on configuration



Our most versatile range of banners, designed to fit into any space and provide a seamless image and

Our Tension Banner systems can be modular and linkable to create any size and shape, or simple stand-alone units, making them versatile and easy to use. They are also available in a wide range of substrates.

backdrop that gives maximum impact.



Perfect for situations where you need to change your message frequently, such as a retail or a show environment.

Our Tension Banners are a popular and cost-effective solution that allow for the quick and easy changeover of graphics. Many also come supplied with sturdy nylon bags for ease of transport.

Our banners come in a wide variety of sizes, from a height of 1500 to 2900mm, and widths ranging from 300 to 1500mm.

For more flexible solutions, our Uno and Stealth banners can be linked to create modular systems that can be re-configured to make the best use of the space you have.

#### **Choosing the right Tension Banner:**

- Will your banner need to be packed up and moved regularly?
- How often will the banner be re-used and need a change of graphic?
- What is the size of the footprint that you need to use your banner within?
- Do you have any height restrictions? As our banners can be provided in a range of heights to take advantage of vertical spaces or limitations.
- Are you deploying in high traffic environments? As our banners are supplied with a range of bases to suit each space.

## Graphic Attachments







Zip cover



Panel recess



Aluminium frame for silicone edged graphics






Adhesive slider



#### Animate your communications with u.motion



This new technology, commonly known as digital signage, is integrated into an existing solution: Vector 75 mm frame. The dynamic display combines printed textiles (fixed by SEG) with LED animations: it is an intermediate solution between the digital screen and the fixed textile frame. The solution is characterised by it's simplicity of assembly and the ability to be reprogrammed to deliver new messages. A simple USB key is enough to make the visuals dynamic and offer a new dimension to communication.

To highlight a logo, a product or a message, the concept is very simple. Choose your visual and imagine its animation. Our team takes care of programming the animation and provides it to you on an USB key. As a totem application, it offers a unique sensory experience in a shop, window display or on a trade fair stand.





#### Vector Media

## Available summer 2020







This sturdy self-supporting aluminium frame with a hybrid profile offers an alternative use of visuals. Choose PVC with its magnetic tape or the classic textile visual with a Silicone gasket. Ideal for all retail applications.

Aluminium Material: Profile depth: 35 mm Colour: Silver / Black Assembly: Tool less

Graphic attachment:

For textile graphics: 3 mm SEG For PVC graphics: magnetic tape (included)

Graphic area: Single or double-sided Freestanding solid foot Mounting:

Vector Media

VF-MEDIA-16X06

© 1600 (h) x 600 (w) x 35 (d) mm

One frame, two graphic attachment



600 x 1600 mm Ideal for a Retail environment







Very stable base











Robust aluminium free-standing frame, packs down for ease of transportation and available in a wide range of sizes accommodating a SEG graphic creating the perfect look for any retail scenario.

Material: Aluminium Profile depth: 50 mm Colour:

Assembly: Push-button connector, Allen key

Graphic attachment: SEG 3 mm

Graphic area: Single or double-sided

Mounting: Free-standing with flat feet (included)

Kit 2x1 VKF-2x1 (a) 2005 (h) x 1000 (w) x 350 (d) mm Kit 2x2 VKF-2x2 (d) mm (d) mm VKF-2x3 Kit 2x3 Custom sizes VKF-CUSTOM O\_ Custom sizes





included



Fabric graphic with silicone edge gasket (SEG)



Screw different frames together



angled sections with push-button





## Kit Vector LED 75 mm u.motion











Digital signage technology integrates into a 75 mm Vector profile. The rollable LED curtain provides a roving and easy to install solution. Six standard formats available. Also available as a landscape wall (see page 53)

Material: Aluminium Profile depth:

Silver (White / black optional) Colour: Screw-in bracket, Allen key

Graphic attachment: SEG 3 mm Graphic area: Single sided Mounting: Free-standing

Tube bag with LED curtain included Bag:

Kit u.motion 2x1	VLB75-UMOT-F-20X10	<u>⊚</u> 2000 (h) x 1000 (w) x 550 (d) mm
Kit u.motion 2x2	VLB75-UMOT-F-20X20	
Kit u.motion 2x3	VLB75-UMOT-F-20X30	2000 (h) x 3000 (w) x 550 (d) mm
Kit u.motion 2500 x 950	VLB75-UMOT-F-25X09	2500 (h) x 950 (w) x 550 (d) mm
Kit u.motion 2500 x 1800	VLB75-UMOT-F-25X18	2500 (h) x 1800 (w) x 550 (d) mm
Kit u.motion 2500 x 2700	VLB75-UMOT-F-25X27	2500 (h) x 2700 (w) x 550 (d) mm



LED curtain included

USB animation key



Control unit







Trolley for transporting several tube bags

Illuminate the elements that you want





#### Kit Vector LED 125 mm







Illuminate to communicate! This robust free-standing LED frame perfectly suits interior displays that need to be regularly updated to keep up with changing trends.

Material: Aluminium 125 mm Profile depth:

Colour: Silver (black / white in option) Assembly: Screw-in bracket, Allen key

Graphic attachment: SEG 3 mm

Single-sided (one side printed with block-out rear) Double-sided (both sides printed) Graphic area:

Mounting: Free-standing with flat retail feet (included)

Kit 2x1 LED	VLB125-2x1-FR	2005 (h) x 1000 (w) x 550 (d) mm
Kit 2x2 LED	VLB125-2x2-FR	(d) mm
Kit 2x3 LED	VLB125-2x3-FR	(d) mm
Custom sizes	VLB125-CUSTOM	O_ Custom sizes







LED strip



Cabling system



Ideal for shop advertisement



Available in three standard sizes and Custom sizes!





Quick assembly lighting solution

## Illumigo









Portable LED lightbox comes in a compartmented box with handle for ease of transportation. Tool-free assembly, pre-assembled LED lighting, stabilising feet and lightweight white powder-coated aluminium frame.

Material: White aluminium Profile depth: 100 mm Assembly: Tool-free Graphic attachment: SEG 3 mm Graphic area: Double-sided

Mounting: Self-supporting with pivoting feet fixed to the structure

Protective box with carry handle

ILLGO-2X1-EU ②\_ 2000 (h) x 1000 (w) x 400 (d) mm Illumigo



Pre-assembled LED lighting



Quick and easy tool-free assembly



Compartmented transportation box









The most economical 2xl lightbox











## Kit Vector 125mm LED Retail



VECTOR RETAIL KIT

In retail where appearance is everything, styling combined with an ultra stable base compliments this SEG graphic lightbox.

Material: Black aluminium frame, aluminium-steel base

Profile depth: 125 mm

Assembly: Screw-in bracket, Allen key

Graphic attachment: SEG 3 mm
Graphic area: Double-sided

Mounting: Free-standing with retail base (included)



Black end caps



LED Strip



Adjustable feet under the base

Perfect combination between stylish look and stability



The portability of a banner stand with the flexibility of a modular display system. Used singularly or link using flexible panels to create graphic walls that can be curved to different angles.

Material: Aluminium Twist and Lock Assembly: Graphic attachment: Magnetic

Graphic area: Single-sided or double-sided (straight configuration only)

Free-standing Mounting:



#### Accessories:

Shelf	LNST-002	◯ N/A
Literature Holder A4	LNST-001	⊚ N/A
LCD Screen / iPad Bracket*	UB106-SMK1	⊚ N/A
Design iPad Holder* Black/White	IPAD-CHU-B/W	<u></u> 310 (h) x 225 (w) x 20 (d) mm
300 mm Flexi joining kit	UB106-004	j N∕A
600 mm Flexi joining kit	UB106-001	O_ N/A



Lcd screen / iPad bracket\*



shelf



Design iPad holder\*



Literature Holder A4



Flexi joining panel kits



Optional LED lighting PS950/1000-LED -BDLK LED-FLOOD-ARM-BDLK LED-STRIP-ARM-BDLK



Reconfigure and angle to maximise your display space

Single or doutble sided



### Formulate Monolith LED







The new Formulate Monolith LED brings illumination to our ever popular Formulate range. With the ability to vary the height from 2m to 2.38m. This smart LED Lightbox is double-sided, easy to build and portable.

Aluminium tubing

Diamètre du tube :

Assembly: Push-button - tool-free Graphic attachment: Zipped tension fabric graphic

Graphic area: 360°

Mounting: Free-standing Sac Padded Bag:

Monolith

FORM-MON-LED-1100

(d) mm





**360**°



LED Strip



Bungeed push button lock



Tension fit zipped fabric graphics

#### Stable structure







Stabilising feet

#### Double-sided frame with dramatic shape!





Tubes are connected by bungee cord and push buttons



Weighted base for additional stability

### Formulate Snake







Material: Aluminium tubes

Diamètre du tube : 30 mm

Assembly: Push-button, Allen key Graphic attachment: Zipped tension fabric graphic Graphic area: Single or double-sided Mounting: Free-standing Bag: Padded

\_\_\_\_ 2380 (h) x 900 (w) x 700 (d) mm FORM-SNA Snake

#### Formulate Wave







With an impressive height of 2.38m, stability is ensured with sleek steel feet. Made from Formulate aluminium tubing it's a real alternative to traditional roller banners.

Material: Aluminium tubes, steel stabilising feet

Diamètre du tube : 30 mm

Assembly: Push-button, Allen key Graphic attachment: Zipped tension fabric graphic Graphic area: Single or double-sided

Mounting: Free-standing with feet (included)

Bag: Padded

FORM-WAVE  $\bigcirc$  2380 (h) x 900 (w) x 608 (d) mm Wave

#### Formulate Monolith







S S TEX

This monolithic lightweight structure is mounted on a sturdy metal base for extra stability, hinged for ease of transportation from sizes 900mm wide upward. Easy-fit fabric graphic which conceals the structure beneath.

Aluminium tubes, steel base

Diamètre du tube :

Assembly: Push-button - tool-free Graphic attachment: Zipped tension fabric graphic

Graphic area: Double-sided

Mounting: Free-standing with metal base (included)

Padded with compartments Bag:

600 mm	FORM-MON-600	2380 (h) x 600 (w) x 300 (d) mm
800 mm	FORM-MON-800	<u></u> 2380 (h) x 800 (w) x 300 (d) mm
900 mm	FORM-MON-900	<u></u> 2380 (h) x 900 (w) x 300 (d) mm
1000 mm	FORM-MON-1000	2380 (h) x 1000 (w) x 300 (d) mm
1200 mm	FORM-MON-1200	2380 (h) x 1200 (w) x 300 (d) mm
1500 mm	FORM-MON-1500	2380 (h) x 1500 (w) x 300 (d) mm



Folding hinged base (sizes 900mm and above)



Bungee tubes



Accessorise it with

literature or tablet

optional

holder





Zipped tension graphics for perfect fit

## Formulate Monolith Eco







For the budget conscious and a real alternative to roller banners offering uninterrupted double sided graphics.

Aluminium tubes, powder coated steel feet

Diamètre du tube :

Assembly: Push-button, Allen key Graphic attachment: Zipped tension fabric graphic

Graphic area: Double-sided

Mounting: Free-standing with feet (included)

Bag: Carry bag

800 mm	FORM-MON-ECO-800	<u></u> 2009 (h) x 800 (w) x 378 (d) mm
1000 mm	FORM-MON-ECO-1000	(d) mm



Numbered tubes for



Bungee tubes



## Vortex









Lightweight and stable X-shaped banner. Graphic attached with eyelets, perfect for regular message updates. Suitable for substrates from 225-300 microns.

Fibreglass, aluminium

Graphic attachment: Graphic area: Single-sided Free-standing Mounting:

Carry bag with inner tube Bag:

Vortex

UB722-C

☐ 1950 (h) x 855 (w) x 950 (d) mm



Eyelet bracket



Frame locking system



Reinforced feet for stability



## Beijing Lite











Basic X-banner. Ultra-light frame. Very easy to assemble and compact once folded.

Material: Fibreglass Graphic attachment: Graphic area: Single-sided Free-standing

Bag: Budget drawstring carry bag

600 mm	WH358-6X16-01	<u></u> 1600 (h) x 600 (w) x 500 (d) mm
700 mm	WH358-7X18-01	
800 mm	WH358-8X18-01	1800 (h) x 800 (w) x 650 (d) mm
800 x 2000 mm	WH358-8X20-01	2000 (h) x 800 (w) x 720 (d) mm









1600 - 1210 mm

#### Uno







Black tension 'L' shape banner with telescopic pole. Optimal stability. Banners are linkable to form larger seamless backwalls, using PVC panels or textile graphics.

Aluminium pole and rail

Graphic attachment: Optional adhesive for PVC and SEG for textile

Graphic area: Single-sided

Mounting: Free-standing with foot (included) Bag: Bag and graphics cardboard tube

Uno 800 mm	UB101C-800-B	் 1600/2210 (h) x 800 (w) x 365 (d) mm
Uno 1000 mm	UB101C-1000-B	്ര_ 1600/2210 (h) x 1000 (w) x 365 (d) mm

Link up to three PVC banners together, or five fabric banners as one impressive single graphic wall





#### Accessories :

Linking Kit	UB106-003	⊙_ N/A
Pole extension	UB101C-EP	(a) up to 2900 mm
Wall Fabric Kit 2 m	UB101C-WKIT-2M	்_ 1600/2210 (h) x 2000 (w) x 365 (d) mm
Wall Fabric Kit 3 m	UB101C-WKIT-3M	1600/2210 (h) x 3000 (w) x 365 (d) mm
Wall Fabric Kit 4 m	UB101C-WKIT-4M	
Wall Fabric Kit 5 m	UB101C-WKIT-5M	1600/2210 (h) x 5000 (w) x 365 (d) mm







Modern foot design

## Lightning









Popular 'L' banner combining stability with easy change graphics, simple assembly and lightweight to transport.

Top and bottom snap rail

Graphic area: Single-sided

Mounting: Free-standing with stabilising foot Carry bag with inner tube Bag:

Lightning 800 mm	UB195-C	் 2070 (h) x 805 (w) x 510 (d) mm
Lightning 1000 mm	UB195-C-1000	்_ 2070 (h) x 1005 (w) x 510 (d) mm



Complete with carry



Economical solution for interchangeable

graphics









Optional CNC available for custom shaped graphics



Secure invisible fastening

## Wedge





Durable and stable grey banner base. Designed to hold a variety of rigid graphics, supporting a range of sizes and thicknesses. Suitable for temporary outdoor use.

Material: Powder coated steel Graphic attachment: Screwed to base Graphic area: Single or double-sided

Rigid panel from 18-40mm thickness - optional extra 1500mm height max. Graphic option:

Mounting: Free-standing

Wedge 300 mm	UB102-300	85 (h) x 300 (w) x 360 (d) mm
Wedge 600 mm	UB102-600	
Wedge 800 mm	UB102-800	
Wedge 1000 mm	UB102-1000	




## Flags are one of the most striking display options available.

Our flags can be made in a wide range of sizes, materials and finishes suitable for everyday environments such as tarmac, grass and for specialist environments including sand, snow and wall mounting.

No matter in which environment you wish to use our flags, we can provide a suitable construction and base that will serve your needs.

## Flag shapes available



#### A Flag for all situations and locations







Wall mounted or post mounted



Backpack for mobility

#### Printing and finishing





#### Tips for taking care of your flag:

Flags are often exposed to the harshest conditions, even the highest quality materials and finishes will suffer if not treated with care. Here is our guide on how to take simple care of your flags:

 Consider the positioning of your flag to minimise the effects of the environment. Air pollution can turn white areas grey,

Air pollution can turn white areas grey, and too much UV light can cause fading and fabric deterioration.

2. Reducing the flying time will preserve the life of your flag.

A flag will last between six and eight months when flown constantly, so taking down the flag when not in use will help it to last longer.

3. Take note of the climatic conditions.

Flags should be taken down during poor weather conditions. Heavy rain and strong winds can increase the weight of the flag and put extra strain on the flagpole. Our flags are designed to withstand Up to18mph winds as standard.

4. Washing your flag.

Flags can be machine washed with everyday soft detergents on a 30° wash. They should always be allowed to dry out completely before folding and storing.



Zoom+ Arch







The arch shaped flag is perfectly suited to identify entrances at events, particular sporting meets for registration areas, or race start / finish lines. For stability we recommend using two optional extra stackable bases per side.

Material : GRP fibre glass pole - chrome steel end caps, plastic hook

Graphic: Single-sided Graphic attachment : Pole pocket Up to 32 km/h Wind resistance:

Zoom+ Arch ZOOM+ARCH (h) x 4000 (w) mm \* Stackable Water Base UF-ZMSWB ்\_ 162.5 (h) x 642 (w) mm

\* The height and width may vary depending on the size and shape of the graphic



Flag attached by elastic and plastic hook



Base weighted once filled with water

Comes with one pole (six part bungee pole and two end rods) two hooks and two elastic loops





Handle for ease of transportation

## Zoom+ Edge







Popular versatile lightweight flexible flag system with black finish all fibre poles. Ideal for all types of indoor or outdoor displays.

Material : Aluminium and GRP

Pole:

Graphic: Single or double-sided (only up to large size) Graphic attachment : Printed pole pocket with stitched flag cord for tension

Wind resistance: Up to 18 mph / 29 km/h

#### Edge


Extra Large 5m	UF-ZME-EXLA	5000 (h) x 750 (w) mm
Large 4m	UF-ZME-LA	4000 (h) x 750 (w) mm
Medium 2.9m	UF-ZME-ME	2900 (h) x 750 (w) mm
Small 2m	UF-ZME-SM	2080 (h) x 750 (w) mm

#### Accessories :





fibre poles



5m

## Zoom+ Crest / Feather / Quill









Aluminium and GRP Material:

Fibre Pole:

Single or double-sided (only up to large size) Graphic: Elastic pole pocket with stitched flag cord for tension Graphic attachment:

Up to 18 mph / 29 km/h Wind resistance:

## Classic graphic

3m 2m

4m



2.6m

2.6m 2.1m

3.2m

2.8m Medium

#### Crest / Feather

Extra Large 4.9m	UF-ZM-EXLA	் 4900 (h) x 850 (w) mm
Large 4m	UF-ZM-LA	<u></u>
Medium 3.2m	UF-ZM-ME	3200 (h) x 600 (w) mm
Small 2.6m	UF-ZM-SM	2600 (h) x 550 (w) mm

#### Quill

Extra Large 4.6m	UF-ZM-EXLA	
Large 3.5m	UF-ZM-LA	3500 (h) x 1100 (w) mm
Medium 2.8m	UF-ZM-ME	2800 (h) x 900 (w) mm
Small 2.1m	UF-ZM-SM	2600 (h) x 800 (w) mm

#### Accessories :

Bag	AB-ZML-01
_	



Adjustable hook fastening on all Zoom+ flag poles excluding Edge



Pole carry bag



#### Recommended bases for Zoom+ Flags:

Bases		Zoom+ Flag shapes Edge / Quill /Crest / Feather		<b>⊘</b> Use with	<b>O</b> Use with			
Base	Code	Weight / Capacity	Extra Large	Large	Medium	Small	Weighting Ring UB719-C	Heavy Duty Peg FX620
	Water Base UF-ZMGMB	26 Litres			•	<b>⊗</b>		
	Large Water Base UF-ZMLWB	30 Litres	•	•	•	•		
	Stackable Water Base UF-ZMSWB	26 Litres	•	•	•	•		
4	Small Square Base UF-ZMLSQ-01	7.26 kg			•	•	•	•
•	Large Square Base UF-ZMLSQ-03	11.78 kg	•	•	•	•	•	•
*	Small Cross Base UF-ZMSCB-01	N/A			<b>©</b>	<b>©</b>	•	•
×	Large Cross Base UF-ZMLCB-01	N/A	•	•	•	•	•	•
	Standard Ground Spike ZF-ZMGS-01	N/A	•	•	•	•		
/	Plastic Ground Stake UF-ZMPSS-01	N/A	•	•	•	•		
	Concrete Base UF-ZMCEM	22kg	•	•	•	•	•	•
	Drive On Car Foot UF-ZMCFS-01	N/A	•	•	•	•		
No.	Wall Mount UF-ZMWMF-01	N/A			•	•		

#### Shimmer





Economical telescopic flag with black water-fillable base included. Adjustable height up to 3m. Transport bags optional.

Aluminium pole, plastic base Material: Telescopic (1540/2850 mm) Pole: Graphic: Single-sided or double-sided

Graphic attachment: Printed pole pocket

14 litres Base capacity:

Up to 18 mph / 29 km/h Wind resistance:

Shimmer WD102-01 

#### Accessories :

Bag	AB120D	1580 (h) x 155 (Ø) mm
Bag with tube	AB120DM	1580 (h) x 155 (Ø) mm

#### Wind Dancer







Telescopic flag, ideal for making an impact at outdoor events. Base can be filled with water or sand for optimum stability. Optional extra bags available for ease of transporting or storage.

Material: Aluminium pole, plastic base

Pole: Telescopic

Graphic: Single-sided or double-sided

Graphic attachment : Eyelets Base capacity: 66 litres

Wind resistance: Up to 18 mph / 29 km/h

Wind Dancer WD105 \_\_\_\_\_ 2900/4170/5300 (h) x 1000 (w) x 1000 (d) mm

#### Accessories :

Bag (pole and base) AB105-C	
-----------------------------	--





## Mistral







Perfect for promoting events outside, flags can be wall, pole or lamp post mounted and are made from weatherproof materials.

Maximum clamp pole diameter Ø 300mm

Material: Aluminium castings and GRP tubes

Tubes : Height adjustable

Graphic: Single-sided or double-sided

Pole pocket Graphic attachment: Up to 40 km/h Wind resistance:

Mistral UB725-01 \_\_\_ Up to 2000 (h) x 890 (w) mm

NB: We strongly recommend wind slits for continuous use in all weather conditions. Wind slits reduce pressure on graphics.





<sup>\*</sup> Wall fixings not provided

## Street Flag





TEX

The ideal advertising medium when on the move!

Perfectly suited to promote events, highlight your presence at trade shows or to organise a group of people on excursions!

This rugged and lightweight backpack can be used with four different flag shapes using the supplied poles.

Material: Reinforced nylon backpack, fibre poles

Graphic:

Graphic attachment : Pole pocket or eyelets (X-banner) Feather - Quill - Edge - X-banner

Street Flag UF-ZMSTF-01 ⑤\_ 540 (H) x 310 (B) x 80 (T) mm





Reinforced pole fixing system



Zipped storage for poles and rods



Mesh storage pocket on the sides



Zipped flag storage compartment

## One bag but four different flag shapes!







Choosing the right outdoor display product is important to ensure maximum branding impact and to attract your desired visitors and customers.

It is also critically important to make the right choice that will suit your environment; display area size, possible weather conditions, visitor numbers, mobility and repeat usage.

A taller display may make all the difference to the impact and performance of your branding.

#### **Some Tips To Take Care Of Your Products**

Outdoor products are designed for moderate outdoor usage during the daytime. But even high quality materials deteriorate if not treated with care and used in extreme weathers.

#### 1. Choose your location carefully to minimise the effects of the environment.

Air pollution can turn white to grey, UV rays can also alter the colour of your visuals and cause deterioration on materials used.

#### 2. Optimise exposure time.

By storing your Outdoor products between each use, their lifespan will be extended.

#### 3. Consider climatic conditions.

All Outdoor products are not weather resistant in the same way. Heavy rain combined with high winds may increase the risk of deterioration of certain products. Follow the instructions given in the technical specification data sheets of each product provided.

## Designed For All Occasions

- Outdoor Exhibitions
- Music Festivals
- Markets
- Sport Events
- Outside Sales Outlets
- Fairs
- and many others!

## Our Outdoor Range



Roller and Tension



Inflatable Displays

Pavement Signage



Signage



Café barriers

Parasols





# **THUNDER 2** Large removable twin feet



Metal pegs

## Blizzard











Easy to assemble on location, secured with its large capacity base, graphic size is adjustable width and height to suit most applications.

Material: Plastic and metal

Pole: Adjustable width and height

Graphic area: Single-sided Graphic attachment Eyelets Base capacity: 12 litres Wind resistance: Up to 29 km/h

Bag: Non-padded bag (included) / Padded bag (optional)

UB701 Blizzard  $\bigcirc$  1600/2100 (h) x 600/800 (w) x 540 (d) mm

#### Accessories :

	ag AB140-C	AB140-C
--	------------	---------

## Thunder 2





Graphic attachment:







The only outdoor roller banner with double sided graphics for maximum brand exposure and impact.

Self-adhesive leader / Top snap rail

Plastic, aluminium and steel Three part bungee pole

Graphic area:

Ground fixing: 4 pegs (included)

Wind resistance: up to 11 km/h (unpegged) up to 39 km/h (if pegged)

Transport: Padded bag (included)

UB185-850-01 ்டு 2100 (h) x 884 (w) x 740 (d) mm

#### Horizon







Maximum exposure display unit, perfect for outdoor large scale promotions. Securely weighted by twin water filled bases for total stability.

Material: Aluminium, moulded grey plastic base Adjustable height (1500-2400 mm) Pole:

Graphic area: Single or Double-sided

Graphic attachment:

28 liters per tank Wind resistance: Up to 19 km/h

Bag: Non-padded bag (Optional)

○ 1500/3000 (h) x 2500 (w) x 800 (d) mm

#### Accessories :

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Horizon pole bag	AB195A	1730 (h) x 230 (w) x 190 (d) mm	
Horizon base bag	AB195B	்_ 900 (h) x 490 (w) x 370 (d) mm	



# Easy to fold away for storage

# A-sign Board









Robust and sturdy Graphic area 'A' Poster frame with easy graphic front loading. Suitable for outdoor or indoor use.

Aluminium, Galvanised steel, PVC sheet cover Material:

Graphic area: Double-sided Graphic attachment : Snap rail

A-sign Board A2	VF204-A2	925 (h) x 465 (w) x 675 (d) mm
A-sign Board A1	VF204-C	
A-sign Board A0	VF204-C-A0	(a) 1440 (h) x 883 (w) x 835 (d) mm
A-sign Board B1	VF203	്ര_ 1220 (h) x 848 (w) x 925 (d) mm
A-sign Board B0	VF203A	്ര_ 1620 (h) x 1128 (w) x 1025 (d) mm



protective graphic cover




#### Whirlwind











Material: Aluminium, steel, plastic base, PVC sheet cover

Graphic area: Double-sided

Base capacity : 25 | (A1) / 55 | (A0) / 49 | (B1)

**Graphic attachment :** Snap rail Wind resistance: Up to 29 km/h

Whirlwind A1	UB207	⊙_ 1165 (h) x 780 (w) x 500 (d) mm
Whirlwind A0	UB207-A0	
Whirlwind B1	UB207-B1	1350 (h) x 1000 (w) x 620 (d) mm



Wheeled compact moulded hollow base



Snap frame





Ideal for informing about a menu or opening hours

# Shield



Functional rigid sign board with flexible aluminium panel securely bolted the base. Safe graphic with rounded corners.

Material: Recycled rubber base, aluminium panel (1.2 mm)

Graphic area: Double-sided
Base: 8 kg
Graphic attachment: Bolts
Wind speed: up to 29 km/h

Shield UB108 (a) 800 (h) x 465 (w) x 450 (d) mm

#### Accessories :

Shield replacement panel	UB108P	
--------------------------	--------	--



Print your message directly onto aluminium or mount self-adhesive vinyl



Choose between bottom spring clips or rail fixing options

# Secure rail Allows graphic movement thanks to bottom spring clips option

## Deluxe Café







A modular portable café barrier system, chromed effect finish, to get a premium look and feel.

Material: Stainless steel Graphic area:

7.75 kg (Post and Base) Weight:

Looped top rail Looped bottom rail or spring clips Graphic attachment :

Graphic Rail 1000 mm	UB215-1000	<u></u> 1140 (w) mm
Graphic Rail 1500 mm	UB215-1500	<u></u> 1940 (w) mm
Graphic Rail 2000 mm	UB215-2000	<u>്ര</u> 2440 (w) mm
Base	UB215B	<u>്ര</u> 360 (Ø) mm
Post	UB215P	<u></u> 960 (h) mm
Spring clips (pair)	UB215-SC	

# Economy Café









A cost effective way of defining areas outside restaurants, bars and shopping centres. Heavyweight post and base. Black finish.

Material: Stainless steel Graphic area : Double-sided Weight: 7.75 kg (Post and Base)

Graphic attachment :

Looped top rail Looped bottom rail or spring clips

Graphic Rail 1000 mm	UB214-1000	<u></u> 1140 (w) mm
Graphic Rail 1500 mm	UB214-1500	<u>◯</u> 1940 (w) mm
Graphic Rail 2000 mm	UB214-2000	
Base	UB214B	
Post	UB214P	<u>◯</u> 960 (h) mm
Spring clips (pair)	UB214-SC	



#### Monsoon

The Monsoon is a large format Graphic outdoor 'A' frame banner, made from lightweight aluminium, ideal for use with PVC eyelet banners.

This trusted best selling banner is also available in wall mounted format, suitable for indoor or outdoor use. Easy to fit graphic can be changed regularly to suit your needs.





bracket



with eyelets



Metal hinges

#### Wall Monsoon





Specially designed for business premises front advertising. Graphic is secured with adjustable looped bungee cords.

Aluminium tubes (25 mm), plastic connectors

Graphic area: Single-sided

Graphic attachment : Eyelets and looped bungee cords

Wall Monsoon 1250 mm Wall Monsoon 2000 mm

UB712 ்\_ 1250 (h) x 1250 (w) x 130 (d) mm UB713

Wall Monsoon 3000 mm UB714 \_\_\_\_\_ 1000 (h) x 2000 (w) x 130 (d) mm

Tensioner with hook

FX804-B

்ட 1250 (h) x 3000 (w) x 130 (d) mm

#### Tool-free frame assembly



Custom made sizes available upto 5m in length

#### Monsoon











Easy to assemble on location thanks to its push-fit tubes system, this 'A' frame banner is ground pegging for extra-stability.

Aluminium tubes (25 mm), plastic connectors

Single or Double-sided

Graphic attachment : Eyelets and looped bungee cords

Wind resistance: Up to 39 km/h

UB707-C Monsoon 2500 mm (a) 1000 (h) x 2500 (w) x 640 (d) mm Monsoon 3000 mm UB711-C ெ 1250 (h) x 3000 (w) x 795 (d) mm



#### Exist in 3 dimensions

## Stowaway









Extremely portable and lightweight, this flexible banner pops out in seconds to form it's oval shape. Tool-free assembly.

Sprung steel pole Material: Graphic area: Double-sided Graphic attachment: Elasticated pole pocket Ground fixing: 4 pegs (included)

Stowaway 140	00 mm
--------------	-------

UB736-03A

 $\bigcirc$  700 (h) x 1420 (w) x 400/480 (d) mm

Stowaway 1700 mm

UB736-02A

© 850 (h) x 1720 (w) x 400/480 (d) mm

UB736-01A Stowaway 2000 mm

\_\_\_\_ 1000 (h) x 2020 (w) x 400/480 (d) mm





Pack away into a small carry bag





Hook and loop stability straps

Instanteneous opening

#### Rainbow







Ultra compact promotional external display, lightweight and robust when pegged into soft ground. Flexible rods allow movement in the wind delivering maximum performance.

Material: Fibreglass pole, plastic end moulding

Graphic area: Double-sided Elasticated pole pocket black or white Graphic attachment:

Ground fixing: 4 pegs (included)

Rainbow Large


RNB-03

(d) 1219 (h) x 2438 (w) x 609 (d)











Frame and fixings come in bags





Supplied with 6 ground stakes



6 sided star tent supported with a telescopic pole providing a huge area for branding and plenty of shelter for your guests. Custom full printed canopy optional extra.

Material: Aluminium
Graphic area: Single-sided
Graphic attachment: Pegged
Wind resistance: Up to 45 km/h
Bag: 2 (included)

 Start Tent Kit:
 ST510-XAF
 ⊙ 5000 (h) x 10000 (w) x 10000 (d) mm

 Canopy
 ST510-CTW/B
 Colours: White / Black



Crank handle



Base pole support



Wire rope setting-out guide

#### Zoom Tent









Lightweight aluminium tent frame with umbrella system. Folds and unfolds in minutes without tools. Dress it up with optional standard colour or custom full printed canopy, full and half wall.

Aluminium frame, plastic joins

Graphic area: Double-sided (Wall, Half wall) / Single-sided (Canopy) Graphic colours : White - Black - Blue - Red (Standard) / Full Graphic (Optional)

Graphic attachment : Hook and loop / Pocket (Half wall)

Wind resistance: Up to 29 km/h

Ground fixing: Pegs and ropes (included) Bag: Wheeled Standard

Zoom Tent Frame 2x2	ZT22-XAF	3160 (h) x 2000 (w) x 2000 (d) mm
Zoom Tent Frame 3x3	ZT33-XAF	3160 (h) x 2920 (w) x 2920 (d) mm
Zoom Tent Frame 3x4.5	ZT345-XAF	3160 (h) x 4300 (w) x 2920 (d) mm
Zoom Tent Frame 3x6	ZT36-XAF	3160 (h) x 5800 (w) x 2920 (d) mm
Canopy	ZT <b>XX</b> -CTB/K/R/W	Colours : White / Black / Blue / Red
Full Wall	ZT <b>XX</b> -FWB/K/R/W	Colours : White / Black / Blue / Red
Half Wall	ZT <b>XX</b> -HWB/K/R/W	Colours : White / Black / Blue / Red

#### Accessories :

8 kg weight	ZT-BASE
2-3 m half wall mounting bar	ZT33-MTB
Zoom Tent connector	ZT-TJC
Zoom flag clamp	ZT-FCA



Ideal for markets, sporting events and receptions





#### Easy to collapse and pack away







Crank to tension canopy

Automatic locking

#### Zoom Tent Eco







Cost effective steel tent frame. White powder coated finish. Folds completely into portable wheeled carry bag. Full printed canopy optional extra.

Material: Steel frame, plastic joins

Graphic area: Single-sided Graphic colours: White (Standard) Graphic attachment : Hook and loop Up to 29 km/h Wind resistance: Ground fixing: Pegs and ropes (included) Wheeled Standard Bag:

Zoom Tent Eco 3x3	FD33-SQF	்_ 3315/3415/3510 (h) x 3310 (w) x 3310 (d) mm
Wall	FD33-FWW	Colours: White
Canopy	FD33-CTW	Colours : White





Collapsible



and closing

Winder opening

Locking post



#### Bora Tent







Inflatable tent offers a fantastic 'canvas' for visual advertisements whilst providing shelter from the elements.

Trapped air technology: silent and free-standing once inflated.

TPU, Polyester inner coat

Graphic area: Single-sided

Blue - White - Black - Red (Standard) Full Graphic (Optional) Graphic colours:

Graphic attachment: Zip system (Standard) / Hook and Loop (Full graphic)

Ground fixing: Pegs (optional) Up to 39km/h Wind resistance: Standard Bag:

Tent frame INFT3-27 Canopy INFT3-CZ-W/BL/B/R

(d) mm


Colours: Blue / White / Black / Red

INFT3-WA-W/BL/B/R Colours : Blue / White / Black / Red

#### Accessories :

Side Wall





#### Bora Column





Get noticed in a crowd with the impressively tall 2.4 m graphic of this inflatable column.

Trapped air technology: silent and free-standing once inflated.

Material: PVC column, plastic base

Graphic area: 360° Graphic attachment: Hook and loop Ground fixing: 4 pegs (included)

15-24 mph (if pegged) Wind resistance:

Bag: Optional extra

Bora Column Kit INFLCOL-220 ©\_ 2390 (h) x 460 (Ø) mm

#### Accessories :

Hand pump	INFTA-PM
Electric pump 400w	INFTA-PE4EU
Carry bag	AB-INFLCOL



# Sunrise Square Parasol







Parasol combines marketing with functionality. Telescopic pole for ease of transportation & adjustable height. Automatic locking system once opened.

Material: Powder coated steel

Graphic area: Single-sided Opening: Clamp

Wind resistance: Up to 29 km/h (with optional cement base)

Sunrise Square Parasol with 20 kg cement base

(h) x 2000 (w) x 2000 (d) mm



Clamp opening and closing









Pole carry bag

# Sunrise Circular Parasol







A great addition to any external event creating maximum impact delivering your brand message whilst sheltering you from the elements.

Powder coated steel Material: Single-sided Graphic area: Handle Opening:

Wind resistance: Up to 29 km/h (with optional cement base)

Sunrise Circular Parasol with 20 kg cement base

UU-CB

(a) 2500 (h) x 2660 (Ø) mm



Winding handle




Safety chain and pin



# **POS Signage**

Whether you are welcoming visitors or pointing the way, choosing the right signage is an important way of capturing attention.

We have a wide range of professional signage systems to choose from, including indoor, wall and poster frames, as well as free-standing and portable units for all your needs.



# It is essential that Display Solutions match your interiors.

We have a comprehensive portfolio of Signage Solutions suitable for different settings such as: corporate office interiors, reception areas, public spaces as well as commercial, point of sale and retail environments.

Our versatile display solutions have a range of quality components for easy installation and a wide choice of fixing options for wall or ceiling suspension where required. They are also available in different finishes that perfectly match surroundings.



#### Before Choosing Your Display Solution, Please Consider the Following:

- **1.** Do you need Free-Standing, Wall Mounted or Hanging Signage?
- 2. Does your display need to be printed or customised at all?
- **3.** Does your signage need to be illuminated?
- 4. Do you plan to incorporate a device into the display like an LCD screen or iPad?

Our specialist Modular Solutions ranges Twista and Strata are made to order, with a wide range of fixing options and finishes to blend perfectly into your environment.

## The Advantages of our Range



Contemporary Designs



Custom Sizes and Colours



Quick and Easy Installation



Simple Graph Attachment



Lightweight and Durable



Lockable fo



#### Twista Lite









Easy to use «snap action» poster rail. Smart modern design. For use with a wide range of media up to 300 microns. Custom sizes avaliable on request, up to 3100 mm.

Material: Aluminium (rail), plastic (end caps, hooks)

Colour: Grey Mounting: Wall / Ceiling Single or Double-sided Graphic area:

Graphic attachment : Snap rail

Kit 500 mm*	TWLHR-500	്രൂ 31 (h) x 500 (w) x 12 (d) mm
Kit 600 mm*	TWLHR-600	
Kit 800 mm*	TWLHR-800	்_ 31 (h) x 800 (w) x 12 (d) mm
Kit 850 mm*	TWLHR-850	்_ 31 (h) x 850 (w) x 12 (d) mm
Kit 900 mm*	TWLHR-900	்_ 31 (h) x 900 (w) x 12 (d) mm
Kit 1000 mm*	TWLHR-1000	
Kit 1200 mm*	TWLHR-1200	
Kit 1500 mm*	TWLHR-1500	
Kit 2000 mm*	TWLHR-2000	(d) mm
Kit 2500 mm*	TWLHR-2500	
Kit 3000 mm*	TWLHR-3000	
3100 mm (rail only)	TWLHR-3100	

<sup>\*</sup>Kit includes 2 rails with end caps and 2 hooks



Very cost-effective snap-action solution





Rail end caps



Remove caps, open rail, insert graphics, clamp shut, replace caps





# **Strata System**



Get a new perspective to your interior display. The Strata system is a versatile cable display solution with a choice of fixing options.

With a wide range of quality aluminium components for wall or ceiling suspension, Strata is available in silver satin or chrome finish for a stylish look.



Fastens from floor to ceiling -



Poster holder

Perfect to hold plexiglas panel

#### Strata Lite Stand-offs

- Suitable for 2-10 mm thick substrates
- Choice of two diameters: 19 mm and
- Quality aluminium components
- Available in satin or chrome finish
- Supplied in packs of four

Ø19 mm Satin	SP-SO1902
Ø19 mm Chrome	SP-SO1901
Ø12 mm Satin	SP-SO1202
Ø12 mm Chrome	SP-SO1201



#### 2 Stand-offs

- Suitable for 2 -20 mm thick substrates depending on diameter used
- 16 mm diameter stand-offs are suitable for substrates between 2 and 8 mm thick
- 25 mm diameter stand-offs are suitable for substrates between 5 and 20 mm thick
- Choice of rail or screw fix options

Ø25 mm Large - Rail	PO101
Ø25 mm Large - Screw	PO102
Ø25 mm Medium- Rail	PO118
Ø25 mm Medium - Screw	PO117
Ø16 mm Small - Rail	PO104
Ø16 mm Small - Screw	PO105









#### 3 Acrylic Poster Holder

- Acrylic poster holders have wings to take panel support fixings
- Available landscape or portrait

A1	AH411L/P
A2	AH412L/P
A3	AH413L/P
A4	AH414L/P
A5	AH415L/P

#### 4 Double Panel Support

- 360° rotating feature for multi-angle fixing
- PO122 suitable for 5 mm thick substrates and A4/A5 poster
- PO121 suitable for 7 mm thick substrates and A1, A2 and A3 poster holders

PO122	്ര_ 20 (h) x 10 (Ø) mm
PO121	്ര_ 43 (h) x 16 (Ø) mm

#### 6 Panel Supports

- PO113 suitable for 5 mm thick substrates and A4/A5 poster
- PO112 suitable for 4 mm thick substrates and A1, A2 and A3 poster holders

PO113	<u></u> 15.5 (h) x 10 (Ø) mm
PO112	്ര_ 20.5 (h) x 16 (Ø) mm

#### 6 Rotating Edge Stand-offs

- Eliminate the need for an aperture in the substrate
- Suitable for 2-10 mm thick substrates in rail or screw options
- Distance from wall or ceiling 18.5mm approx.

PO119	<u>○</u> 34 (h) x 16 (Ø) mm
PO120	<u>○</u> 34 (h) x 25 (Ø) mm



#### Compact Variable Wall Plate

- 180° variable fixing
- 360° free moving or lockable
- Suitable for fixing to walls or ceilings

PO106	25 (h) x 16 (Ø) mm
-------	--------------------



#### 8 Compact Variable Cable Fixing

- 180° variable fixing
- Choice or rail fix or screw fix
- Cannot be used with PO110 cable kit

PO107 (Rail)	<u>்</u> 25 (h) x 16 (Ø) mm
PO108 (Screw)	<u>⊙</u> 25 (h) x 16 (Ø) mm



#### Aluminium Rail Screw Fixing

- Fix to ceiling or walls cable fixings slot in and screw in to place
- Custom sizes available
- Complete with moulded end caps

Rail 1 m	PR102
Rail 2 m	PR101



#### Adjustable Fixing Cable

- Supplied with rail fixings
- Can be fixed wall to wall, floor to ceiling, direct to wall - extra components required

PO109	4000 (w) x 1,5 (Ø) mm
-------	-----------------------



#### floor to Ceiling Fixing Cable

- Adjustable cable kit, supplied with screw
- Not suitable for compact variable fixings

PO110	
-------	--



#### 12 Insert for Screw Fixing

Suitable for PO109 Strata Cable Kits and Stand-off components

Insert Screw fixing	PO116	
---------------------	-------	--



## Insert Rail Fixing

Suitable for PO109 Strata Cable Kits and Stand-off components

Insert Rail Fixing	PO115	
--------------------	-------	--

#### Arty





This versatile picture frame offers two alternative graphic options, to create a seamless canvas style image simply wrap around or opt for the stylish black frame with SEG graphic option.

Profile depth: 22 mm Profile colour:

Assembly: Push-fit connector

Graphic attachment: SEG 3 mm / Corner fixing clips

Graphic area: Single-sided Mounting: Wall

Arty A3	AWF-A3	420 (h) x 297 (w) x 22 (d) mm
Arty A2	AWF-A2	
Arty A1	AWF-A1	്ര_ 841 (h) x 594 (w) x 22 (d) mm
Arty A0	AWF-A0	<u>ெ</u> 1189 (h) x 841 (w) x 22 (d) mm



Optional SEG graphic fitting with visible extrusion



Mounts easily straight





silicone edge gasket



Tension graphic fitting option





Corner tension bracket for easy wall mounting solution

# onto walls by self drilling Vector Quick Fix











Lightweight and extremely low profile to create custom frame for decoration or retail applications. Extrusion can be cut to fit in a bag for easy transportation.

Material: Anodised aluminium

Profile depth: 20 mm Profile colour : Silver / Black Screw-in bracket Assembly: Graphic attachment : SEG 3 mm Graphic area: Single-sided

Mounting: Wall / connect to a shell scheme with bracket fixing (optional)

Vector Quick Fix - wall mounted	VWQF-CUSTOM	്ര_ Custom size
Vector Quick Fix - suspended	VHQF-CUSTOM	്ര_ Custom size
Wall mounted 841 x 1189 mm	VWQF-A0	<u></u> 841 (h) x 1189 (w) x 20 (d) mm
Wall mounted 594 x 841 mm	VWQF-A1	്ര_ 594 (h) x 841 (w) x 20 (d) mm
Wall mounted 420 x 594 mm	VWQF-A2	<u></u> 420 (h) x 594 (w) x 20 (d) mm
Wall mounted 297 x 420 mm	VWQF-A3	<u></u> 297 (h) x 420 (w) x 20 (d) mm
Wall mounted 700 x 700 mm	VWQF-07x07	<u></u> 700 (h) x 700 (w) x 20 (d) mm
Wall mounted 1000 x 1000 mm	VWQF-10x10	<u></u> 1000 (h) x 1000 (w) x 20 (d) mm
Wall mounted 1000 x 2000 mm	VWQF-10x20	<u></u> 1000 (h) x 2000 (w) x 20 (d) mm
		1





Fabric graphic with silicone edge gasket (SEG)



Assembly with screw-in brackets



Optional mounting bracket LN134 for shell scheme fixing





Ø 700 mm

Vector Slim Circular



Ø 1000 mm







Create a smooth and sleek effect with this lightweight rounded wall frame. With a range of standard sizes and custom options available, you don't ever have to be square again.

Material: Aluminium Profile depth: 20 mm Profile colour: Silver

Assembly: Screw-in connector Graphic attachment: SEG 3 mm Graphic area: Single-sided Mounting: Wall

Ø 400 mm VWFC-400 VWFC-700 \_\_\_\_ 700 (Ø) mm Ø 700 mm <u>്ര</u> 1000 (Ø) mm Ø 1000 mm VWFC-1000 Custom size VWFC-CUSTOM \_\_\_Custom



Perfect for interior decoration

Ø 400 mm



Complete with wall fixings





Fabric graphic with silicone edge gasket (SEG) Easy assembly



20 mm aluminium profile

#### Vector LED 30mm







Cost effective backlit LED frame, with ultra thin profile. Perfect for small format displays, sleek design that creates an amazing visual impact bringing your brand to life.

Material: Aluminium Profile depth: 30 mm Profile colour: Silver


Screw-in bracket Assembly: SEG 3 mm Graphic attachment: Graphic area: Single-sided LED backlit included Eclairage:

Mounting: Wall

Vector LED 30 mm	VLB30-CUSTOM	Custome size
Wall mounted LED 2000 x 1000 mm	VLB30-20X10	(a) 2000 (h) x 1000 (w) x 30 (d) mm
Wall mounted LED 1000 x 1000 mm	VLB30-10X10	1000 (h) x 1000 (w) x 30 (d) mm
Wall mounted LED 600 x 600 mm	VLB30-06X06	@_ 600 (h) x 600 (w) x 30 (d) mm
Wall mounted LED 1189 x 854 mm	VLB30-11X08	1189 (h) x 854 (w) x 30 (d) mm
Wall mounted LED 854 x 594 mm	VLB30-08X05	്ര_ 854 (h) x 594 (w) x 30 (d) mm







consistent lighting across the graphic



Linkable LED lightning system



Aluminium profile



Screw-in bracket

#### Vector LED 75mm







Large format wall mounted edgelit lightbox, creating even light across a wide area to illuminate your chosen graphic helping you stand out from the crowd.

Material: Aluminium Profile depth:

Profile colours : Black / White / Silver Screw-in bracket Assembly: Graphic attachment : SEG 3 mm Graphic area: Single-sided LED backlit included Eclairage:

Wall / Free-standing (with optional flat feet) Mounting:

VLB75-CUSTOM Custome size Vector LED 75 mm Wall mounted LED 800 x 1500 mm VLB75-08X15 Wall mounted LED 1000 x 2000 mm VLB75-10X20 © 1000 (h) x 2000 (w) x 75 (d) mm Wall mounted LED 1500 x 1500 mm VLB75-15X15 \_\_\_\_ 1500 (h) x 1500 (w) x 75 (d) mm 2000 (h) x 2000 (w) x 75 (d) mm Wall mounted LED 2000 x 2000 mm VLB75-20X20

#### Accessories :

Flat foot Retail (unit) FX295 \_\_\_\_ 5 (h) x 180 (w) x 550 (d) mm



LED 360 mm



Simple assembly with corner brackets



Cabling system





Profile and feet available in 3 colours:

 $\circ$ 



Wall-mounted or free-standing use with flat feet (optional extra)

## Vector LED 75 mm Wall u.motion









New landscape format video wall equipped with digital signage technology and integrated in a 75 mm Vector frame. Dynamize your communications on walls thanks to the various animations. Also available in totems.

Aluminium Profile depth: 75 mm

Profile colour: Silver (black / white optional) Screw-in bracket, Allen key

Graphic attachment: SEG 3 mm Graphic area: Single sided Utilisation: Wall

Bag: Tube bag included with each LED curtain

Vector LED 75 mm wall u.motion





LED curtain included





Control unit



Key usb



Tube bag included

Height-adjustable camera tray

and monitor for maximum visibility



illuminate the elements that you want

Teva



Telescopic and wheeled multi-functional mobile LCD/ LED/Plasma stand\*. Black finish. Integrated cable management system inside pole uprights.

Steel, plastic (shelf) Material: Screen sizes\*: 37"-65" (45 kg load max) AV Shelf: 1 (4.5 kg load max) 1 (4.5 kg load max) Camera trav:

Wheels .

(d) mm \* TV screen and Video/AV equipment are not included and

not available to purchase

tray and AV



Smooth rolling





# U.digital - A board







One of the most aesthetic solutions on the market: designed with rounded corners and full height glass. The digital A board is equipped with wheels and a handle for easy movement. This easel will broadcast your messages in an interactive way. Available in black or white format.

Screen size: 43 inches (16:9)

Resolution: 1080 x 1920 (High definition) All video and image formats Compatibility:

Operations: Android System

2 USB ports, 1 HDMI, Wifi Connectability:

Use: By program on USB key or by CMS

U.digital - A board black

UDIG-DAB-43-B-01

U.digital - A board white\*

UDIG-DAB-43-W-01

\_\_\_\_\_ 1500 (h) x 605 (w) x 580 (d) mm

\*to order.




Integrated castors



Secure access to the electronic box







An aesthetic and transportable digital solution

# Telescopic Universal Tablet Holder\*



Versatile telescopic tablet stand. Security screws and lock make the unit both durable and theft resistant. For extra stability, the base can be bolted to the floor.

Material: Anodised aluminium pole, steel black base Locking: Security screws/Allen key (included)

Tablet positionning: Portrait or Landscape

Tablet size: 20,5-27,5 (w) x 13,5-19,5 (h) x 1 (d) cm

Ground fixing: Bolt (included)

Telescopic Universal Tablet holder

IPS-003-B

On Portrait: 795-1225 (h) x 440 (w) x 335 (d) mm Landscape: 735-1175 (h) x 440 (w) x 335 (d) mm

# Design iPad Holder \*



Design and secure housing frame that can be mounted onto a counter, wall or a Linear post with 360° iPad Holder option.

Material: Aluminium, steel

Locking: Security screws/Allen key (included)

Tablet positionning: Portrait or Landscape, or 360° with mount option

Tablet size: All iPad except Mini and Pro models\*

White Frame	IPAD-CHU-W	്ര_ 310 (h) x 225 (w) x 20 (d) mm
Black Frame	IPAD-CHU-B	
Black Frame + 360° mount	IPAD-SH-360B	്ര_ 310 (h) x 225 (w) x 95 (d) mm





Adjustable height





Sleek rounded corners







Can be mounted onto a counter, wall or a post



Frame with optional 360 ° mount

#### Formulate Universal Tablet Holder\*







Lightweight free-standing tablet holder that can host universal tablet sizes thanks to its adjustable bracket. Modern and design shape. Optional literature holders.

Ø30mm aluminium bungee tubes, metal base, plastic connector

Security screws/Allen key (included) Locking:

Tablet positionning:

8.6"-13.7" (22.2-35.5cm) diagonal / 0.9cm thickness

Graphic option: Double-sided fabric graphic (optional) Ground fixing: 5.2kg Weighted base (included)

Frame Black literature holder rack (use two max) optional extra FORM-UNI-TAB-01

(d) mm

FORM-UNI-TAB-LIT-B (d) mm

# reinforcement Optional Literature Black literature holder rack (optional) holders can display portrait or landscape brochures Complete with padded carry bag Adjustable tablet holder bracket

5.2kg Weighted base

plate included for

stability

## Linear Media post





A robust, handy and very versatile graphic and literature holder which allows you to display information and promotion at the same time.

Material: Anodised aluminium post, steel dome base

Colour: Silver Documents sizes:

Pockets: 3 - included Graphic: Single-sided

Graphic: Optional extra - ideal with 5 mm foamed PVC

Transport: Carry bags (optional extra)

Linear Media Post LK026-001 (d) mm

#### Accessories :

Base bag	AB910
Pole bag	AB293



## Sentry



'Snap-action' free-standing poster frame that is ideally suited to information display. Head rotates for either portrait or landscape format literature.

Material: 25 mm aluminium profile, clear PVC protection sheet

Colour: Anodised silver finish, chromed corners

Free-standing Mounting: Portrait or Landscape Frame positioning:

Graphic option: Suitable for substrates up to 420 microns

Graphic attachment : Snap rail

Sentry A3	SL103	்_ 1075 (h) x 245 (w) x 326 (d) mm
Sentry A4	SL104	் 1005 (h) x 245 (w) x 326 (d) mm

# Clear PVC protection sheet

# Trappa Frame







Very easy-to-use 'snap-action' poster frame to update quickly and often messages. Mitred corner.

Material: 25 mm aluminium profile, clear PVC protection sheet

Colour: Anodised silver finish

Wall\* Mounting:

Frame positioning: Portrait or Landscape

Graphic option: Suitable for substrates up to 420 microns

Graphic attachment : Snap rail

AT401-C	<u>○</u> 328 (h) x 241 (w) x 13 (d) mm
AT402-C	
AT403-C	<u>ெ</u> 625 (h) x 451 (w) x 13 (d) mm
AT404-C	<u>ெ</u> 872 (h) x 625 (w) x 13 (d) mm
AT405-C	1220 (h) x 872 (w) x 13 (d) mm
	AT402-C AT403-C AT404-C

<sup>\*</sup> screws not supplied









Snap-action frame

## Basics Leader



Basics range for retractable barrier system, ideal for use in retail outlets and airports to define queue guidance.

Steel, aluminium, plastic Material :

Post and base colours: Black / Silver Belt colours : Red / Grey / Black

Basics Leader Kit (Black post - Red/Grey/Black Belt)	SP-800B-R/G/B	்ற 910 (h) x 2000 (w) x 350 (d) mm
Basics Leader Kit (Silver post - Red/Grey/Black Belt)	SP-800S-R/G/B	⊙ 910 (h) x 2000 (w) x 350 (d) mm



# Spiral Plinth





T PVC

Portable collapsible counter that assemble in seconds without the need for tools thanks to its twist and lock system. Add interactivity with optional iPad holder.

Steel, plastic, wood Assembly: Self-locking system 2 (max load 4 kg)

Graphic option : Acetate panels (included) / 1-2 mm PVC panels (optional)

Graphic attachment: Mag tape (included) Transport : Wheeled padded bag

\_\_\_\_ 1070 (h) x 580 (Ø) mm UB710 Spiral Plinth

#### Accessories :

iPad Holder*	UB710-IPDM-B/S/W	Colours: Black / Silver / White

<sup>\*</sup>Please note all tablets and iPads are not included and not available







Printed graphics example





# Spiral Display Tower







Fully collapsible tower that locks automatically once in place. Ideal for showcasing your products on shelves. Custom branding by replacing the acetate panels by your own graphics.

Steel, plastic Assembly: Self-locking system 4 (max load 4 kg) Lighting: 20 Watt - 12 Volts

Graphic option : Acetate panels (included) / 1-2 mm PVC panels (optional)

Graphic attachment: Mag tape (included) Transport : Wheeled padded bag

Spiral Display Tower UB710-002





Comes with wheeled padded bag

#### Formulate Oval Table






Material: Ø30 mm aluminium tubes, MDF top and base

Graphic area: 360°

Assembly: Push-fit buttons, screw

Oval Table FMLT-TS-06 (d) mm



# Formulate Round Table







Popular table shape for reception. Welded base for extra stability. Display your message at 360° angle with optional washable tension

Material: Ø30 mm aluminium tubes, MDF top

Graphic area: 360°

Assembly: Push-fit buttons, screw

Round Table FMLT-TS-01A \_\_\_\_ 1000 (h) x 600 (Ø) mm





Numbered frame parts



30kg ð

#### Gala





Portable strong trestle folding table. Cover with an optional printed table cloth for a professionnal look, choose from traditional or fitted format.

Material: Polypropylene, metal

Graphic area: 360°

Assembly: Locking mechanism

Gala 1.8 m	FT-6A	Open: 730 (h) x 1805 (w) x 740 (d) mm Closed: 80 (h) x 900 (w) x 740 (d) mm
Gala 2.4 m	FT-8	Open: 730 (h) x 2403 (w) x 753 (d) mm Closed: 90 (h) x 1215 (w) x 753 (d) mm



Carry handle



Centre locking



Folds in half for easy transportation



Different table cloths available









# Circular Formulate sign







Formulate suspended signs have been specially designed for easy and safe installation. This circular shaped communication medium is ideal

Material: Aluminium tubes Tube diameter: Tool-free

Assembly: Shape:

Graphic fixation: Zipped tension fabric graphic

Graphic: Double-sided Utilisation:

Suspended Pitons included, Slings not included

Formulate circular 800	FORM-RNG-80	(d) mm
Formulate circular 1000	FORM-RNG-100	(a) 1000 (h) x 3000 (w) x 3000 (d) mm
Formulate circular 1500	FORM-RNG-150	(a) 1500 (b) × 4500 (w) × 4500 (d) mm

# Square Formulate sign







Formulate suspended signs have been specially designed for easy and safe installation. This square shaped communication medium is ideal to be seen from a distance.

Assembly: Shape: Square

Graphic fixation: Zipped tension fabric graphic

Suspended Pitons included, Slings not included

Formulate square 800 FORM-SQU-80 (d) mm (d) mm Formulate square 1000 FORM-SOU-100 Formulate square 1500 FORM-SQU-150 (d) mm

# Vector 125 mm LED Sign







To attract and stand out, opt for a rectangular sign with double-sided lighting combined with an original graphic design. Available in 3  $\,$ standard formats.

Material: Aluminium 125 mm

Silver (Black / White optional) Colour: Assembly: Screw-in bracket Standard or custom Format: Graphic fixation: Slinging (cables not included)

Graphic: Double sided Lighting: Tangential LED

Vector 125 mm LED - 250	VLBH125-PAN-250	1000 (h) x 2500 (w) x 125 (d) mm
Vector 125 mm LED - 350	VLBH125-PAN-350	
Vector 125 mm LED - 500	VLBH125-PAN-500	1250 (h) x 5000 (w) x 125 (d) mm



Available in 3 standard formats.









# We provide counters for all budgets and requirements.

Our counters can serve as display surfaces, lecterns, data pods, workstations, display towers, columns and plinths and the variations of what you can do with them is infinite.

You can also increase your impact by adding height and visibility with a header kit or flag. Our Counters are simple and quick to build with tool-less construction, they are made in-house and can be made to order if customisation is required.

# Before choosing your counter, please consider the following:

- 1. How many times will it be used? Occasionally or regularly?
- **2.** Do you need to transport it? And how often?
- **3.** Will you need storage for catalogues for example?
- **4.** Do you need to host visitors or give a lecture?





# Pop-up Counta







A convenient lightweight pop-up counter that offers a substantial area to welcome your guests yet packs down for easy transportation in a reinforced D-shaped wheeled trolley case.

Aluminium, plastic, MDF Assembly: Self-locking magnetic

Collapsible:

Fold-able - Beech colour

Graphic attachment:

Magnetic hangers, bars and tape (included) Suitable for 440 microns min. substrate (optional extra)

Shelves:

1 Wheeled trolley case Bag:

2x1	PUC21C-C	985 (h) x 865 (w) x 400 (d) mm
2x2	PUC22C-C	்_ 985 (h) x 1290 (w) x 465 (d) mm







trolley case



Quick and easy to assemble



# Hop-up Counta









Durable lightweight hop-up counter, quick and easy to assemble with a single wrap around fabric graphic which stays on when collapsed and packed away. Perfect to welcome your guests.

Aluminium, plastic, MDF tabletop, polycarbonate shelf Material:

Plastic locking arms Assembly:

Collapsible: Yes Counter top: Beech Graphic attachment: Hook and loop Shelves: One

One wheeled carry bag Bag:

HU301-001-C 0 1020 (h) x 1060 (w) x 360 (d) mm



Plastic locking



Wheeled carry bag

# Fabric graphic folds with the counter





#### **Basics Round Counter**





T PVC

Simple and effective basic counter – perfect for exhibitions and road shows. Reversible colour thermoformed top and base with grey corex fluted wrap.

MDF tabletop/base, Corex wrap

Assembly: Push-fit - Tool-free

Collapsible:

Counter top: Beech / black or Black / White - reversible

Graphic attachment: Hook and loop wrap

Shelves:

Two carry bags - included Bag:

Basics Round Counter beech/black	PK923	<u>○</u> 926 (h) x 450 (Ø) mm
Basics Round Counter black/white	PK923-BLK	<u>ெ</u> 926 (h) x 450 (Ø) mm








Tabletops and



Carry bags













Ideal for

lounges or receptions

#### **Basics Curved Counter**







Stylish and functional Double-D-shaped counter. Simple to assemble making it ideal for any lounges or reception areas. Reversible colour thermoformed tops and bases with grey corex fluted wrap.

Material: MDF tabletop/base, Corex wrap

Assembly: Push-fit - Tool-free

Collapsible:

Beech / Black or Black / White - reversible

Graphic attachment: Hook and loop wrap

Bag: Two carry bags - included

Basics Curved Counter beech/black	PK922	⊙_ 925 (h) x 910 (w) x 480 (d) mm
Basics Curved Counter beech/white	PK922-BLK	்_ 925 (h) x 910 (w) x 480 (d) mm

#### Accessories:

(d) mm Shelf PK922-SHELF-KIT



Large tabletop in beech/black



Shelf in option







Collapsible display counter with self-locking magnetic assembly. Optional fabric Silicone Edged Graphic (SEG) fits easily into the channel for a perfect tension.

Aluminium, plastic, MDF tabletop/base

Assembly: Self-locking magnetic

Collapsible: Counter top: Beech Graphic attachment: SEG 3mm Shelves:

Bag: One carry bag

SEG Counter PUC21-SEG-BI





Attach graphic into SEG channel







Open back for ease of access to shelves





#### Embrace + LED Counter







Double-sided collapsible counter with aluminium frame for dressing with visual textile. Backlit graphics boost your brand messaging.

Material: Aluminium, plastic, metal locking arms, MDF tabletop

Plastic frame Assembly: Collapsible: Yes White Counter top: Graphic attachment: SEG 3 mm Accessories:

LED lighting (included) Bag: Bag included

Embrace + LED Counter

EMB-PL-CNTR-LED

(d) mm



Attach graphic into SEG channel





#### Modulate Counter







New patent-pending magnetic counter - increase your counter size by simply connecting multiple counters using magnetic elements.

Ø 30mm Aluminium tubes, MDF tabletop/shelf

Assembly: Push-fit button Collapsible: Counter top: Graphic attachment: Zip system

Shelves: 1 (optional extra)

Bag: One padded carry bag, internal flap

Modulate Counter	FORM-MOD-CNTR	(a) 1015 (h) x 800 (w) x 600 (d) mm
------------------	---------------	-------------------------------------

#### Accessories:

(w) x 571 (d) mm
(w



by magnets only



Black laminate MDF tabletop included




Internal shelf optional extra





from this ...

to this - just using magnets -no tools required!!







## Reception Bank Vector LED











A simple, effective and economical solution to give visibility to your reception. Its double-sided finish will give impact to your communication.

Material: Aluminium 150 mm, MDF tabletop

Assembly: Screw-in bracket

Collapsible:

Beech / black / silver / white

Graphic attachment: SEG 3 mm Lighting: Led strips included Double-sided Bag: Bag included

Reception Bank Vector LED

VSRD150-120

\_\_\_\_ 1030 (h) x 1250 (w) x 540 (d) mm

#### Accessories:






Assembly of corner sections by means of a screw-on bracket



Fabric graphic with silicone edge gasket (SEG)



Pivoting Feet







Twist out feet J

# Vector Counter Straight LED 125 mm











Counter straight, backlit countertop with rounded corners for optimal and homogeneous Full Graphic rendering. Make your reception look good.

Aluminium 125 mm, MDF tabletop Material:

Screw-in bracket Assembly:

Collapsible:

Counter top: Beech / black / silver / white

Graphic attachment: SEG 3 mm Etagère : Optional shelf kit Eclairage : Led strips included

One carry bag - optional extra

Vector Counter Straight LED 125 mm VSCB125-100 ்\_ 1015 (h) x 1040 (w) x 540 (d) mm

#### Accessories:

Shelf kit VSCS125-100 \_\_\_\_ 515 (h) x 732 (w) x 365 (d) mm Counter bag ABVSS-03 Carry bag tabletop AB914



Assembly of corner sections by means of a screw-on bracket



LED Strip




Shelf Kit







Full graphic rounded corners



# Vector Counter Straight







Robust counter built from modular Vector extrusions. Rounded corners for a seamless tension graphic. Available in custom sizes. Manufactured to order.

Aluminium, MDF tabletop/shelf Cam locks and Allen key

Collapsible:

Beech / black / silver / white

Graphic attachment: SEG 3 mm Shelves:

Bag: carry bags - optional extra

Vector Straight Counter 1000 mm\*

Vector Straight Counter 1000 mm with lockable door

VSCB-D VSCB-2

VSCB

Vector Straight Counter 2000 mm

(a) 1015 (h) x 1040 (w) x 545 (d) mm

1015 (h) x 1040 (w) x 545 (d) mm porte: 975 (h) x 535 (w) mm

\_\_\_\_\_ 1015 (h) x 2040 (w) x 545 (d) mm

#### Accessories:

Tube bag (counter)

AB120AM

Carry bag (shelf and tabletop)

AB914







Optional carry bag

Four colours available:

• • • •

Back view: counters 2000 mm and 1000 mm with lockable door

#### Vector Counter Curved









Strong and stylish finish counter built-in from modular Vector profiles system. Available in custom sizes. Manufactured to order.

Material: Aluminium, MDF tabletop/shelf Cam locks and Allen key

Collapsible:

Beech / black / silver / white

Graphic attachment:

Shelves:

Two carry bags - optional extra Bag:

Vector counter curved VCCB ©\_ 1015 (h) x 1340 (w) x 540 (d) mm

Carry bag (shelf and tabletop)

AB916

Carry bag kit (counter)

AB120AC-KIT





Rounded corners





<sup>\*</sup>Reference not compatible with the addition of a door.

# Linear Straight Counter











Solid and durable counter made from Linear posts, yet flat-pack for easy transportation. Recommended with 3-5mm thick PVC foamed board graphics (optional extra).

Anodised aluminium, MDF tabletop/base Material:

Twist and lock system, tool-free Assembly:

Collapsible:

Tablette/socle : Beech / black / silver / white

Magnetic (for 1mm substrate - optional extra) Infills panels (for 3-5mm substrate - optional extra) Graphic attachment:

Shelves: 1 (optional extra)

One carry bag - optional extra

1000 mm (w) ெ 1010 (h) x 1000 (w) x 500 (d) mm

#### Accessories:

Counter bag 1000 mm	AB112A
Internal shelf	PK8-S1S

4 colours available:

Pro version with acrylic shelf and stand-offs


#### Linear Curved Counter











Stylish  $30^\circ$  or  $45^\circ$  curved counters made from Linear profiles. Available in Pro version with top shelf option, or in standard one. Recommended with 2mm thick PVC foamed board graphics (optional extra).

Material: Anodised aluminium, MDF tabletop/base

Assembly: Twist and lock system, tool-free

Collapsible:

Beech / black / silver / white

Magnetic (for 1mm substrate - optional extra) Infills panels (for 3-5mm substrate - optional extra) Graphic attachment:

Shelves: 1 (optional extra)

Bag: One carry bag - optional extra

Standard 30°	LK028-001	1010 (h) x 1025 (w) x 546 (d) mm
Pro 30°	LK028-002	1010 (h) x 1025 (w) x 546 (d) mm

#### Accessories:

Carry bag for 30°	AB112A
Internal shelf	PK8-S1S







# Gear Edge Counter







Aluminium counter ideal for complimenting exhibition panel displays. Graphic panels are simple to change along with your promotion or

Material: Aluminium, MDF tabletop

Fold-able (standard), Allen key if graphics change Assembly:

Collapsible: Yes

Beech / Black / White Counter top:

Graphic attachment: Infill panels (for 3-5mm substrate - optional extra) Hook and loop if fixing onto fabric panels

Shelves:

3 colours available:

Gear Straight	GECS-FO	്ര_ 920 (h) x 830 (w) x 450 (d) mm
Gear Curved	GECC-FO	920 (h) x 830 (w) x 525 (d) mm

# Gear Edge Display Counter





Fold-able counter with stylish and practical transparent acrylic showcase area, perfect for displaying and protecting products.

Material: Aluminium, MDF tabletop/base, acrylic shelf Fold-able (standard), Allen key if graphics change Assembly:

Collapsible:

Transparent Counter top:

Infill panels (for 3-5mm substrate - optional extra) Hook and loop if fixing onto fabric panels Graphic attachment:

Shelves:

Gear Vitrine	GECD-FO	920 (h) x 775 (w) x 405 (d) mm



Ideal for displaying products









Change the graphic

panel, change your

Storage Shelving





Storage areas with sliding doors



Folds flat quickly

#### Physique range Comet



Stylish tear drop counter, available with Design iPad\* holder and 360° mount option but shown with integral literature holder. Only the freestyle option is available.

Material: MDF / Aluminium

Collapsible: No

Counter top: Beech / black / white / silver

Graphic attachment: Freestyle MDF

Bag: One carry bag - optional extra

Freestyle with graphic	PK189A	☐ 1800 (h) x 1010 (w) x 655 (d) mm
------------------------	--------	------------------------------------

#### Accessories:

Design iPad Holder + 360° mount*	IPAD-SH-360W	<u>ര</u> N/A
Carry bag	AB151	j N∕A





iPad Holder optional extra\*

## Tips:



Tabletop and base are available in four colours Beech, black, silver or white.

• • • •

4 Choose to accessorise with a flush mounted tabletop iPad\* holder

Available for all products and suitable for iPad 2,3,4 and Air\* and holder available in two colours : Black and white

\* Please note all LCD screens, tablets and iPads are not included and not available to purchase





## Tornado





1 ADH PVC

Lightweight, weatherproof and durable curved outdoor or indoor promotional counter with water drainage notches. Support poles and header panel available as optional extra.

Moulded HDPE, PVC tambour

Push-fit - Tool-free

Collapsible: Counter top: Graphic attachment: Push-in

Two carry bags - optional extra Bag:

Tornado	PK410	

#### Accessories:

Header and poles	PK411	250 (h) x 600 (w) x 20 (d) mm
Tabletop and base bag	AB187	⊚_ N/A
Graphic wrap bag	AB187A	⊚_ N/A

### Add an optional extra header for more brand exposure





Base can be weighted using water or sand for outdoor use





Tabletop and base bag optional extra



Graphic wrap bag



Internal storage

## Counta







Indoor white, PVC, lightweight, portable demonstrator unit which includes header panel and shelf supporting poles. Graphics can be applied as vinyl directly onto the base wrap.

Assembly: Push-fit - Tool-free

Collapsible: Counter top: Graphic attachment: Push-in Shelves:

Bag: One carry bag

⊙\_ 2195 (h) x 805 (w) x 450 (d) mm - Assembled Counta \_\_\_\_\_ 280 (h) x 680 (w) x 20 (d) mm - Header

> Promotional counter, ideal for retail use









Shelving and storage area at reverse

Carry bag included for transportation or safe storage of your Counta









# Choose a Backwall to create stunning visual impact.

Our Backwalls are large in stature but are also extremely portable and easy to use. Highly popular for events, commercial galleries, lounge road shows or just used as interior decoration, they are a creative backdrop for many situations.

# Before choosing your backwall, ask yourself:

- **1.** What size is the area you need to cover?
- 2. What shape of Backwall is required?
- **3.** What type of print media would you like to use?
- 4. How often will your display need to be refreshed or re-branded?
- 5. Does your Backwall display need to be reconfigurable?
- 6. How portable does your backwall display need to be?
- **7.** Will lighting be required for your display?
- **8.** How will your Backwall be transported?

## Our range of display Backwalls

## Quick Impact / Quick+



Magnetic locking arms create an easy to use Pop-up frame structure. PVC graphics are held perfectly in position on the frame using graphic magnetic strips. Single or double-sided graphic option is available and Pop-ups can also be accessorised with lights and cases that convert to counters.

#### **Embrace**



Embrace is our Silicone Edge Graphic (SEG)
Pop-up system with push-fit seamless fabric
graphics, which hug a collapsible lightweight
frame giving a sharp crisp image. Available
in four sizes, Embrace allows you to erect a
sophisticated display in minutes! Multiple frames
can also be joined together to create larger
seamless displays.

#### Hop-Up



A lightweight Hop-up frame system with locking arms. Fabric graphics fit smoothly across the framework and attach in place once the frame has been collapsed using hook and loop attachments. Hop-ups can also be accessorised with overhead lights.

#### **Formulate**



A range of standard or custom structures, manufactured from strong yet lightweight tubular aluminium, providing a simple and portable framework which can be dressed with a tensioned fabric graphic.

#### Modulate



Based on the Formulate concept, Modulate is characterised by its simplicity of assembly: the structures are connected to each other by powerful magnets. In addition, this range is equipped with patented Twist and Lock feet: place, pivot and it's locked!

#### Xclaim



This is a simple lightweight, collapsible frame with magnetic locking arms and push-fit fabric graphics. Coming in a variety of shapes and sizes, Xclaim is designed to be portable and durable and can be set up and packed down quickly and easily.

#### **Pegasus**



This great range of adjustable tension backwalls have telescopic poles for adjusting the height and width, so they can fit all spaces and graphic sizes. Composed of lightweight aluminium tubes which the graphics slide onto.

# Quick Impact Straight or Curved









Great economic frame system backwall. Suitable for use in daily changing locations such as roadshows or in fixed spaces such ascommercial galleries, showrooms or used just for interior decoration.

Aluminium structure, plastic connectors

Assembly: Magnetic connectors Shape: Straight or Curved


Graphic attachment: Mag bars, hangers and kickers

Single-sided (with or without D-ends) / double-sided (optional) Graphic:

Utilisation: Free-standing

k	(it Quick Impact 3x1 Curved	IMP-3X1C	<u>ெ</u> 2225 (h) x 1240 (w) x 306 (d) mm
k	(it Quick Impact 3x2 Curved	IMP-3X2C	്ര 2225 (h) x 1930 (w) x 485 (d) mm
k	(it Quick Impact 3x3 Curved	IMP-3X3C	<u></u> 2225 (h) x 2540 (w) x 685 (d) mm
k	(it Quick Impact 3x4 Curved	IMP-3X4C	<u></u> 2225 (h) x 3070 (w) x 960 (d) mm
k	(it Quick Impact 3x5 Curved	IMP-3X5C	്ര 2225 (h) x 3430 (w) x 1225 (d) mm
k	(it Quick Impact 3x1 Straight	IMP-3X1S	்_ 2225 (h) x 1240 (w) x 306 (d) mm
k	(it Quick Impact 3x2 Straight	IMP-3X2S	്ര 2225 (h) x 1970 (w) x 306 (d) mm
k	(it Quick Impact 3x3 Straight	IMP-3X3S	്ര 2225 (h) x 2700 (w) x 306 (d) mm
k	(it Quick Impact 3x4 Straight	IMP-3X4S	്ര 2225 (h) x 3435 (w) x 306 (d) mm
k	(it Quick Impact 3x5 Straight	IMP-3X5S	്ര 2225 (h) x 4160 (w) x 306 (d) mm









Aluminium frame system



Magnetic connectors



Self-locating 'smart' magnetic locking



Magnetic bars



structure with magnetic locking



#### **Quick Impact Bundle**

### Quick Impact Kit



Carry bag



Straight or curved frame system



Hangers, kickers and mag bars



1x roll of self-adhesive magnetic tape



Zenith transit



Thermoformed table top in beech



2x PS950-1000 LED light

# Quick+ Straight or Curved







Premium full magnetic system backwall with self-locating 'smart' magnetic locking arms and adjustable magnetic hanger fittings. Custom sizes on request.

Aluminium structure, plastic connectors Material:

Assembly Magnetic connectors Shape: Straight or Curved

Graphic attachment: Mag bars, hangers and kickers

Single-sided (with or without D-ends) / double-sided (optional) Graphic:

Free-standing Utilisation:

Kit Quick+ 3x1 Curved	WH221-C-CA	<u>ெ</u> 2225 (h) x 1240 (w) x 306 (d) mm
Kit Quick+ 3x2 Curved	WH222-C-CA	
Kit Quick+ 3x3 Curved	WH223-C-CA	<u>ര</u> 2225 (h) x 2540 (w) x 685 (d) mm
Kit Quick+ 3x4 Curved	WH224-C-CA	<u>ര</u> 2225 (h) x 3070 (w) x 960 (d) mm
Kit Quick+ 3x5 Curved	WH225-C-CA	2225 (h) x 3430 (w) x 1225 (d) mm
Kit Quick+ 3x1 Straight	WH221-S-CA	<u>ெ</u> 2225 (h) x 1240 (w) x 306 (d) mm
Kit Quick+ 3x2 Straight	WH222-S-CA	്ര_ 2225 (h) x 1970 (w) x 306 (d) mm
Kit Quick+ 3x3 Straight	WH223-S-CA	്ര_ 2225 (h) x 2700 (w) x 306 (d) mm
Kit Quick+ 3x4 Straight	WH224-S-CA	2225 (h) x 3435 (w) x 306 (d) mm
Kit Quick+ 3x5 Straight	WH225-S-CA	്ര_ 2225 (h) x 4160 (w) x 306 (d) mm



Available in straight or curved

Available in custom





Structure with adjustable feet





Purple aluminium structure



Magnetic connectors



Hook and magnet attachment of the



Square end magnetic bars



Lights fit directly on to the frame system.

#### Quick+ Bundle

### Quick+ Kit



Carry bag



Straight or curved frame system



Hangers, kickers and mag bars



1x roll of self-adhesive magnetic tape



Zenith transit





Thermoformed table top in beech



2x PS950-1000 LED light

Get your message noticed 360° with a Quick Tower Pop-up. At almost 3m\* in height and with the option to accessorise with lighting it makes a great impact in a small space.

Material: Aluminium structure, magnetic connectors

Assembly Magnetic connectors

Shape: Round

Graphic attachment: Mag bars, hangers and kickers

360° Graphic: Utilisation: Free-standing

3 quads (h)	WH231A-C	<u>ெ</u> 2255 (h) x 640 (Ø) mm
4 quads (h)	WH232A-C	്ര_ 2985 (h) x 640 (Ø) mm



Self-attracting, easy to hook in magnetic top graphics



Magnetic connectors







## Accessorise your Impact / Quick backwalls

Increase the visual impact of your stands with our accessories



Pop-up Stabilising feet ES505

Recommended for straight Pop-up systems where internal or external loadbearing shelving is used



Pop-up Fabric

Hard wearing fabric panels, ideal for big-impact notice boards. Use plain or add graphics using hook fastenings. See page 118 for colour choices.



LCD Screen Bracket\*
PUSMK1

Add audio visual to your stand using an LCD screen bracket\*, (supports screens up to 540mm or 5kg)



Pop-up Shelving ES514C-A= Curved ES514-002 = Straight



Internal Shelf ES511X-C = Curved acrylic ES511-S = Straight acrylic

Supports up to 10 kg. Recommended with optional stabilising feet.



Pop-up Shelving Aperture Infill Panel

ES512 - Curved ES513 - Straight



Fluorescent Tube

PS1200

Light up your backwall with a linkable 20 watt fluorescent lighting and Linking cable (US601B)





# Embrace Eco

Economical solution combining the practicality of a frame system stand and tension fabric graphics attached with silicone edged gaskets (SEG).

Material: Aluminium structure, plastic connectors Assembly: Locking by clips, interlocking frame sections

Straight

Utilisation:

Embrace Eco 3x2 EMB-ECO-3X2 ்\_ 2245 (h) x 1510 (w) x 344 (d) mm EMB-ECO-3X3 Embrace Eco 3x3 ்\_ 2245 (h) x 2245 (w) x 344 (d) mm Embrace Eco 3x4 EMB-ECO-3X4 (d) mm

#### Accessories:

Feet (pair)	EMB-ECO-FOOT	8 (h) x 557 (w) x 43 (d) mm
-------------	--------------	-----------------------------





structure



Simple push-fit connections



Lock together with clips



Feet (optional)

Channel bars for push-fit SEG tension fabric graphics



secure the foot



Metal latch to

EMBRACE ECO



Compact Frame structure

Padded carry bag with pockets



Graphic attachment: SEG 3 mm

Graphic: Single-sided (with or without returns) or double-sided (optional)






### Premium LEO display system\*



Impressive tall backwall





## Embrace+







Premium LED backlit double-sided display system with SEG tension fabric graphics. Perfect for exhibition environments to make a real impact. Make larger or shaped backwalls by clamping structures together or at right angles.

Material: Aluminium structure, plastic connectors Assembly: Locking by clips, interlocking frame sections

Graphic attachment: SEG 3 mm Shape: Straight

Single-sided (with or without returns) or double-sided (optional) Graphic:

Utilisation: Free-standing

Embrace+ 3X1	EMB-PL-3X1-S	
Embrace+ 3X2	EMB-PL-3X2-S	2255 (h) x 1508 (w) x 366 (d) mm
Embrace+ 3X3	EMB-PL-3X3-S	
Embrace+ 3X4	EMB-PL-3X4-S	<u></u> 2255 (h) x 2974 (w) x 366 (d) mm
Embrace+ 4X1	EMB-PL-4X1-S	2990 (h) x 774 (w) x 366 (d) mm
Embrace+ 4X2	EMB-PL-4X2-S	
Embrace+ 4X3	EMB-PL-4X3-S	
Embrace+ 4X4	EMB-PL-4X4-S	

#### Accessories:

Pieds (la paire) EMB-PL-FEET-W	⊚_ 735 x 60 mm
--------------------------------	----------------

<sup>\*</sup>Please note that screens are not included and are not available for purchase.



Bungeed sections



Lock together with clips



Height adjustable



Channel on frame for push-fit SEG tension fabric graphics



Easy hook on LED curtains



Optional aperture infill shelf and spot light




Optional external shelving 5kg max



Optional screen holder\*



Different configurations are possible by superimposing and/or juxtaposing the structures







Optional internal aperture infill panel shelving







# Hop-up Impact Straight









Popular frame system that's quick to install with optional tension fabric graphics that stays on the frame structure once packed and folded. Also available in custom sizes.

Aluminium structure, plastic connectors

Lock together with clips

Straight Shape: Graphic attachment: Hook and loop

Single-sided (with or without returns) or double-sided (optional)

Utilisation:

3x1 quads	HUI3X1	<u>ര</u> 2260 (h) x 790 (w) x 295 (d) mm
3x2 quads	HUI3X2	
3x3 quads	HUI3X3	
3x4 quads	HUI3X4	<u>ര</u> 2260 (h) x 2995 (w) x 295 (d) mm
3x5 quads	HUI3X5	் 2260 (h) x 3730 (w) x 295 (d) mm

#### Accessories:





Easily to transport



Plastic connectors ES500D



Graphics affix with hook and loop







Custom sizes available



# Hop-up Impact Curved









Curved frame system and optional fabric graphics. Quick and simple to deploy. Compact and lightweight to transport or store.

Aluminium structure, plastic connectors Material:


Lock together with clips Assembly:

Shape: Curved Hook and loop Graphic attachment:

Single-sided (with or without returns) Graphic:

Utilisation: Free-standing

3x3 quads	HOP-2-3X3-C	്ര_ 2270 (h) x 2310 (w) x 570 (d) mm
3x4 quads	HOP-2-3X4-C	2270 (h) x 2950 (w) x 810 (d) mm





Easy to transport



Plastic connectors



Graphics affix with hook and loop

## Xclaim







One hardware structure with many fabric graphic configurations! Combine different fabric graphic sizes and shapes to create original displays and effects.

Material: Aluminium structure, plastic connectors


Assembly: Magnetic connectors

Shape: Straight Graphic attachment: Push-fit

Single-sided or double-sided Graphic:

Utilisation: Free-standing

3x3 quads	XCLM-3X3	2250 (h) x 2250 (w) x 315 (d) mm
Shape cross	XCLM-5QP	<u>ெ</u> 2130 (h) x 2130 (w) x 315 (d) mm





and pack away





Magnetic connectors



Fabric graphics attach using push-fit points



Attach multiple graphic panels to each push-fit point




# Keep displays fresh by varying configurations

The shape and size of the graphics can be re-arranged or changed for a new style.

Interchangeable graphics

**XCLAIM** 

**XCLAIM** 



## **Formulate**

When display formats become common place and no longer stand out then choose something with innovative shapes ...

The Formulate range offers a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or zoning.

The double-sided tension fabric graphics perfectly contour the shaped aluminium structures and maximize your brand message.

Formulate structures as well as being versatile, are also multifunctional when accessorised with LED lighting, iPad holders, shelving and leaflet holders.



Push-fit button connections on bungeed aluminium



Optional LED lighting available



Numbered tubes for easy assembly



Zip close at base



Padded carry bag included



Gloves included to keep your graphics clean during assembly

## Formulate Straight









Aluminium tubing Tube diameter: Assembly: Push-fit button Straight Shape: Graphic attachment: Zipped

Utilisation: Free-standing with feet (included)

2400 mm	FORM-STR-24	2380 (h) x 2350 (w) x 400 (d) mm
3000 mm	FORM-STR-30	്രൂ 2380 (h) x 2950 (w) x 400 (d) mm
4000 mm	FORM-STR-40	<u></u> 2380 (h) x 3950 (w) x 400 (d) mm
5000 mm	FORM-STR-50	<u></u> 2380 (h) x 4950 (w) x 400 (d) mm
6000 mm	FORM-STR-60	്രൂ 2380 (h) x 5950 (w) x 400 (d) mm



available 80 Watt



Additional new sizes





Perfect to create backwalls or to delimit your spaces



## Formulate Vertical Curved







Material: Aluminium tubing

Tube diameter: 30 mm

Assembly: Push-fit button Vertical Curved Shape: Graphic attachment: Zipped Double-sided Graphic:

Utilisation: Free-standing with feet (included)

2400 mm FORM-VCU-24 (a) 2380 (h) x 2350 (w) x 608 (d) mm FORM-VCU-30 ்\_ 2380 (h) x 2950 (w) x 608 (d) mm 3000 mm



## Formulate Horizontal Curved









Material: Aluminium tubing Tube diameter: 30 mm Assembly: Push-fit button Horizontal Curved Graphic attachment:

Graphic: Double-sided Utilisation: Free-standing

2400 mm	FORM-CUR-24	்_ 2380 (h) x 2350 (w) x 500 (d) mm
3000 mm	FORM-CUR-30	2380 (h) x 2950 (w) x 500 (d) mm
6000 mm	FORM-CUR-60	



# Formulate Serpentine







Aluminium tubing Tube diameter: 30 mm

Assembly: Push-fit button Wave Graphic attachment: Graphic: Double-sided

Utilisation: Free-standing with feet (included)

2400 mm FORM-SER-24 (d) mm FORM-SER-30 (d) mm 3000 mm



# Formulate Meeting Pod







Aluminium tubing Tube diameter: 30 mm Push-fit button Assembly: Shape: Curved Graphic attachment: Zipped Graphic: Utilisation: Free-standing

Meeting Pod

FORM-MPOD-01



Create a private break-away area



## Formulate Arch







Material: Aluminium tubing Tube diameter: 30 mm Assembly: Push-fit button Arch Graphic attachment: Graphic: Double-sided Utilisation: Free-standing

FORM-ARCH-01

(a) 3000 (h) x 4000 (w) x 900 (d) mm



## **Modulate**









Based on the Formulate concept, Modulate is composed of a set of 15 frames made from aluminium tubes and covered with a printed textile graphics. These frames can be easily connected to each other using powerful magnets (patented MagLink system) placed inside each structure.

Based on this simple magnetic principle, it is possible to combine the various Modulate frames to create configurations for all types of communication environments: at points of sale, trade fairs, exhibition areas, in shopping centres or simply within companies themselves.

Each Modulate can then be configured as required:

- Two available heights: 2m and 2.4m.
- Rounded corners included and Straights corners optional
- · Stabilizing feet included and half feet optional





## Mix and Match: assemble endlessly and without tools



# Modulate Straight 400







Material: Aluminium tubes 30 mm Tube diameter:

Push-fit button Assembly: Shape: Straight Graphic attachment: Zipped Double-sided Graphic:

Utilisation: Free-standing with feet (included)

Straight 420 rounded corners	MOD-S-420	്രൂ 2000 (h) x 418 (w) x 400 (d) mm
Straight 424 rounded corners	MOD-S-424	്രൂ 2400 (h) x 418 (w) x 400 (d) mm
Straight 420 right angles	MOD-S-420-SQ	<u></u> 2000 (h) x 418 (w) x 400 (d) mm
Straight 424 right angles	MOD-S-424-SQ	<u></u> 2400 (h) x 418 (w) x 400 (d) mm



# Modulate Straight 800







Aluminium tubes 30 mm Tube diameter: Assembly: Push-fit button Straight Graphic attachment: Double-sided Graphic:

Utilisation: Free-standing with feet (included)

	Straight 810 rounded corners	MOD-S-810	
	Straight 820 rounded corners	MOD-S-820	
	Straight 824 rounded corners	MOD-S-824	്രൂ 2400 (h) x 818 (w) x 400 (d) mm
)	Straight 810 right angles	MOD-S-810-SQ	്ര 1000 (h) x 818 (w) x 400 (d) mm
)	Straight 820 right angles	MOD-S-820-SQ	്രൂ 2000 (h) x 818 (w) x 400 (d) mm
	Straight 824 right angles	MOD-S-824-SQ	2400 (h) x 818 (w) x 400 (d) mm



Ideal to delimit a space





# Modulate Straight 1000











Aluminium tubes

Tube diameter: 30 mm Push-fit button Assembly: Shape: Straight Graphic attachment: Zipped Graphic: Double-sided

Utilisation: Free-standing with feet (included)

(d) mm Straight 1020 rounded corners MOD-S-1020 Straight 1024 rounded corners MOD-S-1024 (d) mm Straight 1020 right angles MOD-S-1020-SO (a) 2000 (h) x 1018 (w) x 400 (d) mm Straight 1024 right angles MOD-S-1024-SQ ்\_ 2400 (h) x 1018 (w) x 400 (d) mm



2 stabilising feet with Twist & Lock supplied with each frame



Simply assembly with numbered frame parts



# Modulate Straight 1800







Push-fit button Graphic attachment: Zipped Graphic: Double-sided

Utilisation: Free-standing with feet (included)

Straight 1820 rounded corners MOD-S-1820  $\bigcirc$  2000 (h) x 1818 (w) x 400 (d) mm MOD-S-1824  $\bigcirc$  2400 (h) x 1818 (w) x 400 (d) mm Straight 1824 rounded corners Straight 1820 right angles MOD-S-1820-SQ  $\bigcirc$  2000 (h) x 1818 (w) x 400 (d) mm Straight 1824 right angles MOD-S-1824-SQ (d) mm





Right angles (optional) available on each Modulate:



# Modulate Straight 2000











Aluminium tubes 30 mm Push-fit button Assembly: Shape: Straight Graphic attachment: Zipped Double-sided Graphic:

Free-standing with feet (included) Utilisation:

Straight 2020 rounded corners MOD-S-2020 (a) 2000 (h) x 2018 (w) x 400 (d) mm Straight 2024 rounded corners MOD-S-2024 (a) 2400 (h) x 2018 (w) x 400 (d) mm Straight 2020 right angles MOD-S-2020-SQ (a) 2000 (b) x 2018 (w) x 400 (d) mm Straight 2024 right angles MOD-S-2024-SQ (d) mm

> For 2 meters wide backwalls



## Modulate Curved 800







Material: Aluminium tubes Tube diameter: 30 mm Push-fit button Assembly: Shape: Curved Graphic attachment: Zipped Double-sided Graphic:

Utilisation: Free-standing with feet (included)

	Curved 820 rounded corners	MOD-C-820	2000 (h) x 818 (w) x 400 (d) mm
	Curved 824 rounded corners	MOD-C-824	(d) mm
•	Curved 820 right angles	MOD-C-820-SQ	2000 (h) x 818 (w) x 400 (d) mm
•	Curved 824 right angles	MOD-C-824-SQ	2400 (h) x 818 (w) x 400 (d) mm





## Slope 1



Material:

Graphic:

Tube diameter: 30 mm Assembly: Push-fit button Shape: Straight Graphic attachment: Zipped

Double-sided Utilisation: Free-standing with feet (included)

Aluminium tubes

(a) 2300 (h) x 818 (w) x 400 (d) mm Slope 1 MOD-SS-824-01

# Slope 2



Material: Aluminium tubes Tube diameter: 30 mm Assembly: Push-fit button Shape: Straight Graphic attachment: Zipped

Graphic: Double-sided Utilisation: Free-standing with feet (included)

MOD-SS-824-02 Slope 2 ©\_ 2400 (h) x 818 (w) x 400 (d) mm

## Formulate and Modulate Accessories

Bring more functionality to Formulate and Modulate structures by using iPadholders, shelves and leaflet holders... Our accessory system has been designed to give you the freedom to add and change items whenever you need them.

Universal clamp	FMLT158
Tube light fitting 30mm	US903
iPad Holders*	FX837
iPad Holders (white / black)	IPAD-CHU- <b>W/B</b>
Leaflet Holders	FX839
Leaflet Holders (DL/A5/A4)	AH5DLP/A5P/A4P
Shelves**	FX838
Shelves (Round / Triangle /Square)	LN133- <b>R/T/S</b>

<sup>\*</sup> iPad not included, compatible with all iPad except mini and Pro. To be used with FMLT158 binding \*\*screws not included





Leaflet Holders

Universal clamp



iPad Holders



4 colours:











Telescopic poles create a large image area adjustable up to 2.5m ideal for photography displays. Extremely lightweight, it packs down into a compartmented padded bag.

Aluminium Material:

Assembly Telescopic twist-lock poles

Shape: Straight Graphic attachment: Pole pocket

Single or double-sided Graphic:

Utilisation: Free-standing with feet (included)

UB165-S Pegasus



்\_ 1000-2515 (h) x 1429-2540 (w) x 442 (d) mm



Simple and quick to install



graphic pole pocket



Telescopic twist-lock poles



# Pegasus 3 m









Our widest telescopic backwall at almost 3m offers maximum graphic impact. Lightweight, ultra-portable and simple tool free assembly.

Material: Aluminium

Telescopic twist-lock poles

Shape: Graphic attachment: Panel pocket Graphic: Single or double-sided

Utilisation: Free-standing with feet (included)

UB167 \_\_\_\_\_ 1835-2610 (h) x 1845-3180 (w) x 440 (d) mm Pegasus 3 m

Extension Kit

UB167S-01

○ 1835-2610 (h) x 1845-3180 (w) x 440 (d) mm



Simple and quick



Telescopic twist-



Extension Kit



Pegasus 3m

Partition an area with optional communication

2540 mm



from 1845 to 3180 mm \_

Use the extension kit to create longer walls or a corner image wall



# **Baseline Range**

Panel kits form a classic range of practical, durable and reconfigurable backwall display solutions. With a range of different finishes and media fabrics to choose from you can customise your display to match your surroundings perfectly.





Baseline PVC (Thickness 18,2mm)

Each panel can

be assembled horizontally or vertically

8 Panel Kit

Please note: our panels are guaranteed for use with hook and loop male and female tapes, these are provided by us and designed specifically for this use. We can not guarantee the panels if used with another hook and loop brand.

## Baseline Panel and Pole Kits



Graphic:









Panel and pole kits\* are easy to assemble and are reconfigurable and repositionable. Available in two panel heights, stabilising feet are included. Manufactured to order.

Frame: Grey / Black

Baseline / Baseline Aluminium

Graphic attachment: Hook fixing

Recommended

Felt coating \* or optional Rigid replacement printed panels (3mm)

Single or double-sided Free-standing with stabilising feet (included) Utilisation:

Kit 4 - Baseline	KK104	്ര_ 600 (h) x 900 (w) mm
Kit 4 - Aluminium	KK104A	்டு 600 (h) x 900 (w) mm
Kit 6 - Baseline	KK106	்_ 600 (h) x 900 (w) mm
Kit 6 - Aluminium	KK106A	்_ 600 (h) x 900 (w) mm
Kit 8 - Baseline	KK108	்_ 600 (h) x 900 (w) mm
Kit 8 - Aluminium	KK108A	்_ 600 (h) x 900 (w) mm
Kit 10 - Baseline	KK110	்_ 600 (h) x 900 (w) mm

#### Accessories:

Circular feet black / grey	LB913B-C/S-C	<u></u> വ് N/A
Header panel	Call us	<u>⊚</u> N/A



Reconfigurable and scalable solution

10 Panel Kit

(header panel optional extra)

6 Panel and Pole Kit

## Baseline Jumbo Panel Kits











Free-standing folding panel kit\* with hinges to create a screen or office partition. Manufactured to order.

Material: PVC / Aluminium Frame: Grey / black Finishes: Baseline Aluminium Graphic attachment: Felt covered corrugated board Recommended media: Felt coating \* or optional Rigid replacement printed panels (3mm)

Graphic: Single or double-sided Utilisation: Free-standing

Kit 3 - Aluminium	KK350A	்_ 1800 (h) x 900 (w) mm
Kit 4 - Aluminium	KK351A	1800 (h) x 900 (w) mm



## Baseline Panel Kits









Free-standing hinged panel kit. Position panels in multiple ways. Available in two panel heights. Manufactured to order.

Material: Aluminium Frame: Grey / Black

Baseline / Baseline Aluminium Finishes:

Hook fixing Graphic attachment:

Recommended media:

Felt coating \* or optional Rigid replacement printed panels (3mm)

Single or double-sided Graphic: Utilisation: Free-standing

Kit 6 - Baseline	KK117	<u></u> 900 (h) x 600 (w) mm
Kit 6 - Aluminium	KK117A	⊙ 900 (h) x 600 (w) mm
Kit 7 - Baseline	KK114	900 (h) x 600 (w) mm
Kit 7 - Aluminium	KK114A	900 (h) x 600 (w) mm
Kit 8 - Baseline	KK120	900 (h) x 600 (w) mm
Kit 8 - Aluminium	KK120A	900 (h) x 600 (w) mm
Kit 10 - Baseline	KK124	900 (h) x 600 (w) mm



8 Panel Folding Kit + 2 Headers



6 Panel Folding Kit + 1 Header



7 Panel Folding Kit



PS050-LED lighting can be fitted

# Baseline Tabletop Panel kit









Folding panel kit\* ideally sized for tabletops. Whiteboard coating optional on request. Manufactured to order.

PVC / Aluminium Material: Grey / Black Frame:

Finishes: Baseline / Baseline Aluminium

Graphic attachment: Hook fixing

Felt coating \* or optional Rigid replacement printed panels (3mm) Recommended media:

Graphic: Single or double-sided Utilisation: Free-standing

Kit Junior - Baseline

KK102

KK102A

On Centre: 600 (h) x 900 (w) mm Side: 600 (h) x 450 (w) mm Header: 250 (h) x 900 (w) mm

Kit Junior - Baseline Aluminium Kit Senior - Baseline

KK103 KK103A

On Centre: 900 (h) x 600 (w) mm Side: 900 (h) x 450 (w) mm Header: 250 (h) x 600 (w) mm

Kit Senior - Baseline Aluminium






Delivered with carry bag



Kit Junior



Kit Senior



Automatically locks in open or folded position





# Quantum







Perfect combination of classic design with a stylish look. Literature can be left in tray when unit is folded flat.

ABS plastic (trays), powder coated steel (arms/base) Material:

Smoked grey Colour:

Documents sizes: A4 Pockets: Double-sided: Yes

Transport: Foamed premium bag (included)

Quantum A4 AS316-001 (a) 1320 (b) x 285 (w) x 380 (d) mm
--

## Cascade





Robust and lightweight model. The one-step cantilever assembly makes it collapsible for easy transportation.

Material: Polymer, polycarbonate


Colour: Grey Documents sizes: A4 Pockets: Double-sided: No

Transport : Premium fabric bag (included)

Cascade A4 AS320 (d) mm

Portable, lightweight and easy to use











Popular range of aluminium literature stands that are stylish and highly portable. Folds down for easy transportation in a heavy duty hard case.

Acrylic and anodised aluminium Material:

Grey Colour: A5 / A4 / A3 Documents sizes:

6 Pockets: Double-sided: Yes

Transport : Hard case (included)

A5 (6 pockets)	AS318-002	1115 (h) x 210 (w) x 280 (d) mm
A4 (6 pockets)	AS315-002	1460 (h) x 256 (w) x 370 (d) mm
A3 (6 pockets)	AS319-002	◯ 1420 (h) x 470 (w) x 370 (d) mm





## Xanadu






Basic fabric literature holder with stabilising foot and bungee pole. Great lightweight option. Three pieces construction.


Fabric, aluminium Material:

Black Colour: Documents sizes: A4 Pockets: 4/8 Double-sided: No

Transport : Fabric bag (included)

4 pockets	WH431	்_ 1365 (h) x 280 (w) x 380 (d) mm
8 pockets	WH432	<u></u> 1365 (h) x 560 (w) x 380 (d) mm





### Linear





Extra strong, large moulded case for transporting Linear or Vector extrusion and kits. Optional configurable cardboard inserts for controlled storage. Complete with support straps for extra security.

Medium-density polyethylene (MDPE), aluminium handles Material:

Wheels: 2 Handle: Stackable: Yes

Linear (No compartiments)

Linear

AC506

(a) 1300 (h) x 740 (w) x 360 (d) mm

AC506-001



Cardboard interior compartments



Strong aluminium handle



Option to compartmentalise the inside

# Drum (Graphic)



Comes in a range of sizes to enable you to transport graphics safely and securely. Manufactured from tough, lightweight polyethylene. Available in two heights and two diameters.

Material: Polyethylene Wheels: Handle: Stackable:

்\_ 850 (h) x 400 (Ø) mm AC305 Drum 850 (h) mm AC306 ்டு 850 (h) x 300 (Ø) mm ்\_ 1020 (h) x 400 (Ø) mm AC365 Drum 1020 (h) mm AC366 \_\_\_ 1020 (h) x 300 (Ø) mm



Carry handle



Secure fastening





Ø 300mm

Up to 10 graphic drops



Ø 400mm

Ideal for transporting graphics

## Zenith









The new height extendable tough moulded polyethylene Zenith standard and tall cases offer a multitude of features.

#### Versatile

Ideal ultra-portable transport solution with maximum storage for pop-ups, backwalls, roller banners and extrusions, they also double up as counters with optional extra graphic wrap and table top.

### Scalable

The standard case will house a 3x5 pop-up system and graphics. The optional 100 mm high extension creates a taller configuration which can house 850mm wide roller banners.

#### Secure

Internal dividers to protect graphics are included and the case can be locked using padlocks (not supplied).

Material: Medium-density polyethylene (MDPE) / Metal

Wheels: Handle: Stackable: Yes

Table top (beech)

Tablette: Optional extra (Beech)

Graphic wrap: Optional

Zenith	AC600	(external size) 956 (h) x 600 (w) x 400 (d) mm
Accessories :		
Extension (use 2 max)	ZNTH-EXT	(d) mm

\_\_\_\_ 15 (h) x 640 (w) x 420 (d) mm

CO401-C



One case, extendable to three heights!



On wheels for easy transport



Optional extensions



Removable internal divider



Foam protected lid holds 2x LED lights



Optional graphic wrap and table top



## Pop-up Frame Fabric Bag



Protect your Pop-up frame by transporting or storing in a lightweight carry bag. Takes up to 3x4 frame size. Carry handle on top of bag.

Pop-up Frame Bag	AB105	் 770 - 1250 (h) x 115 (Ø) mm
------------------	-------	-------------------------------



# Graphic Banner Tube



Lightweight fabric bag with internal cardboard tube and shoulder strap offering extra protection during transportation.

Graphic up to 850 (h) mm	AB120M	<u></u> 880 (h) ×155 (Ø) mm
Graphic up to 1050 (h) mm	AB120AM	<u>⊚</u> 1080 (h) x 155 (Ø) mm
Graphic up to 1250 (h) mm	AB120CM	<u>○</u> 1280 (h) x 155 (Ø) mm
Graphic up to 1550 (h) mm	AB120DM	<u>⊚</u> 1580 (h) x 155 (Ø) mm



# Graphic Banner without Tube



Lightweight fabric bag without internal cardboard tube and shoulder strap offering extra protection during transportation.

Graphic up to 850 (h) mm	AB120M	<u>ெ</u> 880 (h) x 155 (Ø) mm
Graphic up to 1050 (h) mm	AB120AM	☐ 1080 (h) x 155 (Ø) mm
Graphic up to 1250 (h) mm	AB120CM	
Graphic up to 1550 (h) mm	AB120DM	☐ 1580 (h) x 155 (Ø) mm



## Padded Lighting Bag



Foamed lightweight fabric bag, suitable for transporting two of the following lights; PS950-1000 LED, or LED Flood / Strip / Exhibition lights. Zipped with carry handles.

Padded Lighting Bag AB101	570 (h) x 180 (w) x 120 (d) mm
---------------------------	--------------------------------



## Mag Bar Bag



Keeps Pop-up mag bars safe and clean while in transit or after use in storage. Fabric bag with hook and loop locking system, complete with carry handle. Capacity to house up to 21 mag bars.

Mag Bar Bag	AB104	
-------------	-------	--

# **LED Lighting**

LED technology saves energy, does not overheat and lasts longer.

- > Our LED lighting has been designed specially to adapt to display and stand solutions
- > Provide better efficiency with increased lighting at lower power consumption
- > Meets safety standards and CE certified

## Measuring Light: Watts and Lumens Explained

Traditionally we have measured light in watts, however watts are a measurement of power and not light output. With the emergence of new and more efficient LED technology, lumens (Im) are the preferred measurement of light.

One lumen is equivalent to the light emitted from one wax candle. For example; a traditional 40 watt light bulb has a lumen output of approximately 450lm. Our mix and match range of LED lights below have a lumen of 1200 but only use 12 watts of energy. They still give off bright white light, but use only a fraction of the energy compared to traditional halogen lights.

# Perfect for illuminating larger displays

Material: Aluminium, plastic
Watt output: 80 Watt


Watt consumption: 12 Watt (1200 Lumens/5631 Kelvin)
Single kit includes: One spotlight + 2.5m linking lead

Double kit includes: Two spotlights + 2.5m linking lead + 1 transformer

Linked lights: Link up to five to one transformer

Power lead UK & Euro: Yes (cross head screwdriver needed)

### Link up to five LED lights (maximum)



(1)

Single Kit

Double Kit

Transformer\*



LED-STRIP-ARM-B

LED-ARM-TRANS


LED-STRIP-ARM-BDLK

(1)

Single Kit

Double Kit

Transformer\*



LED-FLOOD-ARM-B

LED-ARM-TRANS

LED-FLOOD-ARM-BDLK

(1)

Single Kit

Double Kit

Transformer'

LED-EXHIB-ARM-B

LED-ARM-TRANS

LED-EXHIB-ARM-BDLK



## Powerspot 50 LED



This silver clamp fixing LED has been designed to work specifically with panel systems. 360° adjustable head.

Material:

5 Watt (475 Lumens/3000 Kelvins)

360° - bras droit

One spotlight with 3m lead Single kit includes:

No

Power lead UK & Euro:

Yes cross head screwdriver needed)

Powerspot 50 LED PS050-LED



## Powerspot 800 LED



Silver and white LED with integral bulldog clip for affixing to 16mm banner stand poles. Comes with curved arm and 180° adjustable head.

Material: Aluminium, plastic

Watt output:

5 Watt (520 Lumens/5000 Kelvins)

Single kit includes: 180° - curved arm

Linked lights: One spotlight GU10 LED bulb with 3m lead

Power lead UK & Euro:

Prise UK & EU:

Yes cross head screwdriver needed)

Powerspot 800 LED PS800-LED



## Powerspot 1200



Fluorescent clip on light suitable for illuminating Pop-up end panels with straight arm and 270° adjustable head.

Metal, plastic Watt output:

Single kit includes: One light with 2m lead

Linked lights: Up to 6 with optional US601B connector Power lead UK & Euro: Yes (cross head screwdriver needed)

PS1200 Powerspot 1200





## Powerspot 950-1000 LED



Great black LED suitable for Pop-up systems with straight arm and 270° adjustable head.

Material: Aluminium, plastic

90 Watt Watt output:

12 Watt (1400 Lumens/5500 Kelvins) Consommation:

270° - right arm Head: 1 spot + 2.5 m lead Single kit includes:

Double kit includes: 2 spots + 2.5 m lead + 1 transformer

Linked lights: 2 max

Power lead UK & Euro: Yes (cross head screwdriver

needed)

Single kit PS950-1000-LED-BS Double kit PS950-1000-LED-BDLK

# Fixing for 30mm Ø tubing



Transparent fixing that fits on to Formulate and Modulate structures that use 30mm diameter tubing for accessorising with lighting or rigid panels.

Material: Metal, plastic

Compatible: 30mm diameter tubing

Mounting: Allen key

Fixation spot/panneau pour tubes Ø 30mm US






Discrete fixing



Usable to fix a panel

# Recommended



# Custom and Made to Measure

To guarantee quality visuals that are adaptable for multiple uses, we have selected a wide range of print media for you.

From conception to finish, we guarantee a perfect fit and good quality vibrant printed custom graphics.

If you want a special format or finish, we invite you to contact one of our advisers for a custom-made quote.

Below are suggestions for frequently used custom graphics.





### **Security Barrier**

Fastening by eyelets (bungee not provided)

Security Barrier 1000 (h) x 2000 (w) mm	G-SBA-10X20-PS
Security Barrier 1100 (h) x 2000 (w) mm	G-SBA-11X20-PS
Security Barrier 1100 (h) x 2200 (w) mm	G-SBA-11X22-PS
Security Barrier 1100 (h) x 2500 (w) mm	G-SBA-11X25-PS



#### **Horizontal Flag**

Loop fastening with rings round

Horizontal flag 800 (h) x 1200 (w) mm	G-HCF-08X12-FK
Horizontal flag 1000 (h) x 1500 (w) mm	G-HCF-10X15-FK
Horizontal flag 1200 (h) x 1800 (w) mm	G-HCF-12X18-FK
Horizontal flag 1500 (h) x 2250 (w) mm	G-HCF-15X22-FK
Horizontal flag 2000 (h) x 3000 (w) mm	G-HCF-20X30-FK



#### Table Cloth with hem


Table Cloth with hem G-C	LOTH-CUSTOM-PS
--------------------------	----------------



#### Vertical flag

Straps and hooks fastening

Vertical flag 800 (h) x 2500 (w) mm	G-VPF-25X80-FK
Vertical flag 1000 (h) x 3000 (w) mm	G-VPF-30X10-FK
Vertical flag 1200 (h) x 4000 (w) mm	G-VPF-40X12-FK
Vertical flag 1500 (h) x 5000 (w) mm	G-VPF-50X15-FK



### Anti-theft security cover

Graphic cover

Anti-theft security cover 1500 (h) x 350 (w) x 57 (d) mm	G-ATG-15X03-PS
---	----------------



Ask us for about other custom made graphics you require







# For every need, its range of modular solutions:

Modular solutions are available in 5 ranges. Each one has it's own specifics and applications. They are flexible, reconfigurable and reusable structures that take the form of signs, self-supporting structures, image walls and stands.

Whether for a one-off event, a travelling project or a sustainable application for point of sale, find out below which range best suits your needs.

For more information on the complete range, please refer to the Modular catalogue.



### **Formulate**

For invisible structures with curved and voluminous shapes



A concept that combines the spatial mastery of tubular structures with the infinite possibilities of textile printing. It is based on the shaping of 30 and 50 mm diameter aluminium tubes to create structures with innovative shapes. Like a construction set, each system includes a marking system to facilitate assembly.

This concept is used in a wide range of POS supports and stands, but also in the form of hangers to impose brands and events in three dimensions. The Formulate range also allows the creation of tailor-made solutions with original and ergonomic shapes.







Hanging signs.

More than 30 different sizes and shapes.

Stands

#### Vector

The ideal range for scalable stand solutions and point-of-sale fittings.



One of the simplest and most versatile communication solutions on the market. The aluminium frame system with stretched textile fabric adapts to any application: suspended, wall-mounted, self-supporting, double-sided or illuminated frames. Its mounting principle is simplified, a simple Allen key is all you need! The Vector range offers 18 modules to create stands in your image, according to your requirements and your creativity.

The offer is designed in several structures to guarantee original designs that adapt to each event: showrooms, points of sale, fairs, museums and many others. With 8 models of profiles, find the solution adapted to your needs and your budget.



Hanging signs LED



Free-standing frames



Stands: 18 modules available and a range of pre-assembled modules



## **Modulate**

The most versatile and easy to assemble range



Inspired by the Formulate, Modulate consists of a set of 15 frames made from 30 mm diameter aluminium tubes and covered with a printed textile cover. This unique range features a double innovation. The Mag Link: an invisible magnetic system integrated into the frame's mast allowing the structures to be assembled very simply. The Twist and Lock feet: place, pivot, it's locked!

Based on this simple magnetic principle, it is possible to combine the various ModulateTM frames to create configurations for all types of communication areas: at points of sale, trade fairs, exhibition areas, in shopping centres or even within companies to partition off spaces.



With the MagLink, you can easily place your frames at any angle you wish.



Shop decoration



Reconfigurable stands, transformable into workspaces

### Linear

The solution for stands with PVC visuals



The Linear range consists of 8 aluminium profiles and is intended to provide an alternative to structures with fabric cladding. The construction, based on grooved posts and reinforcing crossbars, allows you to equip your structures with flexible PVC or rigid panel graphics.

This range is perfectly suited to picture wall applications, stands and office fittings. It is composed of 5 modules in aluminium profiles which will form the basis of a solid and durable architecture, permanent or temporary.

You can easily change the size of your stand by combining the different modules.



Stands



# **Arena**In the spotlight



If your project concerns the world of scenography, events or communication, the solution is called Arena. The Arena system is a tubular stage structure made of aluminium (25 mm). These stable structures are modular and scalable. The different sections can be assembled and reused according to the needs of each project.

The Arena range offers a wide range of components (22 in total) to make our proposal more compatible with your project. Create the structure you need with simple assembly sections.

Reusable, reconfigurable and accessorizable structures





Stands and stages

## Available services

On the basis of an initial design brief or detailed specifications, we design, quote and produce the stand solution that will meet your expectations.



#### Design 3D

Our designers offer standard and customised stand solutions as well as a wide range of accessories to support your project.



#### **Design & Quotation**

Our CAD department will advise you on the stand solution adapted to your needs and will accompany you in the completion of your project.



#### **Pre-assembly**

Production is carried out in our own workshops. You are invited to come and discover the pre-assembly of the stands before shipment.



#### Graphic

Our large scale printers will meet all your printing needs: textile, tarpaulin ...

## Modular Solutions Catalogue

Discover the complete range of modular solutions in the Modular catalogue: creative solutions for unique stands and PVL. Available free of charge.



Ask your account manager for a copy





# Local production and printing for higher quality

With our large-format printers, which benefit from the latest innovations in printing, we ensure the production of striking visuals that will highlight your message and set you apart from the competition.

To guarantee you quality visuals adapted to all uses, we have selected a wide range of printing media. Our diversity of materials enables us to meet your requirements in the shortest possible time.

In addition, a large part of our products are manufactured in Europe directly in our own production workshops. This mastery allows us to be able to control all stages of production.

Before shipment, all our visuals and structures pass through our expert hands which control the quality and good finish of each order.

# Tips to ensure the best print results


The quality of your graphic depends on the quality of the print file provided. Here are some basic principles to ensure optimal results:

- Follow the graphic templates and instructions we provide to create your print files.
- Create artwork at no less than 300 dpi in CMYK mode not RGB, send any linked files do not embed and outline all text.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobt layers from top level layers".





Α		Hop-up Impact Straight	80	Shield	37
••		Hop-up Counter	63	Shimmer	31
Aero+	12	Horizon	35	Slope 1	89
				Slope 2	89
Arty				Spiral Display Tower	
A-sign Board	36			Spiral Plinth	
				Star Tent	
_		Illumigo	17	Stealth	
В				Stellar	
				Stowaway	
Baseline Jumbo Panel Kits	91	K			
Baseline Panel and Pole Kits		IX.		Strata	
Baseline Panel Kits		10.14	4.5	Street Flag	
Baseline Tabletop Panel Kit		Kit Vector 50 mm		Sunrise Round	
		Kit Vector 125mm LED Retail		Sunrise Square	
Basic Curved Counter		Kit Vector LED 75 mm u.motion		Square Formulate sign	60
Basic Round Counter		Kit Vector LED 125 mm	17		
Basics Leader					
Beijing Lite				_	
Blizzar		L		T	
Bora Column	43				
Bora Tent	43	Liberty	8	Telescopic Universal Tablet Holder	55
Breeze	11	Liberty Mini		Teva	
		Lightning		Thunder 2	
		Linear		Tornado	
C					
•		Linear Media Post		Trappa	
Cascade	0.4	Linear Curved Counter		Twista Lite	4/
		Linear Straight Counter	69		
Circular Formulate sign				U	
Comet Counter				U	
Counta	/2	M			
				U.digital - A board	54
		Mag Bar Bag	98	Uno	23
D		Mantis			
		Merlin			
Delta Lite	6	Mistral		V	
Deluxe Café				V	
Design iPad Holder		Modulate Counter		V . 425 LED	
		Modulate Curved 800		Vector 125 mm LED	
Dragonfly 2		Modulate Straight 400		Vector Counter Straight LED 125 mm	67
Drum	96	Modulate Straight 800	86	Vector Counter Curved	68
		Modulate Straight 1000	87	Vector Counter Straight	68
-		Modulate Straight 1800		Vector LED 30mm Wall	
E		Modulate Straight 2000		Vector LED 75mm Wall	
		Monsoon		Vector LED 75 mm Mural u.motion	
Economy Café	38	Monsoon (wall)		Vector Media	
Edge 2	10	Mosquito			
Element		Wosquito	/	Vector Quick Fix	
Embrace+				Vector Retail Kit 125 mm	
Embrace + LED Counter		0		Vector Slim Circular	
Embrace Eco		0		Vortex	22
Excaliber 2	10	Orient +	6	***	
		Original +	4	W	
г					
F		_		Wasp	9
		P		Wedge	
Formulate Arch				Whirlwind	
Formulate Horizontal Curved		Padded Lighting Bag	9.8	Wind Dancer	
Formulate Meeting Pod		Pegasus		**************************************	51
Formulate Monolith					
Formulate Monolith Eco		Pegasus 3 m		X	
Formulate Monolith LED		Pioneer		^	
Formulate Oval Table		Pop-up frame Fabric Bag			_
Formulate Round Table		Pop-up Counter	63	Xanadu	95
				Xclaim	81
Formulate Serpentine					
Formulate Snake		_		_	
Formulate Straight		Q		Z	
Formulate Universal Tablet Holder		•			
Formulate Vertical Straight		Quantum	94	Zed-Up Lite	95
Formulate Wave	20	Quick+ Straight or Curved		Zenith	
		Quick+ Tower			
_		Quick Impact Straight or Curved		Zoom Edga	
G		Gaick impact straight or curved	/3	Zoom Edge	
				Zoom Feather	
Gala	59	R		Zoom Quill	
Gear Edge Counter		IV.		Zoom Tent	
				Zoom Tent Eco	42
Gear Edge Display Counter		Rainbow			
Giant Mosquito		Reception Bank Vector LED	67		
Graphic Banner Tube	98	Revolution	3		
		_			
		S			
Н		-			
		SEG Counter	65		
Hop-up Impact Curved	80				
		Sentry	1/		



# DISPLAY

Your Complete Visual Communication Display Guide