



MODULAR

Creative stand solutions for unique brands

Blacksmith
INTERNATIONAL



2020
ENG

#7

Formulate

MODULAR

Creative stand solutions for unique brands

#31

Vector

Niezależnie od przestrzeni do zagospodarowania czy komunikatu jaki ma być przekazany, nasze rozwiązania modułowe sprostają wszystkim wymaganiom. Stanowią one najlepszy kompromis między przenośnymi i budżetowymi rozwiązaniami a tradycyjnym drewnianym stoiskiem.

Sprawdź całą ofertę, opracowaną w biurach projektowych i produkowaną w Polsce przez naszych doświadczonych specjalistów. Przedstawiamy 5 gam rozwiązań modułowych umożliwiających realizację nawet najbardziej wymagającego projektu.

#61

Modulate

#69

Linear

#73

Arena

#77

Accessories

Symbols Key



New product



Comes with a bag



Best seller



Made in Europe



1 Year hardware guarantee



Use with fabric graphic



Lifetime hardware guarantee



Use with PVC graphic



Lifetime hardware guarantee

Pokazane modele są poglądowe. Projekt realizacyjny może nie znacznie różnić się od pokazanych wizualizacji.

Ponieważ nieustannie ulepszamy ofertę standardowych produktów, ich specyfikacja może nieznacznie różnić się od pokazanej w katalogu.



Take a look at our comprehensive range, created by our own in-house design team and built by our experienced production teams.

Formulate

FORMULATE is a highly original concept, combining a unique mastery of the space using tubular structures and adding the infinite possibilities of printed fabrics for graphics. Aluminium tubes are used to create innovative shapes and structures that add value to your communications, these can be made to custom designs that meet your exact needs.

Modulate™

Modulate™ is the fusion of two original concepts, recognised for their success in the world of retail and exhibitions: Formulate, a range of tubular structures, and Vector modular frames.

Vector


VECTOR is one of the most simple and versatile visual communication solutions on the market. It comprises an aluminium frame with a stretched textile or rigid graphic and can be adapted to any kind of location. There are many different styles, enabling all kinds of applications: wall-mounted, free-standing, double sided and with lighting.

Linear

LINEAR is an excellent choice for all Point-of-Sale communications and stands where you want to add value to flexible or rigid PVC graphics. You can choose between visible or hidden frames, depending on your requirements and preferences.

Arena


ARENA is an attractive tubular aluminium display structure which is both extremely lightweight and robust. Various sections can be assembled according to the space available and can then be covered with



Manufactured in Poland for a high quality end product

The creation of Vector, Linear, Modulate™ and Formulate modular displays requires design ingenuity and precision engineering. All stages of design and manufacturing are carried out locally by our own

teams at our production facility. This proximity allows you to benefit from the expertise of a partner who manages your project entirely, from its concept to its delivery.



Large stock
of aluminium
profiles and
tubes




Perfect vibrant print for all

With the latest printing innovations our large-format printers can create vibrant graphics that enhance branding communication to set you apart from the competition. To guarantee quality graphics that are adaptable for all uses, we have selected a wide choice of print media. The diversity of materials allows us to meet your requirements in the shortest possible time. Before shipping, all our graphics are completed by our highly skilled experts of our Finishing Team who control the quality and great finish of each and every order.



Standard and
custom-made
solutions





Advice and technical support

Wall frame, free-standing frame or exhibition stand, modular solutions offer you maximum visual impact and versatile designs that adapt to all types of environments.

With a wide range of standard and custom-made displays, you are sure to find the configuration that meets your needs and budget.

Our CAD department is at your disposal to guide you in the choice and design of the modular solution best suited to your project.

Our designers will advise you and offer fully customised and highly creative configurations.

Our Services

- + Our CAD department is here to help. Ask for a 3D rendering of your future project to give you an overview of the final result.

 ARTLANTIS™  Vectorworks.  3D SOLIDWORKS

- + Demo videos and installation explanations are also available.
- + In order to better understand your project and enable us to bring you the best solutions, information sheets are available too - just ask your local dealer.



Request 3D visual
of your project



Space arrangements
Shop decorations
Scenographs
Hanging structures
Exhibition stands

Formulate

Our Formulate range provides limitless branding opportunities. Our comprehensive range of Point of Sale and event stands are also complemented with hanging frames to prominently display brands and events in 3D. By its very nature printing on fabric allows you to explore new possibilities in terms of both graphics and shapes. Graphic designs can be reproduced using dye sublimation processes, on stretchy material to allow a close fit to any shape, even the most unexpected ones! Installation is very simple and, because the displays are not very bulky, they are also very easy to transport.



Profiles of the 30mm and 50 mm diameter tubing - depending on your structure

A tool kit with bag, cotton gloves and 4 Allen Keys is added to Formulate custom-made constructions.



Original and innovative shapes that Yese centre stage

This simple and intuitive product is easy to construct in any environment. Formulate solutions are available in many configurations, including: totem poles, three to nine meter wide image walls, columns and arches; and they can also be made to measure.


The main purpose of Formulate is to give you a design solution that works where traditional wooden or aluminium angular structures have limitations. The aluminium tubes can be moulded and folded, to suit your needs. With Formulate you can let your creativity run wild.

Assembly made simple

Formulate structures are made from 30 and 50 mm diameter anodised aluminium tubes. Like a child's construction set, each section has a clear numbering system to facilitate easy assembly. In addition to providing a solid structure, the various angled connectors of our Formulate system also allow you to create multiple configurations using different connector types and the angles they provide.

360° Visual Communications


Formulate is characterised by its fabric graphic with zip system. Therefore the display has no visible joins and is double-sided, optimising the impact of the message.



Simply slide the graphics over the frame to complete your product.

Assembly and stabilisation

The structures are adapted to use them on various planes. They may be free-standing stands or walls, hanging structures or additions to other systems.



Stabilising feet



Metal hooks for hanging structures



Attach to an existing structure


Simple marking and coding system

The use of numbered stickers makes assembling the various systems very easy to follow, like a child's construction set.





Examples of installation types



Assembling the Ø30mm sections




Assemble sections with push-buttons




Lock together using Allen key




Tighten the screws by Allen key




Assembling the Ø50mm sections




Assembling the Ø50mm sections




Tighten the screws by Allen key



Basic types of connectors for Ø30mm sections



TC-30-90T




TC-30-S




TC-30-A




ES50-2C90-ES50-S




ES50-C-ES50-S-ASY-L



ES50-2C-180-ES50S-ASY



TC-30-T



TC-30-X




TC-30-TRI



TC-30-2-90R-ES50-S-ASY



TC-30-2D-180-ES50-S-ASY-EYEBOLT



TC-30-D-ES50C-ES50-S-ASY


Tension banners

Nothing could be simpler to set up. For a 2D or 3D effect, single or double-sided printing. Formulate tension banners communicate on a large scale and adapt to all environments.

Material:	Aluminium tubing Ø 30 mm
Shape:	Straight and curved
Graphic:	One-sided and double-sided zipped fabric graphic
Assembly:	Push-it button, Allen key
Accessories:	Yes
Manufacture:	To order
Maximum height:	Straight banner - 3 m Horizontal curved banner - 2,5 m



Coding system



Stabilising feet



Ø30mm aluminium tubing

Customisable



MS Straight Banner



Straight 900 mm	FMLT-BS-09	⊗ 2410 (h) x 970 (w) x 450 (d) mm
Straight 1200 mm	FMLT-BS-12	⊗ 2410 (h) x 1270 (w) x 450 (d) mm
Straight 1500 mm	FMLT-BS-15	⊗ 2410 (h) x 1570 (w) x 450 (d) mm

MS Curved Banner



Curved 900 mm	FMLT-BC-09	⊗ 2415 (h) x 900 (w) x 609 (d) mm
Curved 1200 mm	FMLT-BC-12	⊗ 2415 (h) x 1200 (w) x 609 (d) mm
Curved 1500 mm	FMLT-BC-15	⊗ 2415 (h) x 1500 (w) x 609 (d) mm



Available rounded corners



Lightweight, stable system

Formulate Columns

Formulate columns are impressive towers which are easy to arrange and decorate interior spaces. Available in several heights, these columns are ideal for highlighting a message. Used as a signalling point, as a signboard or for decorating, Formulate columns can easily be placed on a stand or in an exhibition hall. The printed fabric graphic makes it possible to add branding and communicate your message on all four sides of the structure.

Material:	Aluminum tubing Ø 30 mm
Graphic:	Double-sided zipped fabric graphic
Assembly:	Push-it button, Allen key
Manufacture:	To order



Columns may have internal LED lighting



AS Column



Column S	FMLT-COL25	2500 (h) x 1000 (w) x 1000 (d) mm
Column M	FMLT-COL30	3000 (h) x 1000 (w) x 1000 (d) mm
Column L	FMLT-COL35	3500 (h) x 1000 (w) x 1000 (d) mm



The columns may have bases with different shapes

Formulate Evolutionary Backwall


Material:	Aluminum tubing Ø 30 mm
Shape:	Straight and Vertical Curved
Graphic:	One-sided and double-sided zipped fabric graphic
Assembly:	Push-it button, Allen key
Accessories:	Yes
Manufacture:	To order

A system that evolves*!

All you have to do is add elements to 2 m widewalls to achieve a wider system (up to 9 m).

If you have one system, you can evolve it at any time, and use it again at another location without need to order the whole a new wall.

* Option available only for Straight and Vertical Curved Formulate Evolutionary Backwalls. The extensions are not compatible with the Formulate Backwalls from the standard offer.




Easy to assemble

MS2 Vertical Curved Formulate Evolutionary Backwall



MS2 Vertical Curved Formulate Evolutionary Backwall	FMLT-WV20-01	2416 (h) x 2000 (w) x 609 (d) mm
Vertical Curved Extension	FMLT-WV-EXT1000MM	2416 (h) x 1000 (w) x 609 (d) mm



Change MS6 Vertical Curved
6 m Backwall...

...to MS9 Vertical Curved 9 m
Backwall


+ 3 extensions

Create the backwall
that you need

MS2 Straight Formulate Evolutionary Backwall



MS2 Straight Formulate Evolutionary Backwall	FMLT-WS20-01	2410 (h) x 2070 (w) x 450 (d) mm
Straight Extension	FMLT-WS-EXT1000MM	2410 (h) x 1070 (w) x 450 (d) mm



Change MS6 Straight
6 m Backwall...

...to MS9 Straight 9 m Backwall

+ 3 extensions

Stabilising feet



Formulate Backwalls

Simplicity, stability and originality perfectly describe Formulate Backwalls. Available in a variety of sizes and shapes, with enhanced branding communication opportunities from vibrant printed graphics.






Material:	Aluminum tubing Ø 30 mm
Shape:	Straight and curved
Graphic:	One-sided and double-sided zipped fabric graphic
Assembly:	Push-it button, Allen key
Accessories:	Yes
Manufacture:	To order
Maximum height:	Straight, horizontal curved, serpentine backwall - 3 m Vertical curved backwall - 2,5 m

Straight Backwall



Straight Backwall 3 m	FMLT-WS30-01	2410 (h) x 3070 (w) x 450 (d) mm
Straight Backwall 6 m	FMLT-WS60-01	2410 (h) x 6070 (w) x 450 (d) mm
Straight Backwall 9 m	FMLT-WS90-01	2410 (h) x 9070 (w) x 450 (d) mm




Create a wall compatible with space →



Curve Horizontal Backwall



Curve Horizontal Backwall 3 m	FMLT-WH30-01	2410 (h) x 3000 (w) x 600 (d) mm
Curve Horizontal Backwall 6 m	FMLT-WH60-01	2410 (h) x 6293 (w) x 1278 (d) mm
Curve Horizontal Backwall 9 m	FMLT-WH90-01	2410 (h) x 9262 (w) x 1609 (d) mm




3 m


Grand format



Add lighting



6 m



9 m





Great impact

Vertical Curved Backwall



Vertical Curved Backwall 3 m	FMLT-WV30-01	2336 (h) x 3000 (w) x 609 (d) mm
Vertical Curved Backwall 6 m	FMLT-WV60-01	2336 (h) x 6000 (w) x 609 (d) mm
Vertical Curved Backwall 9 m	FMLT-WV90-01	2336 (h) x 9000 (w) x 609 (d) mm

Walls may be
as wide as you need




Serpentine




Serpentine 6 m	FMLT-WSC60-01	⊙ 2400 (h) x 6000 (w) x 1000 (d) mm
Serpentine 9 m	FMLT-WSC90-01	⊙ 2400 (h) x 9000 (w) x 1200 (d) mm

ø 30 mm
tubes!



Ideal shape for
dividing large spaces



Formulate Arches

Formulate arches are a great way to stand out. Their original and innovative shapes make them identifiable even from distance and can easily attract the attention of passers-by. Formulate arches perfectly combine the possibilities of tubular structures and the printed fabric graphics. They can optimise a space in an aesthetic way and create a visual effect that plunges the visitor into the universe of the advertiser.

Material:	Aluminium tubing Ø 30 mm
Graphic:	One-sided and double-sided zipped fabric graphic
Assembly:	Push-it button, Allen key
Manufacture:	To order



Ø30 and 50mm
aluminium tubing



Fast and easy
assembly




Maximise communication
possibilities with two
optional extra screens
mounts

AS Arch 01



AS Arch 01	FMLT-ARCH40-01	📏 2400 (h) x 3500 (w) x 2400 (d) mm
------------	----------------	-------------------------------------

* Screen is not included



Formulate Meeting Pod

Creating private reception areas or arranging meeting areas at a trade show or event is now possible thanks to the Formulate Conference Walls. Perfect-fit printed fabric graphics highlight the original shapes of these structures.


Material:	Aluminum tubing Ø 30 and 50 mm
Graphic:	One-sided and double-sided zipped fabric graphic
Assembly:	Push-it button, Allen key
Manufacture:	To order



Guaranteed
impact and
maximum
visibility



Double-sided graphic



Height 1,75 m

AS Shaped Wall



AS Shaped Wall

FMLT-CW-01

2000 (h) x 2250 (w) x 1614 (d) mm

AS Chip Wall



AS Chip Wall

FMLT-CC-01


1756 (h) x 3000 (w) x 1820 (d) mm

Hanging Structures

Formulate hanging structures have been specially designed for simple and safe installation. The lightweight aluminium tubular structures make them ideal for dressing up an exhibition stand, shopping mall or indoor venue. The printed fabric graphic ensures optimum visibility.


Material:	Aluminium tubing Ø 30 and 50 mm
Graphic:	Double-sided zipped fabric graphic
Assembly:	Push-it button, Allen key
Manufacture:	To order

Note: Hanging structures are sold without cables or other elements needed for the suspension of the structure.



Print finishing possibilities

Fabric graphics are printed by dye-sublimation, which ensures a high quality finish and amazing colours.





Add backlight to your hanging structure*

Ask our designer about adding lighting for hanging structure in different shapes. Illuminated hanging structure will surely attract attention!

*Lighting cannot be added to standard lighting hanging structure.

Custom-made




Do you need several identical constructions?
We will manufacture and deliver them with
graphics!

MS Hexagon



Order shape that
you need



Hexagon 350	FMH-HEX-L100	1000 (h) x 3500 (w) x 3500 (d) mm
Hexagon 500	FMH-HEX-XL120	1000 (h) x 5000 (w) x 5000 (d) mm



MS Rectangle




Rectangle 250	FMH-RTG-M100	1000 (h) x 2500 (w) x 1200 (d) mm
Rectangle 350	FMH-RTG-L100	1000 (h) x 2500 (w) x 3500 (d) mm
Rectangle 500	FMH-RTG-XL100	1200 (h) x 2500 (w) x 5000 (d) mm



MS S-Curve



S-Curve 350	FMH-SSB-L100	1000 (h) x 3500 (w) x 30 (d) mm
S-Curve 500	FMH-SSB-XL120	1000 (h) x 5000 (w) x 50 (d) mm




Double-sided graphic



MS Panel




Panel 250	FMH-FTL-M100	1000 (h) x 2500 (w) x 30 (d) mm
Panel 350	FMH-FTL-L100	1000 (h) x 3500 (w) x 50 (d) mm
Panel 500	FMH-FTL-XL100	1200 (h) x 5000 (w) x 50 (d) mm



MS Rounded Square




Rounded SQ	FMH-RSQ-M100	1000 (h) x 2500 (w) x 2500 (d) mm
Rounded SQ	FMH-RSQ-L100	1000 (h) x 3500 (w) x 3500 (d) mm
Rounded SQ	FMH-RSQ-XL100	1200 (h) x 5000 (w) x 5000 (d) mm



MS Pinwheel




Pinwheel 250	FMH-PIN-M100	1000 (h) x 2500 (w) x 2500 (d) mm
Pinwheel 350	FMH-PIN-L120	1000 (h) x 3500 (w) x 3500 (d) mm



Branding on three sides! →



Brand the inside as well as the outside →



MS Eye



Eye 250	FMH-EYE-M100	1000 (h) x 2500 (w) x 940 (d) mm
Eye 350	FMH-EYE-L120	1000 (h) x 3500 (w) x 1329 (d) mm



Manufacture from aluminum tubes 30 i 50 mm



360°

MS Ring




Ring 150	FMH-RNG-S75	750 (h) x 1500 (w) x 1500 (d) mm
Ring 250	FMH-RNG-M100	1000 (h) x 2500 (w) x 2500 (d) mm
Ring 350	FMH-RNG-L100	1000 (h) x 3500 (w) x 3500 (d) mm
Ring 500	FMH-RNG-XL120	1200 (h) x 5000 (w) x 5000 (d) mm



MS Square



Square 150	FMH-SQU-S75	750 (h) x 1500 (w) x 1500 (d) mm
Square 250	FMH-SQU-M100	1000 (h) x 2500 (w) x 2500 (d) mm
Square 350	FMH-SQU-L100	1000 (h) x 3500 (w) x 3500 (d) mm
Square 500	FMH-SQU-XL120	1200 (h) x 5000 (w) x 5000 (d) mm



Formulate Accents

Improving the functionality of Formulate structures and optimising the stand space is possible thanks to the different Formulate Accents elements. Accents are made to complement Formulate structures and give more impact and visibility to brand messages.

Material:	Aluminum tubing Ø 30 mm
Graphic:	Double-sided zipped fabric graphic
Assembly:	Push-it button, Allen key
Manufacture:	To order

Complete the stand
with Formulate Accents

Break the boredom



Accent 05 Rounded Arch



Accent 05	FMLT-WBWA-05	Ⓢ, 2610 (h) x 1270 (w) x 2410 (d) mm
-----------	--------------	--------------------------------------



Two
finishes
available:
full graphic
or part
graphic



Accent 20 Shelves 800



Accent 20	FMLT-WL20	Ⓢ, 2610 (h) x 870 (w) x 751 (d) mm
-----------	-----------	------------------------------------

Accent 21 Shelves 1000



Accent 21	FMLT-WL21	Ⓢ, 2610 (h) x 1070 (w) x 751 (d) mm
-----------	-----------	-------------------------------------



Accent 17 Advanced Trapeze




Accent 17	FMLT-WL17	2516 (h) x 1700 (w) x 154,6 (d) mm
-----------	-----------	------------------------------------



Accent 15 Small Advance



Accent 15	FMLT-WBWA-06	2808 (h) x 1270 (w) x 2610 (d) mm
-----------	--------------	-----------------------------------



Accent 14 Large Advance



Accent 14	FMLT-WL14	2655 (h) x 1200 (w) x 232 (d) mm
-----------	-----------	----------------------------------



Accent 15 Small Advance



Accent 15	FMLT-WL15	2655 (h) x 450 (w) x 232 (d) mm
-----------	-----------	---------------------------------

Formulate Stands

Formulate stands are structures of original and modern shapes. Their unique style creates great branding communication. Manufacturing Formulate tubular structures requires comprehensive production techniques; cutting, welding, and bending for example. Formulate printed fabric graphics offer many unique possibilities for branding and personalisation.

Material:	Aluminum tubing Ø 30 mm
Graphic:	Double-sided zipped fabric graphic
Assembly:	Push-it button, Allen key
Accessories:	Yes
Manufacture:	To order



DS3 Designer 03



DS3 Designer 03	FMLT-DS-30-03	2410 (h) x 3070 (w) x 1317 (d) mm
-----------------	---------------	-----------------------------------



DS3 Designer 07



DS3 Designer 07	FMLT-DS-30-07	2410 (h) x 3035 (w) x 490 (d) mm
-----------------	---------------	----------------------------------

*Screen is not included.
**Screen holder - optional.



DS3 Designer 10



DS3 Designer 10	FMLT-DS-30-10	2410 (h) x 3070 (w) x 490 (d) mm
-----------------	---------------	----------------------------------

*Screen is not included.
**Screen holder - optional.



DS6 Designer 07



DS6 Designer 07	FMLT-DS-60-07	2605 (h) x 6000 (w) x 500 (d) mm
-----------------	---------------	----------------------------------

*Screen is not included.
**Screen holder - optional.



DS6 Designer 08



DS6 Designer 08	FMLT-DS-60-08	2410 (h) x 6070 (w) x 680 (d) mm
-----------------	---------------	----------------------------------

*Screen is not included.
**Screen holder - optional.



3D Structures

The possibility of curving and cutting tubular structures, combined with the use of stretch fabric, creates custom made solutions for stands or items of furniture with infinite possibilities.



All constructions are multipurpose. Just change graphics to make a skyrocket from Christmas tree!



Alphabet for the event?



Create your own inscription.



Even twisted structures are possible

Platform

The platform will be great when presenting products.



Each construction can be design as hanging structure

Constructions can have different sizes

Accessories

Check additional functions, carrying bags and lighting.



Lighting for Formulate hanging structures



Bulb LED 45W 4500 Lumen / 6000 Kelvin	LED-BULB-45W
Cable 3m EU/UK	LGT-SOCK-01
4 bulbs holder	LGT-SOCK-04



Fixing for Ø30 mm



Fixing for Ø30 mm	US903
-------------------	-------

See page 85.



Carry Bags



Carry Bag	ABVSS-02	⊗ 470 (h) x 1700 (w) x 400 (d) mm
Carry Bag	ABVSS-03	⊗ 470 (h) x 1250 (w) x 255 (d) mm
Carry Bag	ABVSS-04	⊗ 500 (h) x 1560 (w) x 260 (d) mm



Screen Stand



Screen Stand	LN136	⊗ 1800 (h) x 901 (w) x 859 (d) mm
--------------	-------	-----------------------------------



Literature Holder

Mounted using the FMLT158 universal holder.

Clamp 30mm	FMLT158	
Literature Holder Support	FX839	
Literature Holder DL	AH5DLP	⊗ Format DL (11 x 22 cm)
Literature Holder A5	AH5A5P	⊗ Format A5
Literature Holder A4	AH5A4P	⊗ Format A4



Shelf

Available in 4 colours: ● ● ● ●

Mounted using the FMLT158 universal holder.

Clamp 30mm	FMLT158	
Shelving Support	FX838	
Round shelf	LN133-R	⊗ 12 (h) x 240 (w) x 227 (d) mm
Triangle shelf	LN133-T	⊗ 12 (h) x 254 (w) x 246 (d) mm
Square shelf	LN133-S	⊗ 12 (h) x 220 (w) x 220 (d) mm



Exhibition stands
LED frames
Shop arrangements
Office decorations
Backwalls

Vector

The Vector aluminium frame system with stretched canvas display adapts perfectly to changing needs, tastes and projects, making it the simplest and most flexible



Intuitive tracking
system on each
section




Vector –The art of communicating

As a display wall, free-standing display or backlit solution, the wide selection of widths offered by the Vector aluminium frames provides a range of solutions for every requirement and every budget.


You will benefit from the strongest visual impact and creative designs, which can be adapted for any location: showrooms, Point of Sale, exhibitions, museums and many others.

Anodised aluminium profiles


Our Vector range has eight styles of aluminium frame which are perfectly suited for a wide range of applications. Our summary table will help you choose the right one for you.




Quick Fix 20 mm




Slim 20 mm




30 mm LED




40 mm



50 mm



75 mm LED




125 mm LED

Code	Profile	Wall Mounted	Free-standing	LED Illumination	Double-sided	Varnish
EX628	20 mm QF	x				
EX622	20 mm Slim	x				
EX205	30mm LED	x		x		
EX633	40mm		x		x	
EX612*	50mm		x		x	
EX632*	75mm LED	x		x		x
EX631*	125mm LED		x	x	x	x

* Available in standard modules for stand application

Beams and reinforcements

The number and type of reinforcements depends on the construction and location, in which it is to be used.




Beam 45 mm



Ø 30 mm tube
for LED frames

Assembling Vector




Quick Fix 20 mm
EX628



Square LN156



Connector LN157




50 mm
EX612



Square CB9



Connector IB2




Slim 20 mm
EX622



Square LN156



Connector LN157




40 mm
EX633



Square LN298



Connector LN296




30 mm LED
EX205



Square LN297



Connector LN295



75 mm LED
EX632



Square LN298




Square LN164



Connector LN296



Connector LN163



125 mm LED
EX631




Square LN298




Connector LN296

Easy assembly of profiles and frames


The Vector range is characterised by its simplicity of assembly, a single multi tool Allen key is sufficient to assemble the different frames.




Easy assembly with coded system on each section



Lock with Allen key




Each profile can be cut into smaller sections to facilitate its transport




Assembling frames together to create new structures

Perfect tensioned graphics

Textile graphics have a silicone gasket that makes their installation simple and fast. Begin by inserting the SEG at each corner and position the display from the centre to the corners.



Vector



Textile graphic with
SEG



20mm Quick Fix Profile


The Vector Quick Fix is the latest innovation in an extra-thin aluminium profile for stretch fabric graphics. Thanks to its versatile design this is a must for in-store communication and retail environments.



Material:	Aluminium 20 mm
Profile:	Smooth with a slant 20 x 27 mm
Graphic:	0,28 kg
Graphic:	Single-sided SEG graphic
Frame colour:	●
Manufacture:	To order Maximum length of one of the sides is 3 m. Above 3 m it will be necessary to make a graphic connection.
Assembly:	Screw-in bracket, Allen key Note: Additional reinforcements are needed inside for frame on a partition wall.

Vector 20 mm wall mounting	EX628	📐 custom-made
Vector 20 mm hanging*	EX628	📐 custom-made


*Konieczne jest dodanie uchwytów LN134.




Assemble angled sections with screw-in bracket



20 mm Aluminium profile



Optional shell scheme mounting bracket LN134 (optional)



Ideal for decoration ↗



↙ A practical and economical way to decorate your stands

20mm Circular Slim Profile

Vector Slim pushes the limit. Circle shape available in various sizes.



Material:	Aluminium 20 mm
Profile:	Smooth with a slant / 20 x 15 mm
Weight per ml:	0,28 kg
Graphic:	Single-sided SEG graphic
Frame colour:	●
Manufacture:	To order Minimum diameter - 30 cm Maximum diameter - 3 m. Above 3 m it will be necessary to make a graphic connection.
Assembly:	Screw-in bracket, Allen key

Vector Slim 20 mm	EX622	@ custom-made
-------------------	-------	---------------

Create compositions from frames with different diameters



Assemble with screw-in bracket



20 mm aluminium profile



FX132



Create effective decorations connecting curved profiles with straight ones



30mm LED Profile

Attract attention with our new 30mm wall system. The concealed frame creates amazing visual impact for brand communication.




Material: Aluminium 30 mm
Profile: Smooth with a slant / 30 x 27 mm
Weight per ml: 0,362 kg
Graphic: Single-sided SEG graphic
Frame colour: ●
Manufacture: To order
 Minimum size - 15,5 x 15,5 cm
 Maximum length of one of the sides is 3 m. Above 3 m it will be necessary to make a graphic connection.
Assembly: Screw-in bracket, Allen key
 Note: A 2 mm PVC panel is added inside, to which the LED modules are mounted

Vector 30 mm	EX205	custom-made
--------------	-------	-------------



Assemble angled sections with screw-in bracket



30 mm Aluminium profile



Modules LED



Transformer LED-RTL-33 based outside the frame



Very small footprint



Ideal for interior decoration



An ideal solution for interior decoration or store signage



40mm Profile

Discreet and lightweight, the 40 mm aluminum frame can enhance your communications at a lower cost.



Material:	Aluminium 40 mm
Profile:	With perforations to which accessories can be fitted / 40 x 27 mm
Weight per ml:	0,48 kg
Graphic:	Single-sided or double-sided SEG graphic
Frame colour:	●
Manufacture:	To order Maximum height 2 m. Maximum width 3 m.
Assembly:	Screw-in bracket, Allen key


Vector 40 mm	VLF40-CUSTOM	@_ 2000 (h) x 1000 (w) mm
Vector 40 mm	EX633	@_ custom-made



Assembly of sections by screw-in bracket



40 mm aluminium profile



Choice of stabilizing feet



Additon lighting available

Freestanding frames



Vector



50mm Profile

From free-standing image walls to exhibition stands, Vector solutions offer you versatile designs that can be adapted to any type of environment. With two different profiles individually suited to textile graphics or a rigid infill.



Material:	Aluminium 50 mm
Profile:	Full Graphic, curved, straight / 50 x 45 mm
Weight per ml:	0,8 kg
Graphic:	Single-sided or double-sided SEG graphic
Frame colour:	●
Manufacture:	To order Maximum height 3,5 m.
Assembly:	Screw-in bracket, Allen key Note: Accessories can be add

Vector 50 mm	EX612	🔗 custom-made
--------------	-------	---------------



Add stabilising feet
for freestanding
use



Assembly of sections
by screw-in bracket



50 mm Aluminium
profile



Corner rounded to
90°. Available in 50
or 100mm



Full Graphic



Rounded corner for
full graphic design



Specially designed
exhibition solution!

75mm LED Profile

Stand out with innovative and bright designs!




Material: Aluminium 75 mm
Profile: Smooth / 75 x 45 mm
Weight per ml: 1,143 kg
Graphic: Single-sided SEG graphic
Frame colour: ●
Manufacture: To order
 Minimum size - 55 x 55 cm.
 Maximum length of one of the sides is 3 m.
 Above 3 m it will be necessary to make a graphic connection.
Assembly: Screw-in bracket, Allen key
 Note: Accessories can be add

Vector 75 mm	EX632	@ custom-made
--------------	-------	---------------




Assembly of sections by screw-in bracket



Cabling system



LED strip



Ideal for retail, banks, arenas, as pedestrian signage...

125mm LED Profile



From this profile you can create free-standing LED frames, exhibition stand's backwalls and hanging structures

Create a maximum visibility for your brand communication with our exclusive double profile.



Material:	Aluminium 125 mm
Profile:	Smooth / 125 x 20 mm
Weight per ml:	1,645 kg
Graphic:	Single-sided or double-sided SEG graphic
Frame colour:	● ○
Manufacture:	To order Minimum size - 55 x 55 cm. Maximum length of one of the sides is 3 m. Above 3 m it will be necessary to make a graphic connection.
Assembly:	Screw-in bracket, Allen key Note: Double-sided profile to create LED frames and hanging structures

Vector 125 mm

EX631

custom-made



Assembly of sections by screw-in bracket



Cabling system



LED Strip



LED linkable lighting system



Profile available in different colours





LED

LED lights are considered by many as the future of the lighting industry. Profiles with LED lighting have been created for retail outlets and points of sale service. This kind of information transfer is a double success. On the one hand, it is constantly. It attracts attention, on the other hand it is extremely energy efficient.



Linkable LED lighting system

1

- Perfectly even lighting on large format frames without shadow
- Compatible with 75 mm and 125 mm Vector profiles
- Wall and free-standing use
- Simplified connectors for easy linking

Linkable LED lighting system 360 mm	LED-RTL-05
Linkable LED lighting system 960 mm	LED-RTL-05-960


2

Technical information

- **Length of module: 360 mm**
- Power of a module including 5 lenses: 13 W - 24 V voltage
- Luminous flux: 1040 lm - Light temperature: 6000/7000 K
- Round LED lens diameter 21mm, optimised thanks to its angle of beam of 13 x 39°
- Link up to five LEDs to one transformer
- Simple and quick assembly
- Estimated life: 50 000 hrs
- One year warranty

Length of module: 960 mm

- Power of a module including 18 lenses: 46 W - 24 V voltage
- Luminous flux: 3740 lm - Light temperature: 6000/7000 K
- Round LED lens diameter 21mm, optimised thanks to its angle of beam of 13 x 39°
- Link up to five LEDs to one transformer
- Simple and quick assembly
- Estimated life: 50 000 hrs
- Two years warranty



LED Backlit illumination

1

- Full-area illumination over the entire frame surface
- Compatible with 30 mm Vector profile.

Module A 300 x 300 mm	LED-RTL-30	moc: 7,2 W
Module B 300 x 100 mm	LED-RTL-31	moc: 2,4 W
Module C 100 x 100 mm	LED-RTL-32	moc: 1,2 W

Technical information

- Lighting is divided into modules in 3 sizes (A: 300 x 300 mm, B: 300 x 100 mm, C: 100 x 100 mm)
- Power lighting in modules:: A: 24V / 36 LEDs / 7.2 W; B: 24V / 12 LEDs / 2.4 W; 24V / 4 LEDs / 1.2 W
- Luminous flux: A: 795 lm; B: 264 lm; C: 88 lm
- The light temperature for each tile is 6500 K
- Estimated life: 50 000 hrs
- Each board has one cable to connect to another board
- Power Supply: 24V, 144W
- One year warranty

LED lightboxes transformers

1

Transformer 24V 75W	LED-RTL-01
Transformer 24V 120W	LED-RTL-01-120

- Transformer for linkable and backlit lighting Connect up to 5 LED stripes in series
- Sleek design
- Integral fixing port for guiding the transformer inside the frame
- Cable system

Technical information

- Voltage: 24V
- Power: max 75W
- Input: AC 110/240V
- Output: DC 24V
- Supplied with fixing kit, cables and cable grommet

For Linkable LED lighting system



1

Transformer 144W	LED-RTL-33
------------------	------------

- A power supply for LED panels located outside the frame
- Supplies the connected LED modules (max. 144 W)
- Cable system

Technical information

- Voltage: 24V
- Power: 144W
- Input: AC 110/240V
- Output: DC 24V
- Supplied with fixing kit, cables and cable grommet

For LED Backlit illumination



Vector Modules

Vector modules allow you to create many configurations from free-standing walls to extended exhibition stands. Simple to install frames with textile graphics are great message carriers. The possibility of combining individual elements in different configurations makes it possible to create a 15m² stand from the same elements as 9m²! Additional accessories such as lamps, flyer pockets and TV holders will complete the whole thing.

You need a compact solution, which is easy to install and convenient in transport and storage?

Choose Vector modules!

- Aluminium profiles 50 mm
- 18 modules including backwalls, arches, LED panels, sotarges...
- Numbered elements with a length of 1250 mm for convenient transport and assembly
- Supplied with assembly instructions and graphics
- Profiles available from stock
- The modules are mounted with an Allen key, and the profiles are immediately adapted to the combination of modules with each other using the screws provided
- Reuse in the same or another configuration
- A good investment




Do you need a solution that you can assemble in the blink of an eye?

Choose a set of pre-assembled Vector modules!

- Aluminium profiles 50 mm
- Pre-assembled modules with a height of 2500 mm with graphics
- Delivered in a wooden carte (2 models available)
- The modules are prepared for connection by screws, which are included
- Because the modules are already assembled, you need less time for assembly of the entire stand

Go from a stand 3 m² to a stand 15m² in a blink of an eye!




Vector Modules

Backwalls Modules



- Backwalls between 1 and 3 m wide, which may be part of an exhibition stand or free-standing walls
- The backwalls are connected to each other by screws attached to order
- Module L will create an arched storage wall, giving an additional effect

Module A	MODULE-VFF-A	2500 (h) x 2950 (w) mm
Module B	MODULE-VFF-B	2500 (h) x 1950 (w) mm
Module C	MODULE-VFF-C	2500 (h) x 950 (w) mm
Module L	MODULE-VFF-L	2500 (h) x 2800 (w) mm
Module M	MODULE-VFF-M	2500 (h) x 2850 (w) mm
Module N	MODULE-VFF-N	2500 (h) x 1850 (w) mm
Module O	MODULE-VFF-O	2500 (h) x 450 (w) mm



Add lightning

LED Frames Modules



- Double-sided LED frame made of 125 mm profile
- Two stabilising feet
- FX295 included
- 12 LED strips and 3 transformers included
- In order to create an arch it is necessary to attach module C and two 950 mm beams
- Double-sided LED frame made of 75 mm profile
- Two stabilising feet
- FX295 included
- 1 u.motion LED curtain and 1 transformer
- In order to create an arch it is necessary to attach module C and two 950 mm beams



- Single-sided LED frame made of 75 mm profile
- 12 LED strips and 3 transformers included
- Vector to Vector fixings included
- Single-sided LED frame made of 75 mm profile
- 1 u.motion LED curtain and 1 transformer
- Vector to Vector fixings included



- Extend LED
- Double-sided LED frame made of 100 mm profile
- 8 LED strips and 2 transformers included
- Vector to Vector fixings included

Create a storage with LED wall

Module I	MODULE-VFF-I	2550 (h) x 950 (w) mm
Module J	MODULE-VFF-J	2500 (h) x 950 (w) mm
Module P	MODULE-VFF-P	2500 (h) x 1850 (w) mm
Module Q	MODULE-VFF-Q	1000 (h) x 1800 (w) mm
Module R u.motion	MODULE-VFF-UMOT-R	2550 (h) x 950 (w) mm
Module S u.motion	MODULE-VFF-UMOT-S	2500 (h) x 950 (w) mm



- Double-sided LED frame made of 100 mm profile
- 12 LED strips and 3 transformers included
- Vector to Vector fixings included

Storage Modules



Module E	MODULE-VFF-E	2500 (h) x 50 (w) mm
Module F	MODULE-VFF-F-2	2500 (h) x 950 (w) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module G	MODULE-VFF-G-2	2500 (h) x 1050 (w) x 1050 (d) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module G3	MODULE-VFF-G3-2	2500 (h) x 1050 (w) x 1050 (d) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module K	MODULE-VFF-K	1000 (h) x 1050 (w) x 1050 (d) mm



Post is delivered in two parts of 1250 mm and used to connect two frames at right angle

Arches Modules



Module D	MODULE-VFF-D	Roof and wall: 2500 (h) x 950 (w) mm Overall: 2550 (h) x 950 (w) x 2800 (d) mm
Module H	MODULE-VFF-H	Roof and wall: 2500 (h) x 950 (w) mm Overall: 2550 (h) x 950 (w) x 2800 (d) mm

Pre-assembled Vector Modules



Packaged in compartment boxes, your modules are delivered assembled with your graphic. Your stand is thus quick and easy to set up. A single crate can hold a stand of 6, 12 or even 18m². Make your choice from a selection of 8 modules in order to ideally meet your needs. The pre-mounted Vector modules are scalable, practical and fast solutions. It is the simplest and practical solution.

8 pre-assembled modules to choose from:



Ask for the u.motion option!



Module C pre-assembled	MODULE-VFF-C-PB	2500 (h) x 950 (w) mm
Module D pre-assembled	MODULE-VFF-D-PB	Roof and wall: 2500 (h) x 950 (w) mm Overall: 2550 (h) x 950 (w) x 2600 (p) mm
Module E pre-assembled	MODULE-VFF-E-PB	2500 (h) x 50 (w) mm
Module F pre-assembled	MODULE-VFF-F-2-PB	2500 (h) x 950 (w) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module G pre-assembled	MODULE-VFF-G-2-PB	2500 (h) x 1050 (w) x 1050 (p) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module G3 pre-assembled	MODULE-VFF-G3-2-PB	2500 (h) x 1050 (w) x 1050 (p) mm Header: 545 (h) x 950 (w) mm. Door: 1930 (h) x 940 (w) mm
Module I pre-assembled	MODULE-VFF-I-PB	2550 (h) x 950 (w) mm
Module J pre-assembled	MODULE-VFF-J-PB	2500 (h) x 950 (w) mm

Crates for pre-assembled Modules



LED Hanging Structure



The illuminated LED hanging structure is a double eye-catcher. Hanging your message with a logo and distinguish your brand from the multitude of stands in the hall. Illuminated graphics with an interesting slogan will surely interest passers-by.

- Material: Double-sided aluminium 125 mm
- Assembly: Screw-in bracket, Allen key
- Lightning: Edge LED lightning
- Manufacture: To order



Assembly of sections by screw-in bracket



Cabling system



Edge LED lightning

Tool Kit included



Vector 125 mm LED Hanging Structure



Vector 125 mm LED Hanging Structure	VLBH125-PAN-250	⊗ 1000 (h) x 2500 (w) x 125 (d) mm
Vector 125 mm LED Hanging Structure	VLBH125-PAN-350	⊗ 1000 (h) x 3500 (w) x 125 (d) mm
Vector 125 mm LED Hanging Structure	VLBH125-PAN-500	⊗ 1250 (h) x 5000 (w) x 125 (d) mm

Other sizes manufactured to order

Tension Banners & Backwalls Vector



Are you looking for a backwall or stand with dimensions other than Vector Modules? We will design and manufacture the frame you need.

The Vector modules can be used to create tension banners and backwalls.

Just add stabilizing feet to transform part of the exhibition stand into the free-standing frame.

Module C



Module C is great alternative to double-sided roll up. Perfect solution of promotions where message has to be change often.



Module I



Module I can be free-standing LED frame, that will do a great job at the reception desk or in the lobby.



2x Module A



Module A, which is 3 m long will be great to become a backwall. Combining two modules with each other you can provide a background for the conference or a photo backdrop.



Accent Hybrids

Vector

The curves of Formulate combined with the Vector range create an original and innovative display solution. A multitude of custom-made configurations is possible, we offer standard shapes and sizes that are simple to incorporate with our Vector modules. Each Accent is ready-to-use and includes the necessary elements to adapt it to a module in the Vector range. Choose from one of six Accent Formulates to give depth to your free-standing projects or modular stands.

Material:	Aluminum tubing Ø 30 mm
Attachment to Vector:	Locks
Graphic:	Double-sided zipped fabric graphic
Assembly:	Push-it button, Allen key
Manufacture:	To order

Brand up both sides



Attached to frames by lock and Allen key



Fixing by metal or plastic clamp system



Graphic fabric with zip system

Accent 16 Cap



Accent 16	FMLT-WL16-V	2705 (h) x 2030 (w) x 501,50 (d) mm
-----------	-------------	-------------------------------------

* Vector wall is sold separately.



Two finishings available



Accent 20 Shelves 800



Accent 20	FMLT-WL20-V	2700 (h) x 870 (w) x 751 (d) mm
-----------	-------------	---------------------------------

Accent 21 Shelves 1000



Accent 21	FMLT-WL21-V	2700 (h) x 1070 (w) x 751 (d) mm
-----------	-------------	----------------------------------



Accent 17 Advanced Trapeze



Accent 17	FMLT-WL17-V	2700 (h) x 1700 (w) x 206,50 (d) mm
-----------	-------------	-------------------------------------

* Vector wall is sold separately.



Accent 15 Small Advanced



Accent 15	FMLT-WL15-V	2700 (h) x 450 (w) x 233,50 (d) mm
-----------	-------------	------------------------------------

* Vector wall is sold separately.



Accent 14 Advanced



Accent 14	FMLT-WL14-V	2700 (h) x 1200 (w) x 233,50 (d) mm
-----------	-------------	-------------------------------------

* Vector wall is sold separately.



Accent 19 Curved roof




Accent 19	FMLT-WL19-V	400 (h) x 2230 (w) x 1000 (d) mm
-----------	-------------	----------------------------------

* Vector wall is sold separately.


Vector Modules Stand 9 m² (expandable to 15 m²)

Material: Aluminium profile 50 mm and aluminium tubes Ø30 mm
Graphic: SEG graphic and zipped fabric graphic
Storage: Yes



Hybrid solution

You can easily increase from 9 to 15 m²




Feet for better stability

Stand 9 m²



Module B (x2)	MODULE-VFF-B
Module G3	MODULE-VFF-G3-2
Accent 17	FMLT-WL17-V
Accent 21	FMLT-WL21-V
Square feet x 2	SLF1



Possibility to add LED spotlight kit
LED-EXHIB-ARM-BDLK



Square foot
SLF1



Door return with lock
and key set

* Furniture, TVs and iPads are not part of the set and are not sold.
Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules Stand 15 m² (reduce to 9 m²)

Material: Aluminium profile 50 mm and aluminium tubes Ø 30 mm
Graphic: SEG graphic and zipped fabric graphic
Storage: Yes

+ Build up the booth!
Attach Module B on the other side of the stands. This will create a long backwall.




Storage
The modules include ready-made facilities of 1 m². Door thresholds gives better stability.

Stand 15 m²



Module B (x2)	MODULE-VFF-B
Module G3	MODULE-VFF-G3-2
Accent 17	FMLT-WL17-V
Accent 21	FMLT-WL21-V
Square feet x 2	SLF1
Straight Vector Counter with brich tabletop	VSCB-BI



Possibility to add LED spotlight kit
LED-EXHIB-ARM-BDLK



Square foot
SLF1




Door return with lock and key set

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules Stand 12 m²

Material: Aluminium profile 50 mm
Graphic: SEG graphic
Storage: Yes



LED panel
brighten up the graphics

Shelves will
facilitate the
presentation of
the product



Stand 12 m²



Module A	MODULE-VFF-A
Module G3	MODULE-VFF-G3-2
LED frame	CUSTOM
Stabilising wall	CUSTOM
Straight Vector Counter with brich tabletop	VSCB-BI
Zed-up Lite literature	AS315-002
Tablet holder	Ask for current offer



Tablet holder will facilitate company presentation



Possibility to add LED spotlight kit
LED-FLOOD-ARM-BDLK



The post allows to connect 2 Modules at a right angle




Door return with lock and key set

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules

Stand 15 m²

Material: Aluminium profile 50 mm
Graphic: SEG graphic
Storage: Yes




Display information

Two TVs to display information about the company, products and services.



LED module

Module J with LED lighting will brighten up stand and highlight the graphics.



Stand 15 m²


From Vector profiles we can build also counters



Module B (x2)	MODULE-VFF-B
Module C (x2)	MODULE-VFF-C
Module E (x4)	MODULE-VFF-E
Module F	MODULE-VFF-F
Module J (x5)	MODULE-VFF-J
Stabilising wall	CUSTOM
Straight Vector Counter with black tabletop	VSCB-BK
TV holder (x2)	LN124A



The post allows to connect 2 Modules at a right angle



Possibility to add LED spotlight kit LED-EXHIB-ARM-BDLK




Door return with lock and key set

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules Stand 18 m²

Material: Aluminium profile 50 mm
Graphic: SEG graphic and zipped fabric graphic
Storage: Yes



Vector LED hanging structure



Storage room

1m² return with secured lock.
 For more stability, the returns are equipped with a threshold bar at the bottom of the doors.

Create large graphics by adding different modules



Stand 18 m²



Module B (x3)	MODULE-VFF-B
Module C	MODULE-VFF-C
Module G	MODULE-VFF-G-2
Module H	MODULE-VFF-H
Vector LED hanging structure	VLBH125-PAN-250
Square feet x 2	SLF1
Straight Vector Counter with black tabletop	VCCB-BK



Rounded corner for full graphic design



Door return with lock and key set



Make your stand more attractive and functional by adding literature holders or shelves

Rounded arch and full graphic


Full graphic front and back. Add more light to your stand with built-in LED spotlights directly under the canopy of the arch.

* Furniture, TVs and iPads are not part of the set and are not sold.
 Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules

Stand 18 m²

Material: Aluminium profile 50 mm and aluminium tubes Ø 30 mm
Graphic: SEG graphic and zipped fabric graphic
Storage: Yes



Stand 18 m²



Module B (x3)	MODULE-VFF-B
Module C	MODULE-VFF-C
Module E (x4)	MODULE-VFF-E
Beam 950 mm (x6)	LN605-950-L2
Accent 15 (x2)	FMLT-WL15-V
Accent 16	FMLT-WL16-V
Square feet x 2	SLF1
Straight Vector Counter with black tabletop	VSCB-BI
TV holder	LN124A



Possibility to add LED spotlight kit
LED-STRIP-ARM-BDLK




Door return with lock and key set

* Furniture, TVs and iPads are not part of the set and are not sold.
 Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.


Vector Modules Stand 20 m²

Material: Aluminium profile 50 mm
Graphic: SEG graphic
Storage: Yes



Storage

Large storage will accommodate the necessary advertising materials and personal belongings of the stand's staff



Stand 20 m²



Module A (x2)	MODULE-VFF-A
Module B (x6)	MODULE-VFF-B
Module C (x2)	MODULE-VFF-C
Module E (x4)	MODULE-VFF-E
Module F (x2)	MODULE-VFF-F
TV holder	LN124A



Possibility to add LED spotlight kit
LED-EXHIB-ARM-BDLK



Door return with lock and key set




TV Screen
Enhance your stand by streaming videos. Several models can be added to the Vector Walls

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Modules Stand 24 m²

Material: Aluminium profile 50 mm and 125 mm
Graphic: SEG graphic
Storage: Yes



Grand format



Stand 24 m²

Combine solutions and
create Unique stands



Module B (x3)	MODULE-VFF-B
Module C	MODULE-VFF-C
Module D (x2)	MODULE-VFF-D
Module E (x4)	MODULE-VFF-E
Module F	MODULE-VFF-F-2
LED Vector frame	VLB125-CUSTOM
Poles (x2)	LN616-CUSTOM
Square feet x 2	SLF1
Straight Vector Counter with black tabletop	VSCB-BI



Attached to frame
by locks



The post allows to
connect 2 Modules
at a right angle



Door return with lock
and key set




Make your stand
more attractive and
functional by adding
literature holders
or shelves

* Furniture, TVs and iPads are not part of the set and are not sold.
Showing projects are illustrative. The implementation project may differ slightly
from the presented visualizations.

Vector Modules Stand 36 m²

Material: Aluminium profile 50 mm
Graphic: SEG graphic
Storage: Yes



Module K

Gain visibility and originality with this large return customisable on the four sides



Full Graphic

Stand 36 m²



Module A	MODULE-VFF-A
Module C (x3)	MODULE-VFF-C
Module E (x2)	MODULE-VFF-E
Module G3	MODULE-VFF-G3
Module H (x3)	MODULE-VFF-H
Module K	MODULE-VFF-K
Modulate™ Magnetec Counter	FORM-MOD-CNTR-01
Curved Vector Counter with black tabletop	VCCB-WH
TV Screen (x2)	LN124A

Combine solutions and create unique stands



The post allows to connect 2 Modules at a right angle



Door return with lock and key set



TV Screen
Enhance your stand by streaming videos. Several models can be added to the Vector Walls

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Custom-made Stand

Material: Aluminium profile 50, 75, 125 mm and aluminium tubes Ø 30 and 50 mm

Graphic: SEG graphic and zipped fabric graphic

Storage: Yes

Grab your attention with exciting form

Stand 50 m²



Three LED Iframes of non-standard shape. The highest with a height of 4.5 m!

The ribbing over the storage corresponds to the other end of the stand



Shelves are a practical place for storing catalogs and presenting products

The partly standing and partly suspended construction closes and joins the stand

Various frames hung on the wall are additional surface for a message



TV holder



Counter with LED frame

* Furniture, TVs and iPads are not part of the set and are not sold. Showing projects are illustrative. The implementation project may differ slightly from the presented visualizations.

Vector Accessories



Additions will make Vector constructions more functional and 100% tailored to your needs



Shell scheme mounting bracket

Shell scheme
mounting
bracket

LN134



Tool Kit

Single Kit
Double Kit

TOOLKIT-01
TOOLKIT-02



Spot LED Exhibition

See all the spots on page 84



Steel Literature Holders

LN112-C


Format A4



Quarter Side Foot (pair)

SLF1

220 (h) x 220 (w) x 5 (d) mm



Half-Moon Foot (pair)

SLF2

289 (h) x 358 (w) x 5 (d) mm



Large Flat Foot (unit)

LN155-01

5 (h) x 234 (w) x 250 (d) mm



Flat Foot (unit)

LN155

7 (h) x 100 (w) x 450 (d) mm



Flat Foot Retail (unit)

Available in colours: ○ ● ●

FX295

7 (h) x 180 (w) x 550 (d) mm

FX295-B

7 (h) x 180 (w) x 550 (d) mm

FX295-W

7 (h) x 180 (w) x 550 (d) mm



Support iPad Design

- 360° Rotating iPad Holder
- Compatible with all iPads except iPad mini and Pro
- Available colours: ○ ●

IPAD-SH-360

310 (h) x 225 (w) x 95 (d) mm



Shelf

Upon request



Support for Screens

LN124

Screen 37»-70»

LN124A

Screen 32»-55»



Shop decorations
Photo backwalls
Office arrangements
Events
Exhibitions

Modulate™

Modulate™ is the fusion of two original concepts, recognised for their success in the world of retail and exhibitions: Formulate, a range of tubular structures and Vector modular frames.



Attract attention


Modulate™ consists of a set of frames made from aluminium tubes covered with a printed tension fabric graphic. These frames can be connected together using powerful magnets inside each element.

Based on this simple magnetic principle, the different Modulate™ frames combine to create the perfect configuration for every venue: retail outlets, trade shows, shell schemes, exhibition venues, shopping centre, or in office environments as simple partitioning for meeting areas.

Intuitive assembly with no need for tools

Assembling Modulate™ structures does not require no tools. Each section is labelled by number and colour coded for ease of assembly, connecting with a push-button.

Once the structure is assembled, the Twist & Lock feet can be locked into place by rotating a quarter of a turn, for a perfectly stable free-standing frame. Add the perfect finishing touch with a tension fabric graphic, designed to fit the frame perfectly.



Assemble the bungee sections using the push-buttons



Add the central reinforcement tube and connect all the tubes according to the numbered system



Place the Twist & Lock foot under the structure and rotate to lock it




Use the gloves provided to handle the graphic and slide it onto the frame

How to install Twist & Lock feet ?




Scalable structures

To add greater versatility to your Modulate™ structures, you can add a 400 mm tubular extension, allowing you to change the height of your frame from 2000 mm to 2400 mm. Easily inserted between two sections, this extension allows you to use the same frame at two different heights.



MagLink connectors: simple, fast and reconfigurable

Get original by combining the different sizes and shapes of Modulate™ frames. Thanks to the exclusive MagLink magnetic system built into the structure, you can connect the frames by simply touching them together



Simply position your frames at your desired angle



360° MagLink connector in each pole



Optional 400 mm extension to change the height of the structure



Self-locking system with bungee poles and push-buttons



Simple assembly with numbered frame parts



Central reinforcement tube (18 mm diameter)



2 stabilising feet with Twist & Lock supplied with each frame



Double-sided tension fabric. Zip system



Modulate™ carry bag with dedicated compartments for the feet and graphics

Seria Modulate™

Modulate™ includes aluminium tubular frames (Ø30 mm) that can be used with double-sided printed textile graphics. These modules can be used by themselves or combined to create hundreds of possible configurations. The different structures are classified according to their width or shape. The colour of the module corresponds to the coding system on the structure. Each frame is supplied with a Modulate™ carry bag with dedicated slots for feet and graphics.



Replace the arch with a right angle



Two-tone Modulate™ bag

Other dimensions made to order!



Made in Poland

Modulate™ Straight 1020/1024



Straight 1020	MOD-S-1020	⊗ 1018 (w) x 2005 (h) x 400 (d) mm
Straight 1024	MOD-S-1024	⊗ 1018 (w) x 2405 (h) x 400 (d) mm



Made in Poland

Modulate™ Straight 1520/1524



Straight 1520	MOD-S-1520	⊗ 1518 (w) x 2005 (h) x 400 (d) mm
Straight 1520	MOD-S-1524	⊗ 1518 (w) x 2405 (h) x 400 (d) mm




Made in Poland

Modulate™ Straight 2020/2024



Straight 2020	MOD-S-2020	⊗ 2017 (w) x 2005 (h) x 400 (d) mm
Straight 2020	MOD-S-2024	⊗ 2017 (w) x 2405 (h) x 400 (d) mm






Modulate™ Straight 420/424



Straight 420	MOD-S-420	Ⓢ 418 (h) x 2000 (w) x 400 (d) mm
Straight 424	MOD-S-424	Ⓢ 418 (h) x 2400 (w) x 400 (d) mm



Modulate™ Straight 810/820/824




Straight 810	MOD-S-810	Ⓢ 818 (h) x 1000 (w) x 400 (d) mm
Straight 820	MOD-S-820	Ⓢ 818 (h) x 2000 (w) x 400 (d) mm
Straight 824	MOD-S-824	Ⓢ 818 (h) x 2400 (w) x 400 (d) mm



Modulate™ Straight 1820/1824



Straight 1820	MOD-S-1820	Ⓢ 1800 (h) x 2000 (w) x 400 (d) mm
Straight 1824	MOD-S-1824	Ⓢ 1800 (h) x 2400 (w) x 400 (d) mm




Modulate™ Curved 820/824



Curved 820	MOD-C-820	Ⓢ 800 (h) x 2000 (w) x 400 (d) mm
Curved 824	MOD-C-824	Ⓢ 800 (h) x 2400 (w) x 400 (d) mm

Slope 1



Slope 1	MOD-SS-824-01	Ⓢ 800 (h) x 2300 (w) x 400 (d) mm
---------	---------------	-----------------------------------

Slope 2



Slope 2	MOD-SS-824-02	Ⓢ 800 (h) x 2400 (w) x 400 (d) mm
---------	---------------	-----------------------------------

Mix & Match Modulate™


Modulate™ offers innovative layout solutions and maximises the impact of your message with sublimation printed textile graphics.

Choose your Modulate™ frames from the shapes and sizes and on offer and connect them magnetically at any angle using the exclusive MagLink system.

You can mix and match to create new configurations or change them to suit your needs.

Switching from a simple wall of images to an exhibition stand takes just a few minutes!

Change simple
backwalls into the
stand in few minutes



Retail Solutions

The versatility and variety of Modulate™ frames make them ideal choice for decorating interior spaces. The same frames can be arranged in different ways to redesign your POS advertising.




Image walls for events

The use of large-format graphics is particularly suited to the world of events and promotions.



Reconfigurable exhibition stands


Easy to transport and assemble, Modulate™ frames can be used to create a stand. Modulate™ offers the freedom to redesign your stand as many times as you want, guaranteeing an excellent return on your investment.





Creating workspaces

Creating simple private reception spaces, partitions or office spaces with the Modulate™ frames. The large customisable surfaces can also be used for decoration as well as brand communication.



Create effortless partitions






Exhibitions
Pop-up stores
Promotions
Information
Events

Linear

The Linear range is perfect for applications such as image walls, stands and office layouts. It comprises aluminium frames used to provide the basis of a durable and solid structure, which can be used on a permanent or temporary bases.

You can take full advantage of this range in its many different forms by combining it with our Vector range to create secure storage spaces.



Linear – versatile in profile ranges and print media

A wide range of profile shapes

Linear is a modular solution made up of several aluminium frames. It has been designed to offer an alternative to frames with fabric graphics. Its construction is based on channelled posts and strengthening cross-beams and it therefore allows you to add flexible printed PVC graphics or rigid printed panels to your structures.

// Assembling Linear

Linear frames can be slotted in thanks to a system of connectors, an integral part of the frame. At its most basic, all that is needed is one male pole and one female pole.


Assembly of a pole and a cross-beam using an Allen key to lock in place.



// Anodised aluminium posts and beams with channel profiles



LN601 - 50mm round post - four connections




LN618 - 50mm round post - eight connections




LN602 - 75mm round post - four connections




LN8W - 75mm round post - eight connections




LN616 - 50mm square post - eight connections



LN607 - 75mm square post - eight connections



LN625 - 30mm beam



LN605 - 45mm beam




LN619 - 50mm Oval beam

// Options for frame covering


Whatever materials you intend to use, you can choose to cover the frame either fully or partially.

- A** If you choose a flexible PVC graphic, an adhesive magnetic tape needs to be fixed to the back of the visual. A metal tape is bonded to the frame for the magnetic tape to fix to.



Flexible printed PVC graphics

- B** If you choose a cover made of rigid panels (5mm), you can insert each panel in the channel. If you intend to cover the whole structure, hook and loop can be fitted to the back and on to the frame.



Rigid printed panel graphics

Affix with hook and loop

Linear Backwalls

The Linear range is ideally suited for wall applications, stands and office fixtures.



Coded system



Male and female post connectors



Connection of Linear male and female beams

Material: Linear anodised aluminium profiles with four connections
Standard kits supplied with a roll of metal tape (additional magnetic tape EM301 - not included)

Graphic: Rolable PCV (1 mm) or rigid PCV (5 mm)

Accessories: Yes

Manufacture: To order



Curved steel bases



Accessorise posts



Linear Executive Wave



2 LCD and 4 shelves	LK031-001	2475 (h) x 3000 (w) x 500 (d) mm
2 LCD and 4 literature holders	LK031-002	2475 (h) x 3000 (w) x 500 (d) mm
6 Literature holders	LK031-003	2475 (h) x 3000 (w) x 500 (d) mm

* TVs are not part of the set and are not sold.

Linear Executive Curve



2 LCD and 4 shelves	LK030-001	2475 (h) x 3000 (w) x 500 (d) mm
2 LCD and 4 literature holders	LK030-002	2475 (h) x 3000 (w) x 500 (d) mm
6 Literature holders	LK030-003	2475 (h) x 3000 (w) x 500 (d) mm

Linear Pro 26




Material: Profile Linear
Graphic: Rolable PCV (1 mm) or rigid PCV (5 mm)
Accessories: Yes
Manufacture: To order

Linear Pro 26	Pro26	2576 (h) x 6016 (w) x 765 (d) mm
---------------	-------	----------------------------------



Optional extra
iPad Holder



Top caps complete the look



* iPad not included



* Screen not included



Kit A - Curved Panel



Panel 1000	LK023-C	⊗ 2000 (h) x 1265 (w) x 390 (d) mm
Panel 2000	LK023-D	⊗ 2000 (h) x 2245 (w) x 455 (d) mm
Panel 3000	LK023-E	⊗ 2000 (h) x 3110 (w) x 740 (d) mm

Kit LCD Panel



Panel 1000	LK025-C	⊗ 2000 (h) x 1265 (w) x 390 (d) mm
Panel 2000	LK025-D	⊗ 2000 (h) x 2245 (w) x 455 (d) mm
Panel 3000	LK025-E	⊗ 2000 (h) x 3110 (w) x 740 (d) mm


Kit B - Straight Panel



Panel 1000 x 200	LK021-A	⊗ 1000 (h) x 2550 (w) x 400 (d) mm
Panel 2000 x 500	LK021-B	⊗ 2000 (h) x 1050 (w) x 400 (d) mm
Panel 2000 x 1000	LK021-C	⊗ 2000 (h) x 1550 (w) x 400 (d) mm
Panel 2000 x 2000	LK021-D	⊗ 2000 (h) x 2550 (w) x 400 (d) mm
Panel 2000 x 3000	LK021-E	⊗ 2000 (h) x 3550 (w) x 400 (d) mm

Accessories

Make Linear structures more
functional by accessorising



Oval Steel Base
LN114-S
- 400 x 175 mm
- 1.8 kg



Domed Base
LN102 (base)
LN900 (weight)
- Ø450 mm
- 16.5 kg



Slim Foot
LN155
- Metal foot for
self-supporting frame
- 75 x 350 x 3 mm
- 1.75 kg



Quarter Side Foot
SLF1
- 220 x 220 x 5 mm
- 1.2 kg



Side Foot (pair)
SLF2P
- 289 x 358 x 5 mm
- 1.8 kg



Side table
LN319
- Available in
several colours:
● ● ●



Designer iPad Holder
IPAD-CHU
- 310 x 225 x 20 mm
- Secure frame
- Available in white,
silver and black
- Compatible with all
iPads except iPad
mini and Pro



Screen Brackets
LN124-01 Screen ≤ 80cm
LN124A Screen ≤ 94cm
LN124 Screen ≤ 106cm
- Post or beam fixing



Shelf
LN130
- Available in
several colours:
● ● ●



Literature Holder
AH5A4P (A4)
AH5ASP (A5)
AH5DLP (DL)
- Injection moulded
literature holders
- Can also be wall
mounted



Acrylic Literature Holder
LN501
- A4 size



Metal Literature Holder
LN112-C
- A4 size



Stages
Competitions
Suspension trusses
Car dealerships
Exhibitions

Arena

If your visual communications project is about handling space and layout, the organisation of an event or communications activity, we have the solution: the solution is ARENA.

The Arena framework is a visually attractive structure made up of aluminium tubes. It is a modular solution which is extremely stable and highly scalable. The various sections can be assembled, re-configured and re-used according to the requirements of each event.



Arena Structures

The 25mm aluminium tubes of the ARENA modular solution can be assembled and fixed together to create sections of various shapes and sizes in order to build the foundations of an imposing and solid stand structure.

A wide selection of tubular sections can be supplied to create a bespoke solution that meets your exact requirements.

Assembling Arena

Components are supplied including nine straight sections, to create the structure you need, based on the type of transportation you select.

22 elements




Corner swivel plate
UT-SP01



45° Triangular foot
UT-AF250



90° Angle Two-way corner
UT-C21



Three-way corner
UT-C30



250mm Hook over plate
UT-HP250



Four-way T connector
UT-C40



Three-way T connector
UT-C35



250mm Foot
UT-BS250




Four-way connector
UT-C41



Five-way connector
UT-C55



Six-way connector
UT-C65



500mm Curved section
UT-C500



1000mm Curved section
UT-C1000



Section 250mm
UT-S250

Section 750mm
UT-S750

Section 1500mm
UT-S1500

Section 300mm
UT-S300

Section 1000mm
UT-S1000

Section 1750mm
UT-S1750

Section 500mm
UT-S500

Section 1250mm
UT-S1250




Section 2000mm
UT-S2000

System available on request.

Simple assembly

The various sections can be put together using the screws and nuts supplied; so no additional tools are required for the assembly. The graphics (PVC or textile) are then secured using eyelets and bungee cords. Maximum visibility can be achieved by using six metre long spans that do not require any reinforcement.

Tip: this also can be used as lighting structures.



Sections assemble easily

Accessories



LCD Screen Bracket
≤ 40 kg

LCD Screen bracket	UT-LCD3
--------------------	---------



Metal Literature holders

10 storage compartments	TT401
-------------------------	-------

Tables available in four colours



Oval table

Oval table	TT400
------------	-------



Half table

Half table	TT400-2
------------	---------



Corner table

Half table	TT400-1
------------	---------

System available on request.

Arena Stands

Material:	Aluminium
Graphic:	Graphic attached by bungee fixings
Accessories:	Yes
Manufacture:	To order

Stand 16m²



Great stability

Ideal for double-sided graphics

Arena Kit 1



Shelving
Attach shelves or literature racks to your structure to increase functionality





Literature Holders
Tablet Holders
Counters
Lightning
Transport

Accessories

Whether you are finishing an exhibition stand, a point of sale or a specific event, our modular solutions can be enhanced by a large selection of accessories such as counters, document stands and lighting solutions.

We also have a range of appropriate transportation solutions (bags and cases in hard and soft materials) to suit your requirements.

Accessories

Literature holders

Displaying your documentation in a prominent, eye-catching way so that stand visitors will pick it up and take it away is an absolute must for communications professionals. Our literature holders, available in a vast choice of materials and finishes to be used in all kinds of environments, are the ideal complement to your modular stand solution.

Quantum



Material:	ABS plastic (trays), powder coated steel (arms/base)
Colour:	Smoked grey
Documents sizes:	A4
Pockets:	5
Double-sided:	Yes
Transport:	Foamed premium bag (included)

Quantum A4	AS316-001	📏 1320 (h) x 285 (w) x 380 (d) mm
------------	-----------	-----------------------------------

Double-sided



Ultra compact



Cascade



Material:	Polymer, polycarbonate
Colour:	Grey
Documents sizes:	A4
Pockets:	4
Double-sided:	No
Transport :	Premium fabric bag (included)

Cascade A4	AS320	📏 1480 (h) x 265 (w) x 310 (d) mm
------------	-------	-----------------------------------

Automatically locks in open or folded position



Safe transportation in hard case



Zed-Up Lite



Material:	Acrylic and anodised aluminium
Colour:	Grey
Documents sizes:	A5 / A4 / A3
Pockets:	6
Double-sided:	Yes
Transport :	Hard case (included)

A5 (6 pockets)	AS318-002	📏 1115 (h) x 210 (w) x 280 (d) mm
A4 (6 pockets)	AS315-002	📏 1460 (h) x 256 (w) x 370 (d) mm
A3 (6 pockets)	AS319-002	📏 1420 (h) x 470 (w) x 370 (d) mm

Linear Media post



Material:	Anodised aluminium post, steel dome base
Colour:	Silver
Documents sizes:	A4
Pockets:	3 - included
Graphic:	Single-sided
Graphic:	Optional extra - ideal with 5 mm foamed PVC
Transport:	Carry bags (optional extra)

Linear Media Post	LK026-001	2060 (h) x 523 (w) x 450 (d) mm
-------------------	-----------	---------------------------------

Accessories :

Base bag	AB910
Pole bag	AB293

Adjustable
A4 Literature
holders



Formulate Universal Tablet Holder*




Material:	Ø30mm aluminium bungee tubes, metal base, plastic connector
Locking:	Security screws/Allen key (included)
Tablet positioning:	Portrait or Landscape
Tablet size:	8.6"-13.7" (22.2-35.5cm) diagonal / 0.9cm thickness
Graphic option:	Double-sided fabric graphic (optional)
Ground fixing:	5.2kg Weighted base (included)

Frame	FORM-UNI-TAB-01	1230 (h) x 350 (w) x 640 (d) mm
Black literature holder rack (use two max) optional extra	FORM-UNI-TAB-LIT-B	155 (h) x 350 (w) x 75 (d) mm



Internal reinforcement



Black literature holder rack (optional)



Optional Literature holders can display portrait or landscape brochures

5.2kg Weighted base plate included for stability

Accessories Counters

Designed for a wide variety of uses, our counters are portable and can be used in all your events; they are ideal for your conferences or as a welcoming point for your visitors. We have created a range of counters in various sizes and styles, with fabric or PVC graphics.

Modulate™ Magnetic Counter


 **PATENT**



Material:	Ø 30mm Aluminium tubes, MDF tabletop/shelf
Assembly:	Push-fit button
Collapsible:	No
Counter top:	Black
Graphic attachment:	Zip system
Shelves:	1 (optional extra)
Transport:	One padded carry bag, internal flap

Modulate Counter	FORM-MOD-CNTR	 1015 (h) x 800 (w) x 600 (d) mm
------------------	---------------	---

Accessories:

Shelf	FORM-MOD-CNTR-02	 9 (h) x 770 (w) x 571 (d) mm
-------	------------------	--

Choose to have the tabletop visible or hidden



from this...
to this - just using magnets - no tools required!!



Shelf (optional)

Graphics finished with a zipper for easy access to the shelf

Vector Counter Straight



Material:	Aluminium, MDF tabletop/shelf
Assembly:	Cam locks and Allen key
Collapsible:	No
Counter top:	Beech / black / silver / white
Graphic attachment:	SEG 3 mm
Shelves:	1
Transport:	Carry bags - optional extra

Vector Straight Counter 1000 mm*	VSCB	1015 (h) x 1040 (w) x 545 (d) mm
Vector Straight Counter 1000 mm with lockable door	VSCB-D	1015 (h) x 1040 (w) x 545 (d) mm porte: 975 (h) x 535 (w) mm
Vector Straight Counter 2000 mm	VSCB-2	1015 (h) x 2040 (w) x 545 (d) mm

*Reference not compatible with the addition of a door.

Accessories:

Tube bag (counter)	AB120AM
Carry bag (shelf and tabletop)	AB914

Internal shelf



Attach graphic into SEG frame channel



Optional carry bag

Vector Counter Curved



Material:	Aluminium, MDF tabletop/shelf
Assembly:	Cam locks and Allen key
Collapsible:	No
Counter top:	Beech / black / silver / white
Graphic attachment:	SEG 3 mm
Shelves:	1
Bag:	Two carry bags - optional extra

Vector counter curved	VCCB	1015 (h) x 1340 (w) x 540 (d) mm
-----------------------	------	----------------------------------

Accessories:

Carry bag (shelf and tabletop)	AB916
Carry bag kit (counter)	AB120AC-KIT



Shelf included



Stylish curved counter

Manufactured to order

Lady Vector LED



Material:	Aluminium, MDF tabletop/shelf
Assembly:	Cam locks and Allen key
Collapsible:	No
Counter top:	Beech / black / silver / white
Graphic attachment:	SEG 3 mm
Shelves:	Optional
Transport:	Optional
Manufacture:	To order



LED Vector counters are manufactured to order which allows for many modifications

LED frame with edge lights





Sliding doors cover up objects placed in the counter ensuring stand aesthetics



Join two counters with one LED frame

Huge space to welcome guests, present offers and fill out forms



75 mm LED



LED strip



Attach graphic into SEG frame channel

Accessories

Transport

Transport oraz magazynowanie to bardzo ważne aspekty, które mają wpływ na projektowanie stoiska.

Transport bag



Material: Nylon bag with wheels
Wheels: Yes
Capacity: up to 115 l
Colour: Black

1370 mm	AB-LIN-02	⌀ 1370 (h) x 290 (w) x 290 (d) mm (internal dimensions)
---------	-----------	--



Handle and wheels for convenient transport



Some items are packed in boxes.



Wheeled for easy transportation



Zipped opening

Transport Container



Material: Plywood
Wheels: 4 wheels (2 with brakes)
Capacity: Up to 150 kg
Kit Reinforced carry handle, 5 m strap and lid

Container with wheels

1350 mm	LNPC-1350-01	⌀ 1350 (h) x 400 (w) x 350 (d) mm (internal dimensions)
2580 mm	LNPC-2580-01	⌀ 2580 (h) x 400 (w) x 350 (d) mm (internal dimensions)

Stackable container

1350 mm	LNPC-1350	⌀ 1350 (h) x 400 (w) x 350 (d) mm (internal dimensions)
2580 mm	LNPC-2580	⌀ 2580 (h) x 400 (w) x 350 (d) mm (internal dimensions)



Reinforced carrying handle



Wheels with brakes

Accessories

Lightning


Modular solutions come alive with lighting. Our full range of lighting includes halogen spotlights, LED spotlights and spotlights.



Lighting for Formulate hanging structures



Bulb LED 45W 4500 Lumens / 6000 Kelvin	LED-BULB-45W
Cable 3m EU/UK	LGT-SOCK-01
4 bulbs holder	LGT-SOCK-04



Powerspot 950-1000 LED



Material:	Aluminium, plastic
Watt output:	90 Watt
Consumption:	12 Watt (1400 Lumens/5500 Kelvin)
Head:	270° - right arm
Single kit includes:	One spotlight + 2.5m linking lead
Double kit includes:	Two spotlights + 2.5m linking lead + 1 transformer
Linked lights:	2 max
Power lead UK & Euro:	Yes (cross head screwdriver needed)

Perfect for illuminating larger displays

Material:	Aluminium, plastic
Watt output:	80 Watt
Watt consumption:	12 Watt (1200 Lumens/5631 Kelvin)
Single kit includes:	One spotlight + 2.5m linking lead
Double kit includes:	Two spotlights + 2.5m linking lead + 1 transformer
Linked lights:	Link up to five to one transformer
Power lead UK & Euro:	Yes (cross head screwdriver needed)


Single Kit	PS950-1000-LED-BS
Double Kit	PS950-1000-LED-BDLK
Transformer*	PS950-1000-LED-DRIVER



Spot LED Flood



Single Kit	LED-FLOOD-ARM-B
Double Kit	LED-FLOOD-ARM-BDLK
Transformer*	LED-ARM-TRANS



Spot LED Strip



Single Kit	LED-STRIP-ARM-B
Double Kit	LED-STRIP-ARM-BDLK
Transformer*	LED-ARM-TRANS



Spot LED Exhibition



Single Kit	LED-EXHIB-ARM-B
Double Kit	LED-EXHIB-ARM-BDLK
Transformer*	LED-ARM-TRANS

*Required when using -B code in isolation



Square Spot



Spot LED 9 Wat.

Square Spot	LED-9W-145MM	⌀ (w) 150 mm
-------------	--------------	--------------



Linear Fitting



Linear Fitting	US-LINEAR
----------------	-----------



Vector Fitting



Vector Fitting	VLF
----------------	-----



Round Spot



Spot LED 9 Wat.

Round Spot	LED-9W-146D	⌀ Ø 146 mm
------------	-------------	------------



Formulate and Modulate™ Fitting



Formulate and Modulate™ Fitting	US903
---------------------------------	-------



Universal Fixing Kit




Universal Fixing Kit	US901-C
----------------------	---------

Compatible with...

	Formulate Modulate™	Linear	Vector
PS 950-1000 LED	●	●	●
Spot LED Flood	●	●	●
Spot LED Strip	●	●	●
Spot LED Exhibition		●	●

- Linear Fitting US-LINEAR
- Formulate & Modulate™ Fitting US903
- Vector Fitting VLF
- Fitting integrated with the spot

Convert your UK plug into EU version



Modular Stand Quote Form

Dzięki Twoim odpowiedziom, będziemy mogli przygotować odpowiednio dobraną ofertę.



Event

Name :

Location :

Show Dates : / / to / /

Install Date : / / Dismantle Date : / /



The Stand

Design :

- ☐ Media ☐ Fabric
- ☐ Graphics ☐ Single Sided ☐ Double Sided
- ☐ Storage Area ☐ Yes ☐ No
- ☐ Standard Arch ☐ Yes ☐ No
- ☐ LED Arch ☐ Yes ☐ No
- ☐ Meeting Room ☐ Yes ☐ No
- ☐ LED Wall ☐ Yes ☐ No
- ☐ Hanging structure ☐ Yes ☐ No

Accessories :

- ☐ Lights ☐ Shelves ☐ TV
- ☐ Counter ☐ Suspended Sign (Formulate) ☐ Literature Holder
- ☐ Tablet Holder ☐ Other Comments :



Logistics

Transport :

☐ Package ☐ Pallet

maximum length of the profile :

Packaging :

☐ Transport bag ☐ Carton ☐ Wooden crate



Location

Stand Area :

(w) x (d) x (h)

Space Configuration :



☐ A. Open 1 Side



☐ B. Open 2 Sides



☐ C. Open 3 Sides



☐ D. Open 4 Sides

Spatial Planning :

☐ Space Only ☐ Shell Scheme

Technical Constraints on the Event :



Product Use

☐ Unique for the Event ☐ Reusable for Other Events or Showrooms

Reconfigurable :

Identical Surface ? ☐ Yes ☐ No

Other Sizes of Surfaces to Estimate : x
 x
 x

Identical Configuration ?

☐ Yes ☐ No

Other Desired Configurations (see above) ?

☐ A ☐ B ☐ C ☐ D



Budget

What stand cost budget are we working to?

☐ Less than 5,000 € ☐ Between 5,000 € and 8,000 €
☐ Between 8000 € and 15,000 € ☐ Greater than 15,000 €



MODULAR

Creative stand solutions for unique brands